



Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CCL 9	551983			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
PITTSBURGH PA	31Dec1974		R-773	R-773		R-195.0
UNITED STATES			-	-		10

Owner	Operator
R B B L LLC 1237 HWY 75 SUNSHINE, LA 70780 UNITED STATES	CHEM CARRIERS LLC 1237 HWY 75, SUNSHINE, LA 70780 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection			
Date	Zone	A/P/R	Signature
01/25/2016	SHG	A	[Signature]

This certificate issued by: *L. L. Woodman*
 L. L. WOODMAN, CDR, USCG, By direction
 Officer in Charge, Marine Inspection
 Marine Safety Unit Port Arthur
 Inspection Zone



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date: 07 Nov 2024
Expiration Date: 07 Nov 2029

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CCL 9	551983			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
PITTSBURGH PA	31Dec1974		R-773	R-773		R-195.0
UNITED STATES			I-	I-		I-0

Owner	Operator
R B B L LLC 1237 HWY 75 SUNSHINE, LA 70780 UNITED STATES	CHEM CARRIERS LLC 1237 HWY 75, SUNSHINE, LA 70780 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: <i>L. L. Woodman</i> L. L. WOODMAN, CDR, USCG, By direction Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur Inspection Zone
Date	Zone	A/P/R	Signature	



Certificate of Inspection

Vessel Name: CCL 9

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	30Nov2034	07Nov2024	28Apr2016
Internal Structure	30Nov2029	07Nov2024	12Apr2021

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
10500	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	606	13.50
2	623	13.50
3	615	13.50

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	1485	9ft 0in	13.50	LAKES, BAYS, SOUNDS AND RIVERS
III	1624	9ft 7in	13.50	LAKES, BAYS AND SOUNDS
III	1811	10ft 5in	13.50	RIVERS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-0800579, dated 02NOV04, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% Benzene, the person in charge is responsible for ensuring the provisions of 46 CFR Part 197, subpart C are applied.

OIL PROHIBITION - No Vessel Response Plan

This vessel is prohibited from carrying those cargoes that are considered an "oil" for the purposes of the Federal Water Pollution Control Act as amended by the Oil Pollution Act of 1990 which requires a vessel response plan Per 33 CFR 155 subpart D.

OIL PROHIBITION – No Overfill Protection Devices

This vessel is not equipped with overfill protection devices and is prohibited from carrying oil products as defined in 33 CFR 151.05.

OIL PROHIBITION – No 30 Year Mid-Body Survey



Certificate of Inspection

Vessel Name: CCL 9

This vessel does not meet the mid-body gauging survey requirements of 46 CFR 31.10-21a (b)(1) and is prohibited from carrying pollution category I oils listed in 46 CFR Table 30.25-1.

Stability and Trim

Per 46 CFR 151.10(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

Cargoes with densities, up to 13.5 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1	28Apr2016	29Nov2024	30Nov2034	-	-	-
2	28Apr2016	29Nov2024	30Nov2034	-	-	-
3	28Apr2016	29Nov2024	30Nov2034	-	-	-

Hydro Test

Tank Id	Safety Valves	Hydro Test		
		Previous	Last	Next
1	-	-	-	-
2	-	-	-	-
3	-	-	-	-

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

---Certificate Amendments---

Amending Unit	Amendment Date	Amendment Remark
Sector Houston/Galveston	29Nov2024	Completed Cargo Tank Internal Examination.

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **CCL 9**
Official #: 551983

Shipyard: Dravo Hull
Hull #: 6238

46 CFR 151 Tank Group Characteristics

Tank Group Information		Cargo Identification			Hull Type	Cargo Seg Tank	Tanks			Cargo Transfer		Environmental Control		Fire Protection Provided	Special Requirements		Elec Haz	Temp Cont
Tnk Grp	Tanks in Group	Density	Press.	Temp.			Type	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space		General	Materials of Construction		
A	Three (3)	13.6	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Open	II	G-1	NR	NA	Portable	40-1(f)(1), .50-60, .50-70(a), .50-70(b),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	Yes

- Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.
2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery		Special Requirements in 46 CFR 151 General and Mat'l's of	Insp. Period	
							App'd (Y or N)	VCS Category			

Authorized Subchapter O Cargoes

Adiponitrile	ADN	37	O	E	II	A	No	N/A	No	G
Alkyl(C7-C9) nitrates	AKN	34 ²	O	NA	III	A	No	N/A	.50-81, .50-86	G
Aminoethylethanolamine	AEE	8	O	E	III	A	No	N/A	.55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 ²	O	NA	III	A	No	N/A	.50-73, .56-1(a), (b), (c)	G
Anthracene oil (Coal tar fraction)	AHO	33	O	NA	II	A	No	N/A	No	G
Butyraldehyde (all isomers)	BAE	19	O	C	III	A	No	N/A	.55-1(h)	G
Camphor oil (light)	CPO	18	O	D	II	A	No	N/A	No	G
Carbon tetrachloride	CBT	36	O	NA	III	A	No	N/A	No	G
Caustic potash solution	CPS	5 ²	O	NA	III	A	No	N/A	.50-73, .55-1(f)	G
Caustic soda solution	CSS	5 ²	O	NA	III	A	No	N/A	.50-73, .55-1(f)	G
Chlorobenzene	CRB	36	O	D	III	A	No	N/A	No	G
Chloroform	CRF	36	O	NA	III	A	No	N/A	No	G
Creosote	CCW	21 ²	O	E	III	A	No	N/A	No	G
Cresols (all isomers)	CRS	21	O	E	III	A	No	N/A	No	G
Cresylic acid tar	CRX		O	E	III	A	No	N/A	.55-1(f)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	O	D	III	A	No	N/A	.50-60, .56-1(b)	G
iso-Decyl acrylate	IAI	14	O	E	III	A	No	N/A	.50-70(a), .50-81(a), (b), .55-1(c)	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	O	E	III	A	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	O	E	III	A	No	N/A	.56-1(a), (b), (c), (g)	G
Diethanolamine	DEA	8	O	E	III	A	No	N/A	.55-1(c)	G
Diethylenetriamine	DET	7 ²	O	E	III	A	No	N/A	.55-1(c)	G
Diisopropanolamine	DIP	8	O	E	III	A	No	N/A	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	O	E	III	A	No	N/A	.56-1(b)	G
Ethanolamine	MEA	8	O	E	III	A	No	N/A	.55-1(c)	G
Ethylene cyanohydrin	ETC	20	O	E	III	A	No	N/A	No	G
Ethylene glycol hexyl ether	EGH	40	O	E	III	A	No	N/A	No	G
Ethylene glycol propyl ether	EGP	40	O	E	III	A	No	N/A	No	G
2-Ethylhexyl acrylate	EAI	14	O	E	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G
Glutaraldehyde solution (50% or less)	GTA	19	O	NA	III	A	No	N/A	No	G
Isoprene	IPR	30	O	A	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (c), (g)	G
Methyl diethanolamine	MDE	8	O	E	III	A	No	N/A	.56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	O	E	III	A	No	N/A	.55-1(e)	G
Morpholine	MPL	7 ²	O	D	III	A	No	N/A	.55-1(c)	G
Polyethylene polyamines	PEB	7 ²	O	E	III	A	No	N/A	.55-1(e)	G



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CCL 9
Official #: 551983

Page 2 of 3

Shipyard: Dravo Hull
Hull #: 6238

Cargo Identification							Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery		Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
							App'd (Y or N)	VCS Category			
iso-Propanolamine	MPA	8	O	E	III	A	No	N/A	.55-1(c)	G	
Propanolamine (iso-, n-)	PAX	8	O	E	III	A	No	N/A	.56-1(b), (c)	G	
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		O		III	A	No	N/A	.50-73, .55-1(i)	G	
Sodium aluminate solution (45% or less)	SAU	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (b), (c)	G	
Sodium chlorate solution (50% or less)	SDD	0 ^{1,2}	O	NA	III	A	No	N/A	.50-73	G	
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 ^{1,2}	O	NA	III	A	No	N/A	.50-73, .55-1(b)	G	
Styrene monomer	STY	30	O	D	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G	
Tetraethylenepentamine	TTP	7	O	E	III	A	No	N/A	.55-1(c)	G	
Triethanolamine	TEA	8 ²	O	E	III	A	No	N/A	.55-1(b)	G	
Triethylenetetramine	TET	7 ²	O	E	III	A	No	N/A	.55-1(b)	G	
Triphenylborane (10% or less), caustic soda solution	TPB	5	O	NA	III	A	No	N/A	.56-1(a), (b), (c)	G	
Trisodium phosphate solution	TSP	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (c)	G	
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (c), (g)	G	
Vinyl acetate	VAM	13	O	C	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G	
Vinyl neodecanate	VND	13	O	E	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G	



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **CCL 9**
Official #: 551983

Page 3 of 3

Shipyard: Dravo Hull
Hull #: 6238

Explanation of terms & symbols used in the Table:

Cargo Identification

Name	The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.
Chem Code none	The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.
Compatibility Group No.	The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
Note 1	Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425.
Note 2	See Appendix I to 46 CFR Part 150 - exceptions to the compatibility chart.
Subchapter	The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.
Subchapter D	Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Subchapter O	Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.
Note 3	Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.
Grade	The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
A, B, C	Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
D, E	Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
Note 4	The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
NA	Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
#	No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
Hull Type	The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
I	Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
II	Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
III	Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).
NA	Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group	The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.
Vapor Recovery	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo.
Approved (Y or N)	No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group	The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.
Vapor Recovery	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo.
Approved (Y or N)	No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category:

Category 1	The specified cargo's provisional classification for vapor control systems. (No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.
Category 2	(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.
Category 3	(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.
Category 4	(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.
Category 5	(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.
Category 6	(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5.
Category 7	(High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.
none	The cargo has not been evaluated/classified for use in vapor control systems.




UNITED STATES OF AMERICA

DEPARTMENT OF HOMELAND SECURITY
UNITED STATES COAST GUARD

NATIONAL VESSEL DOCUMENTATION CENTER

CERTIFICATE OF DOCUMENTATION

VESSEL NAME CCL 9		OFFICIAL NUMBER 551983	IMO OR OTHER NUMBER 6237	YEAR COMPLETED 1974	
HAILING PORT NEW ORLEANS LA		HULL MATERIAL STEEL		MECHANICAL PROPULSION NO	
GROSS TONNAGE 773 GRT	NET TONNAGE 773 NRT	LENGTH 195.0	BREADTH 35.1	DEPTH 10.0	
PLACE BUILT PITTSBURGH PA					
OWNERS R B B L LLC			OPERATIONAL ENDORSEMENTS COASTWISE		
MANAGING OWNER R B B L LLC 1237 HWY 75 SUNSHINE LA 70780					
RESTRICTIONS NONE					
ENTITLEMENTS NONE					
REMARKS NONE					
ISSUE DATE NOVEMBER 18, 2025		 DIRECTOR, NATIONAL VESSEL DOCUMENTATION CENTER			
THIS CERTIFICATE EXPIRES					
DECEMBER 31, 2026					



15802305410

Certificate of Financial Responsibility (COFR)

<https://www.uscg.mil/Mariners/National-Pollution-Funds-Center/COFRs/FCOFR-Active-Vessel-Status/>

Updated: 03/02/2026 14:00

Vessel Name	Vin	Vessel Type Code	Vsl Vessel Type Desc	Gross Tonnage	Case Control Id	Case- Examiner Id	Case- Operator Name	Effective Date	Expiration Date	Insurance Cancel Flag
CCL 1	D518612	50	TANKBARGE	812	841310	22	CHEM CARRIERS, L.L.C	9/2/2025 4:00:00 AM	9/2/2028 12:00:00 AM	
CCL 2	D510107	50	TANKBARGE	855	841310	22	CHEM CARRIERS, L.L.C	6/23/2023 12:00:00 AM	6/23/2026 12:00:00 AM	
CCL 3	D296363	50	TANKBARGE	822	841310	22	CHEM CARRIERS, L.L.C	10/3/2023 12:00:00 AM	10/3/2026 12:00:00 AM	
CCL 4	D512519	50	TANKBARGE	860	841310	22	CHEM CARRIERS, L.L.C	4/7/2025 4:00:00 AM	4/7/2028 12:00:00 AM	
CCL 5	D512520	50	TANKBARGE	860	841310	22	CHEM CARRIERS, L.L.C	12/6/2022 12:00:00 AM	12/6/2025 12:00:00 AM	
CCL 6	D530996	50	TANKBARGE	798	841310	22	CHEM CARRIERS, L.L.C	1/26/2025 5:00:00 AM	1/26/2028 12:00:00 AM	
CCL 7	D551980	50	TANKBARGE	773	841310	22	CHEM CARRIERS, L.L.C	11/27/2023 12:00:00 AM	11/27/2026 12:00:00 AM	
CCL 8	D551982	50	TANKBARGE	773	841310	22	CHEM CARRIERS, L.L.C	9/27/2025 4:00:00 AM	9/27/2028 12:00:00 AM	
CCL 9	D551983	50	TANKBARGE	773	841310	22	CHEM CARRIERS, L.L.C	2/19/2026 5:00:00 AM	2/19/2029 12:00:00 AM	
CCL 10	D551979	50	TANKBARGE	773	841310	22	CHEM CARRIERS, L.L.C	12/12/2023 12:00:00 AM	12/12/2026 12:00:00 AM	
CCL 11	D551976	50	TANKBARGE	773	841310	22	CHEM CARRIERS, L.L.C	9/29/2025 4:00:00 AM	9/29/2028 12:00:00 AM	
CCL 14	D4497784	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	9/22/2025 4:00:00 AM	9/22/2028 12:00:00 AM	
CCL 15	D1164452	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	3/1/2024 12:00:00 AM	3/1/2027 12:00:00 AM	
CCL 16	D1164666	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	9/14/2024 12:00:00 AM	9/14/2027 12:00:00 AM	
CCL 17	D1166179	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	12/19/2025 5:00:00 AM	12/19/2028 12:00:00 AM	
CCL 18	D1168981	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	7/1/2023 12:00:00 AM	7/1/2026 12:00:00 AM	
CCL 19	D1168980	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	8/24/2023 12:00:00 AM	8/24/2026 12:00:00 AM	
CCL 20	D1191598	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	2/27/2025 5:00:00 AM	2/27/2028 12:00:00 AM	
CCL 21	D1191599	50	TANKBARGE	793	841310	22	CHEM CARRIERS, L.L.C	2/26/2025 5:00:00 AM	2/26/2028 12:00:00 AM	
CCL 22	D1191600	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	1/13/2025 5:00:00 AM	1/13/2028 12:00:00 AM	
CCL 23	D1191601	50	TANKBARGE	793	841310	22	CHEM CARRIERS, L.L.C	4/20/2025 4:00:00 AM	4/20/2028 12:00:00 AM	
CCL 24	D1196547	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	8/11/2023 12:00:00 AM	8/11/2026 12:00:00 AM	
CCL 25	D1196548	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	8/11/2023 12:00:00 AM	8/11/2026 12:00:00 AM	
CCL 26	D1203816	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	2/11/2025 5:00:00 AM	2/11/2028 12:00:00 AM	
CCL 27	D1203817	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	5/3/2024 12:00:00 AM	5/3/2027 12:00:00 AM	
CCL 28	D1212828	50	TANKBARGE	793	841310	22	CHEM CARRIERS, L.L.C	9/9/2023 12:00:00 AM	9/9/2026 12:00:00 AM	
CCL 29	D1212829	50	TANKBARGE	793	841310	22	CHEM CARRIERS, L.L.C	9/22/2023 12:00:00 AM	9/22/2026 12:00:00 AM	
CCL 30	D1305871	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	10/1/2023 12:00:00 AM	10/1/2026 12:00:00 AM	
CCL 31	D1305870	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	10/1/2023 12:00:00 AM	10/1/2026 12:00:00 AM	
CCL 32	D1305869	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	11/13/2023 12:00:00 AM	11/13/2026 12:00:00 AM	
CCL 33	D1305868	50	TANKBARGE	735	841310	22	CHEM CARRIERS, L.L.C	11/13/2023 12:00:00 AM	11/13/2026 12:00:00 AM	
CCL 401	D1216671	50	TANKBARGE	2001	841310	22	CHEM CARRIERS, L.L.C	4/13/2024 12:00:00 AM	4/13/2027 12:00:00 AM	
CCL 402	D1219910	50	TANKBARGE	1754	841310	22	CHEM CARRIERS, L.L.C	4/29/2024 12:00:00 AM	4/29/2027 12:00:00 AM	
CCL 403	D1231311	50	TANKBARGE	1691	841310	22	CHEM CARRIERS, L.L.C	2/8/2026 5:00:00 AM	2/8/2029 12:00:00 AM	
CCL 404	D1231312	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	2/23/2026 5:00:00 AM	2/23/2029 12:00:00 AM	
CCL 405	D1236867	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	1/1/2024 12:00:00 AM	1/1/2027 12:00:00 AM	
CCL 406	D1236866	50	TANKBARGE	1691	841310	22	CHEM CARRIERS, L.L.C	1/27/2024 12:00:00 AM	1/27/2027 12:00:00 AM	
CCL 407	D1246320	50	TANKBARGE	1754	841310	22	CHEM CARRIERS, L.L.C	8/22/2025 4:00:00 AM	8/22/2028 12:00:00 AM	
CCL 408	D1246097	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	8/7/2025 4:00:00 AM	8/7/2028 12:00:00 AM	
CCL 409	D1246098	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	10/2/2025 4:00:00 AM	10/2/2028 12:00:00 AM	
CCL 410	D1255906	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	9/3/2023 12:00:00 AM	9/3/2026 12:00:00 AM	
CCL 411	D1255907	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	9/25/2023 12:00:00 AM	9/25/2026 12:00:00 AM	
CCL 414-L	D1262941	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	9/23/2024 4:00:00 AM	9/23/2027 12:00:00 AM	
CCL 415-T	D1262942	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	9/28/2024 4:00:00 AM	9/28/2027 12:00:00 AM	
CCL 416-T	D1264691	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	1/20/2025 5:00:00 AM	1/20/2028 12:00:00 AM	
CCL 417-T	D1298307	50	TANKBARGE	1769	841310	22	CHEM CARRIERS, L.L.C	12/19/2025 5:00:00 AM	12/19/2028 12:00:00 AM	
CCL 418-L	D1306896	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	11/13/2023 12:00:00 AM	11/13/2026 12:00:00 AM	
CCL 419-L	D1306897	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	1/5/2024 12:00:00 AM	1/5/2027 12:00:00 AM	
CCL 420-T	D1348560	50	TANKBARGE	1619	841310	22	CHEM CARRIERS, L.L.C	2/12/2025 5:00:00 AM	2/12/2028 12:00:00 AM	
CCL 421-T	D1352615	50	TANKBARGE	1616	841310	22	CHEM CARRIERS, L.L.C	8/28/2025 4:00:00 AM	8/28/2028 12:00:00 AM	
AX 3202	D1089031	50	TANKBARGE	1754	841310	22	CHEM CARRIERS, L.L.C	6/11/2024 4:00:00 AM	6/11/2027 12:00:00 AM	
MERLIN BANTA	D249614	51	TUG AND TOWBOAT	384	841310	22	CHEM CARRIERS, L.L.C	11/24/2024 5:00:00 AM	11/24/2027 12:00:00 AM	



BARGE PIPING LETTER

INSTRUCTIONS: ALL FIELDS ARE REQUIRED. USE N/A ON ANY NON-APPLICABLE LINE.

BARGE OWNER/BARGE NAME: CHEM CARRIERS / CCL-9

Letter expiration date (one year from test date): 11-12-2026

NOTE: Test results are valid for (1) year from the date of test.

1. Cargo Piping and Valves (actual date of test): 11-12-2025

Test Pressure (188 psi): 188 psi

2. Cargo Relief Valve (actual date of test): 11-12-2025

Test Pressure (125 psi): 125 psi

3. Cargo Pressure Gauge (actual date of test): 11-12-2025

Percent of Accuracy (%): 98%


4. Steam Piping and Relief Valves (actual date of test): N/A

Test Pressure (125 psi): N/A

Signature of Tester:	<u>Joshua Mojarro</u>
Printed Name of Tester:	<u>Joshua Mojarro</u>
Company/Location of Tester:	<u>KSOLV Maritime / Channelview TX</u>

CCL 9

- 1 - 8" CARGO TANK VALVE
- 2 - 8" HEADER CROSSOVER VALVE
- 3 - 6" DISCHARGE VALVE
- 4 - DRIP PAN
- 5 - REMOTE ENG. SHUTDOWN
- 6 - 8" CARGO FILL VALVE
- 7 - PUMP BLOCK VALVE
- 8 - P/V VALVE
- 9 - 8" ULLAGE



CARGO PIPING

CCL 9



LAW # 12151742

LAW VALVE of TEXAS

13702 Force Street Houston, TX 77015
PHONE 713-453-0413 FAX 713-453-3535

SHOP ORDER AND TEST REPORT

CUSTOMER Chem Carriers ORDER # _____

MAKE Farris SIZE 4" x 4" MODEL # 2975

SERIAL # 219742 INLET 4" 250 OUTLET 4" 125

CONSTRUCTION: CONVENTIONAL SPILL INTERNAL PILOT PV

CAP: PLAIN OPEN LEVER BELLOWS

TAG CC 9 SET PRESSURE 125 PSI

LOCATION _____ ORIFICE M

WORK REQUIRED: TEST ONLY TEST & RESET PRETEST REQUIRED

COMPLETE OVERHAUL TEST AIR LAST REPAIR DATE _____

CONDITION RECEIVED: INITIAL POP _____ LEAKED AT _____

GENERAL CONDITION PRE-REPAIR:

INLET:	SEATS:	GUIDE:	OUTLET:
<input checked="" type="checkbox"/> DIRTY	<input type="checkbox"/> FOULED	<input type="checkbox"/> FOULED	<input checked="" type="checkbox"/> DIRTY
<input type="checkbox"/> PLUGGED	<input type="checkbox"/> CUT	<input checked="" type="checkbox"/> DIRTY	<input type="checkbox"/> PLUGGED
<input checked="" type="checkbox"/> FLANGE PITTED	<input checked="" type="checkbox"/> DIRTY	<input type="checkbox"/> CORRODED	<input checked="" type="checkbox"/> FLANGE PITTED
<input type="checkbox"/> GOOD COND	<input type="checkbox"/> CORRODED	<input type="checkbox"/> FROZEN	<input type="checkbox"/> GOOD COND.
	<input type="checkbox"/> GOOD COND	<input type="checkbox"/> GOOD COND	

SPRING: CORRODED BROKEN GOOD COND WEAK

WORK ST O/T

REPAIRS: LAPPED SEATS MACH. DISC. MACH. NOZZLE MACH. FLANGE
 REPLACED GASKETS

PARTS REPLACED AND OTHER WORK:

FINAL TEST REPORT

DATE 12-17-2015

SET PRESSURE 125 PSI PRESSURE _____

NOZZLE RING SETTING N/A GUIDE SETTING N/A

BACK PRESSURE 30 PSI

TESTED BY [Signature] WITNESS BY Rahet Davis

U.S. COAST GUARD WITNESS _____

CARGO TRANSFER PROCEDURES

CHEM CARRIERS L.L.C.

TRANSFER FROM BARGE TO DOCK

PARTS

- 1. PRODUCTS TRANSFERRED**
- 2. DESCRIPTION OF SYSTEM**
- 3. PERSONS ON DUTY**
- 4. PERSONS IN CHARGE**
- 5. EMERGENCY SHUTDOWN**
- 6. TOPPING OFF PROCEDURE**
- 7. COMPLETION OF TRANSFER**
- 8. REPORTING CARGO SPILLS**
- 9. VESSEL CLOSURES**
- 10. PRODUCT DATA**
Barge CCL 9

PARTS 1. PRODUCTS TRANSFERRED

33 CFR 155.750 (a) (1) (i)

This vessel is certificated for the carriage of grades "A" and lower Sub-Chapter (D) and (O) Products. Reference Certificate of Inspection.

PARTS 2. DESCRIPTION OF CARGO TRANSFER SYSTEM

33 CFR 155.750 (a) (2) (i) (ii)

The standard cargo transfer procedures apply to all Chem Carrier L.L.C. owned or leased tank barges. In most cases other than series built barges, the cargo piping arrangement is usually slightly different on every barge, and for this reason, the piping diagram must be studied before loading or discharging a barge. The basic concept for loading and discharging is fairly standard depending on the location of the pump.

A. (Reference the piping diagram for transfer system arrangement.)

B. PROCEDURES FOR THE CONTAINMENT SYSTEM

33 CFR 155.310 (a) (1) (iv)

33 CFR 155.750 (a) (2) (iii)

The containment pans are equipped with a drain for the removal of slops to shore facilities:

NEVER DRAIN THE CONTAINMENT TANKS ONTO THE DECK.

PARTS 3. PERSONS ON DUTY DURING TRANSFER

33 CFR 155.750 (a) (3)

Number of persons required to be on duty during transfer operations:

At no time during the transfer operation will be less than one responsible person on duty. The certified tankerman assigned shall be in charge and responsible for the safe transfer of cargo.

PARTS 4. PERSONS IN CHARGE

The tankerman (person in charge) is responsible for transferring cargo and carrying out related operations on board in an efficient, safe, and pollution free manner. The tankerman whether employed by the towboat, owner, operator, a shore tankerman service, or Chem Carriers L.L.C., shall comply with all Coast Guard, State and local regulations. Tankerman's responsibility shall include but not be limited to the following:

- A. To have on his/her person a valid merchant marine document endorsed as tankerman, certified to handle the grade of cargo to be transferred.
- B. Make a thorough inspection of the barge prior to the start of transfer operation.
- C. To have proper connection of the grounding cable.
- D. The vessel's moorings are adequate to hold during all expected conditions of surge, current, wind, tide, etc., and lines are long enough to allow for surge, tide, wind, changes in draft etc.
- E. Proper hose sizes, lengths, support, and connections.
- F. The condition of fire extinguishers and required number.
- G. The person in charge of transfer operations on the transferring vessel or facility and the person in charge of transferring operations on the receiving vessel or facility agree to begin the transfer operations.
- H. The transfer operation between tank barges and dock facilities should be lighted between sunset and sunrise to comply with the U. S. Coast Guard regulation pertaining to the displaying of lights on barges as required by Title 33.

PARTS 5. EMERGENCY SHUTDOWN

33 CFR 155.750 (a) (6)

THE EMERGENCY SHUTDOWN IS LOCATED NEAR THE CENTER OF THE BARGE.

- A. In the event of an emergency, transfer operations can be stopped by pulling the remote shutdown cable.
- B. Familiarize yourself with its location and operation prior to transfer

PARTS 6. TOPPING OFF PROCEDURES

33 CFR 155.750 (a) (7)

In the process of topping off, tanks should be loaded at different levels to top off one at a time. Extra care should be taken to avoid over pressuring the connections, and hoses by closing valves against the receiving line. Since barges and facilities vary in their systems, no standard for topping off exist, but the following should be considered:

- A. The closing of one tank increases the rate of flow to other tanks on the same line.
- B. Always consider temperature and cargo in accordance with the amount of expansion that should be allowed.
- C. Always maintain communications with dock or shore personnel.
- D. CCL 9 is equipped with an overhead load line with a load valve for each cargo tank. This line is intended for use in the caustic soda trade to load over frozen sumps.

PARTS 7. COMPLETION OF TRANSFER

33 CFR 155.750 (a) (8)

Upon the completion of the transfer all pipelines should be vented and drained into cargo tanks. The header valve used during the operation should than be closed, sealed off with a blind flange and shore personnel should seal lines and hatches on vessel.

PARTS 8. REPORTING CARGO SPILLS

33 CFR 155.750 (a) (9)

Should an accidental discharge of product occur, you should consider the following:

- A. Locate the source of the spill and try to stop it, if possible, and safe to do so.
- B. Make an attempt to contain the product if possible.
- C. Notify the Coast Guard. The national Response Center at 1-800-424-9300.
- D. Notify Chem Carriers L.L.C. at (225) 642-0060.
- E. If loading, transfer the cargo from the leaking tank to an adjacent tank or back to the dock if safe to do so.
- F. If discharging, pump the product from the leaking tank as quickly as possible if safe to do so.

***When reporting a spill, the tankerman should provide the following information:**

- A. Name (his or her)
- B. Name of Company: (employed by; contracted by)
- C. Name of Barge
- D. Spill Location
- E. Specify Product
- F. Estimate Quantity of Spill
- G. Weather, Tide, Sea and Current Conditions
- H. Cause of Spill
- I. Action Being Taken to Contain and Stop Spill

PART 9. CLOSURES ON VESSELS

Upon completion of cargo transfer operations, all tank hatch covers, ullage covers, and gauging device covers shall be dogged down and secured. In addition, the vent drain valves, if installed, should be secured and left in the proper position. All drain valves should be closed, and drip pan covers, if installed, should be made up tight. Covers for void spaces, bow and stern compartments shall be secured at all times and checked for tightness. Closing devices on clean-out hatches and clean-out opening should be checked, especially when the barge is loaded.

PART 10. PRODUCT DATA


See specific MSDS sheets provided with these procedures.

In case of any other emergency, immediately shut down and notify the transferring facility, and Chem Carriers L.L.C.


(225) 642-0060 24 Hour Line.

VESSEL INCIDENT / ACCIDENT NOTIFICATION CHART

Incidents that involve injury or illness, spill / pollution or a probable discharge, significant equipment failure, property damage, cargo related issues, service delays or any accident involving a Chem Carriers Towing, LLC vessel or crewmember shall be immediately called into the Chem Carriers Towing, LLC 24-hour Emergency Hotline at **225-642-0060**



Master Standing the Watch
Once the situation has been stabilized and all safety issues have been addressed, immediately contact the Chem Carriers Towing, LLC Emergency Hotline (225-642-0060)
Any serious marine incident, or any incident that has the potential to become a serious marine incident, alcohol testing shall be conducted on all involved crewmembers within 2 hours, whether onboard the vessel or at a testing facility.




State Notifications
Louisiana 225-925-6595
Mississippi 601-987-1212
Texas 409-924-5400

**Chem Carriers Towing, LLC
Emergency Hotline**
Qualified Individual (QI)
225-642-0060

NATIONAL Response Center
1-800-424-8802
or
1-202-267-2675
MADANTORY for all pollution incidents on CCT equipment

Oil Spill Removal Organization
Customer
Internal
Reference Emergency Response Guidelines for a Complete List of Required Notifications

USCG COTP ZONES
Baton Rouge 225-298-5400
New Orleans 504-365-2200
Morgan City 985-380-5320
Lake Charles 337-721-5741



U.S. Department of
Homeland Security

United States
Coast Guard



Commanding Officer
United States Coast Guard
Marine Safety Center

US Coast Guard Stop 7430
2703 Martin Luther King Jr. Ave. SE
Washington, DC 20593-7430
Staff Symbol: MSC-5
Phone: (202) 795-6729
Email: securityplaninfo@uscg.mil

16710
VS-326893
December 3, 2024

Chem Carriers, LLC
Attn: Robert Banta
1237 Hwy 75
Sunshine, LA 70780
robert@chemcarriers.com

Subj: CHEM CARRIERS, LLC VESSELS
VESSEL SECURITY PLAN APPROVAL WITH AMENDMENTS

Ref: (a) Your correspondence dated November 6, 2024
(b) Title 33 Code of Federal Regulations (CFR) Part 104
(c) MSC Vessel Security Plan Approval letter dated October 16, 2024

Dear Mr. Banta:

We have conducted a review of the Vessel Security Plan (VSP) submitted with reference (a) in accordance with reference (b) and it is "**Approved.**"

Your vessel must operate in compliance with this approved VSP and the requirements contained in reference (b). You are reminded to immediately report any deviation from this approved plan to the local Captain of the Port (COTP)/Officer in Charge, Marine Inspection (OCMI).

This approval will remain valid until five years from the date of reference (c) unless rescinded in writing by the local COTP/OCMI. You must review your plan annually and submit any amendments to this office for approval. Please ensure that a copy of the VSP is maintained on board the vessel if manned, or, if unmanned, at a suitable secure location so that it is readily available during an emergency or security incident. You shall make available to the Coast Guard, upon request, this letter, the VSP and any information related to the implementation of the VSP. Our Case Number for this plan is 326893. Please ensure that all future correspondence includes this Case Number.

Sincerely,

K. C. WILLIAMS
Lieutenant Commander, U.S. Coast Guard
Chief, Vessel Security Division
By direction

Enclosures: (1) List of Vessel Security Plan Amendments
(2) List of Vessels Covered

List of Vessels Covered

<u>Vessel Name</u>	<u>Official Number (O.N.)</u>
CCL-1	518612
CCL 2	510107
CCL-3	296363
CCL 4	512519
CCL-5	512520
CCL-6	530996
CCL7	551980
CCL 8	551982
CCL 9	551983
CCL 10	551979
CCL 11	551976
CCL 14	1164451
CCL 15	1164452
CCL 16	1164666
CCL 17	1166179
CCL 18	1168981
CCL 19	1168980
CCL 20	1191598
CCL 21	1191599
CCL 22	1191600
CCL 23	1191601
CCL 24	1196547
CCL 25	1196548
CCL 26	1203816
CCL 27	1203817
CCL 28	1212828
CCL 29	1212829
CCL 30	1305871
CCL 31	1305870
CCL 32	1305869
CCL 33	1305868
CCL 401	1216671
CCL 402	1219910
CCL 403	1231311
CCL 404	1231312
CCL 405	1236867
CCL 406	1236866
CCL 407	1246320
CCL 408	1246097
CCL 409	1246098
CCL 410	1255906
CCL 411	1255907
CCL 414-L	1262941
CCL 415-T	1262942

<u>Vessel Name</u>	<u>Official Number (O.N.)</u>
CCL 416-T	1264691
CCL 417 T	1298307
CCL 418-L	1306896
CCL 419-L	1306897
CCL 420-T	1348560
CCL 421-T	CG1843359
CCL 3202	1089031
HFL 413	1237482
HFL 415	1237483
HFL 435	1236563
HFL 605	1237484

BARGE CCL 9

TANK NUMBER: 1

GENERAL AMERICAN TRANSPORTATION LEASING CORPORATION
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

DRAYO HULL NO. 6238

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET		
IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		IN.		
0	* 772	0	11,638	0	22,502	0	33,339	0	44,197	0	55,063	0	65,929	0	76,795	0	87,661	0	98,526	0	109,322	0	118,843	0	128,362	0	137,880	0	144,118	0
1/4	998	1/4	11,865	1/4	22,729	1/4	33,565	1/4	44,423	1/4	55,289	1/4	66,155	1/4	77,021	1/4	87,887	1/4	98,753	1/4	109,522	1/4	119,041	1/4	128,560	1/4	138,079	1/4	144,127	1/4
1/2	1,225	1/2	12,091	1/2	22,955	1/2	33,790	1/2	44,650	1/2	55,516	1/2	66,381	1/2	77,247	1/2	88,113	1/2	98,979	1/2	109,721	1/2	119,240	1/2	128,758	1/2	138,277	1/2	144,127	1/2
3/4	1,451	3/4	12,317	3/4	23,181	3/4	34,016	3/4	44,876	3/4	55,742	3/4	66,608	3/4	77,474	3/4	88,340	3/4	99,206	3/4	109,919	3/4	119,438	3/4	128,957	3/4	138,475	3/4	144,127	3/4
1	1,678	1	12,544	1	23,408	1	34,241	1	45,102	1	55,968	1	66,834	1	77,700	1	88,566	1	99,432	1	110,117	1	119,636	1	129,155	1	138,674	1	144,127	1
1 1/4	1,904	1 1/4	12,770	1 1/4	23,634	1 1/4	34,467	1 1/4	45,329	1 1/4	56,195	1 1/4	67,061	1 1/4	77,926	1 1/4	88,792	1 1/4	99,658	1 1/4	110,316	1 1/4	119,835	1 1/4	129,353	1 1/4	138,872	1 1/4	144,127	1 1/4
1 1/2	2,131	1 1/2	12,996	1 1/2	23,860	1 1/2	34,692	1 1/2	45,555	1 1/2	56,421	1 1/2	67,287	1 1/2	78,153	1 1/2	89,019	1 1/2	99,885	1 1/2	110,514	1 1/2	120,033	1 1/2	129,551	1 1/2	139,070	1 1/2	144,127	1 1/2
1 3/4	2,357	1 3/4	13,223	1 3/4	24,087	1 3/4	34,917	1 3/4	45,782	1 3/4	56,647	1 3/4	67,513	1 3/4	78,379	1 3/4	89,245	1 3/4	100,111	1 3/4	110,712	1 3/4	120,231	1 3/4	129,750	1 3/4	139,268	1 3/4	144,127	1 3/4
2	2,583	2	13,449	2	24,313	2	35,143	2	46,008	2	56,874	2	67,740	2	78,606	2	89,471	2	100,337	2	110,911	2	120,429	2	129,948	2	139,467	2	144,127	2
2 1/4	2,810	2 1/4	13,675	2 1/4	24,539	2 1/4	35,368	2 1/4	46,234	2 1/4	57,100	2 1/4	67,966	2 1/4	78,832	2 1/4	89,698	2 1/4	100,564	2 1/4	111,109	2 1/4	120,628	2 1/4	130,146	2 1/4	139,665	2 1/4	144,127	2 1/4
2 1/2	3,036	2 1/2	13,902	2 1/2	24,766	2 1/2	35,595	2 1/2	46,461	2 1/2	57,327	2 1/2	68,192	2 1/2	79,058	2 1/2	89,924	2 1/2	100,790	2 1/2	111,307	2 1/2	120,826	2 1/2	130,345	2 1/2	139,863	2 1/2	144,127	2 1/2
2 3/4	3,263	2 3/4	14,128	2 3/4	24,992	2 3/4	35,821	2 3/4	46,687	2 3/4	57,553	2 3/4	68,419	2 3/4	79,285	2 3/4	90,151	2 3/4	101,017	2 3/4	111,506	2 3/4	121,024	2 3/4	130,543	2 3/4	140,062	2 3/4	144,127	2 3/4
3	3,489	3	14,354	3	25,219	3	36,048	3	46,913	3	57,779	3	68,645	3	79,511	3	90,377	3	101,243	3	111,704	3	121,223	3	130,741	3	140,260	3	144,127	3
3 1/4	3,716	3 1/4	14,581	3 1/4	25,445	3 1/4	36,274	3 1/4	47,140	3 1/4	58,006	3 1/4	68,872	3 1/4	79,737	3 1/4	90,603	3 1/4	101,469	3 1/4	111,902	3 1/4	121,421	3 1/4	130,940	3 1/4	140,458	3 1/4	144,127	3 1/4
3 1/2	3,942	3 1/2	14,807	3 1/2	25,671	3 1/2	36,500	3 1/2	47,366	3 1/2	58,232	3 1/2	69,098	3 1/2	79,964	3 1/2	90,830	3 1/2	101,696	3 1/2	112,100	3 1/2	121,619	3 1/2	131,138	3 1/2	140,657	3 1/2	144,127	3 1/2
3 3/4	4,168	3 3/4	15,033	3 3/4	25,898	3 3/4	36,727	3 3/4	47,593	3 3/4	58,458	3 3/4	69,324	3 3/4	80,190	3 3/4	91,056	3 3/4	101,922	3 3/4	112,299	3 3/4	121,817	3 3/4	131,336	3 3/4	140,854	3 3/4	144,127	3 3/4
4	4,395	4	15,260	4	26,124	4	36,953	4	47,819	4	58,685	4	69,551	4	80,417	4	91,282	4	102,148	4	112,497	4	122,016	4	131,534	4	141,051	4	144,127	4
4 1/4	4,621	4 1/4	15,486	4 1/4	26,350	4 1/4	37,179	4 1/4	48,045	4 1/4	58,911	4 1/4	69,777	4 1/4	80,643	4 1/4	91,509	4 1/4	102,375	4 1/4	112,695	4 1/4	122,214	4 1/4	131,733	4 1/4	141,211	4 1/4	144,127	4 1/4
4 1/2	4,848	4 1/2	15,712	4 1/2	26,576	4 1/2	37,406	4 1/2	48,272	4 1/2	59,138	4 1/2	70,003	4 1/2	80,869	4 1/2	91,735	4 1/2	102,601	4 1/2	112,894	4 1/2	122,412	4 1/2	131,931	4 1/2	141,404	4 1/2	144,127	4 1/2
4 3/4	5,074	4 3/4	15,939	4 3/4	26,801	4 3/4	37,632	4 3/4	48,498	4 3/4	59,364	4 3/4	70,230	4 3/4	81,096	4 3/4	91,962	4 3/4	102,826	4 3/4	113,092	4 3/4	122,611	4 3/4	131,929	4 3/4	141,569	4 3/4	144,127	4 3/4
5	5,301	5	16,165	5	27,027	5	37,858	5	48,724	5	59,590	5	70,456	5	81,322	5	92,188	5	103,051	5	113,290	5	122,809	5	132,328	5	141,733	5	144,127	5
5 1/4	5,527	5 1/4	16,391	5 1/4	27,252	5 1/4	38,085	5 1/4	48,951	5 1/4	59,817	5 1/4	70,683	5 1/4	81,548	5 1/4	92,414	5 1/4	103,277	5 1/4	113,489	5 1/4	123,007	5 1/4	132,526	5 1/4	141,897	5 1/4	144,127	5 1/4
5 1/2	5,753	5 1/2	16,618	5 1/2	27,477	5 1/2	38,311	5 1/2	49,177	5 1/2	60,043	5 1/2	70,909	5 1/2	81,775	5 1/2	92,641	5 1/2	103,503	5 1/2	113,687	5 1/2	123,206	5 1/2	132,724	5 1/2	142,062	5 1/2	144,127	5 1/2
5 3/4	5,980	5 3/4	16,844	5 3/4	27,703	5 3/4	38,538	5 3/4	49,404	5 3/4	60,269	5 3/4	71,135	5 3/4	82,001	5 3/4	92,867	5 3/4	103,728	5 3/4	113,885	5 3/4	123,404	5 3/4	132,923	5 3/4	142,203	5 3/4	144,127	5 3/4
6	6,206	6	17,070	6	27,928	6	38,764	6	49,630	6	60,496	6	71,362	6	82,228	6	93,093	6	103,954	6	114,084	6	123,602	6	133,121	6	142,345	6	144,127	6
6 1/4	6,432	6 1/4	17,297	6 1/4	28,154	6 1/4	38,990	6 1/4	49,856	6 1/4	60,722	6 1/4	71,588	6 1/4	82,454	6 1/4	93,320	6 1/4	104,179	6 1/4	114,282	6 1/4	123,801	6 1/4	133,319	6 1/4	142,487	6 1/4	144,127	6 1/4
6 1/2	6,659	6 1/2	17,523	6 1/2	28,379	6 1/2	39,217	6 1/2	50,083	6 1/2	60,949	6 1/2	71,814	6 1/2	82,680	6 1/2	93,546	6 1/2	104,405	6 1/2	114,480	6 1/2	123,999	6 1/2	133,518	6 1/2	142,628	6 1/2	144,127	6 1/2
6 3/4	6,885	6 3/4	17,749	6 3/4	28,605	6 3/4	39,443	6 3/4	50,309	6 3/4	61,175	6 3/4	72,041	6 3/4	82,907	6 3/4	93,773	6 3/4	104,630	6 3/4	114,678	6 3/4	124,197	6 3/4	133,716	6 3/4	142,747	6 3/4	144,127	6 3/4
7	7,111	7	17,976	7	28,830	7	39,669	7	50,535	7	61,401	7	72,267	7	83,133	7	93,999	7	104,856	7	114,877	7	124,395	7	133,914	7	142,866	7	144,127	7
7 1/4	7,338	7 1/4	18,202	7 1/4	29,056	7 1/4	39,896	7 1/4	50,762	7 1/4	61,628	7 1/4	72,494	7 1/4	83,359	7 1/4	94,225	7 1/4	105,082	7 1/4	115,075	7 1/4	124,594	7 1/4	134,112	7 1/4	142,985	7 1/4	144,127	7 1/4
7 1/2	7,564	7 1/2	18,428	7 1/2	29,281	7 1/2	40,122	7 1/2	50,988	7 1/2	61,854	7 1/2	72,720	7 1/2	83,586	7 1/2	94,452	7 1/2	105,307	7 1/2	115,273	7 1/2	124,792	7 1/2	134,311	7 1/2	143,104	7 1/2	144,127	7 1/2
7 3/4	7,790	7 3/4	18,655	7 3/4	29,507	7 3/4	40,349	7 3/4	51,214	7 3/4	62,080	7 3/4	72,946	7 3/4	83,812	7 3/4	94,678	7 3/4	105,533	7 3/4	115,472	7 3/4	124,990	7 3/4	134,509	7 3/4	143,201	7 3/4	144,127	7 3/4
8	8,017	8	18,881	8	29,732	8	40,575	8	51,441	8	62,307	8	73,173	8	84,039	8	94,904	8	105,758	8	115,670	8	124,990	8	134,509	8	143,201	8	144,127	8
8 1/4	8,243	8 1/4	19,107	8 1/4	29,957	8 1/4	40,801	8 1/4	51,667	8 1/4	62,533	8 1/4	73,399	8 1/4	84,265	8 1/4	95,131	8 1/4	105,984											

GENERAL AMERICAN TRANSPORTATION LEASING CORPORATION
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

DRAGO HULL NO. 6238

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	* 1,225	0	12,091	0	22,958	0	33,797	0	44,659	0	55,526	0	66,394	0	77,262	0	88,129	0	98,997	0	109,865	0	120,733	0	131,600	0	142,468	0	149,260
1/4	1,451	1/4	12,318	1/4	23,184	1/4	34,022	1/4	44,885	1/4	55,753	1/4	66,620	1/4	77,488	1/4	88,356	1/4	99,224	1/4	110,091	1/4	120,959	1/4	131,827	1/4	142,694	1/4	149,260
1/2	1,677	1/2	12,544	1/2	23,411	1/2	34,248	1/2	45,111	1/2	55,979	1/2	66,847	1/2	77,715	1/2	88,582	1/2	99,450	1/2	110,318	1/2	121,185	1/2	132,053	1/2	142,921	1/2	149,260
3/4	1,904	3/4	12,770	3/4	23,637	3/4	34,474	3/4	45,338	3/4	56,206	3/4	67,073	3/4	77,941	3/4	88,809	3/4	99,676	3/4	110,544	3/4	121,412	3/4	132,280	3/4	143,147	3/4	149,260
1	2,130	1	12,997	1	23,863	1	34,699	1	45,564	1	56,432	1	67,300	1	78,167	1	89,035	1	99,903	1	110,771	1	121,638	1	132,506	1	143,374	1	149,260
1/4	2,356	1/4	13,223	1/4	24,090	1/4	34,925	1/4	45,791	1/4	56,658	1/4	67,526	1/4	78,394	1/4	89,262	1/4	100,129	1/4	110,997	1/4	121,865	1/4	132,732	1/4	143,600	1/4	149,260
1/2	2,583	1/2	13,450	1/2	24,316	1/2	35,150	1/2	46,017	1/2	56,885	1/2	67,753	1/2	78,620	1/2	89,488	1/2	100,356	1/2	111,223	1/2	122,091	1/2	132,959	1/2	143,826	1/2	149,260
3/4	2,809	3/4	13,676	3/4	24,543	3/4	35,376	3/4	46,244	3/4	57,111	3/4	67,979	3/4	78,847	3/4	89,714	3/4	100,582	3/4	111,450	3/4	122,317	3/4	133,185	3/4	144,053	3/4	149,260
2	3,036	2	13,902	2	24,769	2	35,602	2	46,470	2	57,338	2	68,205	2	79,073	2	89,941	2	100,808	2	111,676	2	122,544	2	133,412	2	144,279	2	149,260
1/4	3,262	1/4	14,129	1/4	24,995	1/4	35,829	1/4	46,696	1/4	57,564	1/4	68,432	1/4	79,299	1/4	90,167	1/4	101,035	1/4	111,903	1/4	122,770	1/4	133,638	1/4	144,506	1/4	149,260
1/2	3,488	1/2	14,355	1/2	25,222	1/2	36,055	1/2	46,923	1/2	57,790	1/2	68,658	1/2	79,526	1/2	90,394	1/2	101,261	1/2	112,129	1/2	122,997	1/2	133,864	1/2	144,732	1/2	149,260
3/4	3,715	3/4	14,581	3/4	25,448	3/4	36,281	3/4	47,149	3/4	58,017	3/4	68,885	3/4	79,752	3/4	90,620	3/4	101,488	3/4	112,355	3/4	123,223	3/4	134,091	3/4	144,959	3/4	149,260
3	3,941	3	14,808	3	25,675	3	36,508	3	47,376	3	58,243	3	69,111	3	79,979	3	90,846	3	101,714	3	112,582	3	123,450	3	134,317	3	145,185	3	149,260
1/4	4,168	1/4	15,034	1/4	25,901	1/4	36,734	1/4	47,602	1/4	58,470	1/4	69,337	1/4	80,205	1/4	91,073	1/4	101,941	1/4	112,808	1/4	123,676	1/4	134,544	1/4	145,412	1/4	149,260
1/2	4,394	1/2	15,261	1/2	26,127	1/2	36,961	1/2	47,828	1/2	58,696	1/2	69,564	1/2	80,432	1/2	91,299	1/2	102,167	1/2	113,035	1/2	123,903	1/2	134,770	1/2	145,613	1/2	149,260
3/4	4,620	3/4	15,487	3/4	26,354	3/4	37,187	3/4	48,055	3/4	58,923	3/4	69,790	3/4	80,658	3/4	91,526	3/4	102,393	3/4	113,261	3/4	124,129	3/4	134,996	3/4	145,826	3/4	149,260
4	4,847	4	15,713	4	26,579	4	37,414	4	48,281	4	59,149	4	70,017	4	80,884	4	91,752	4	102,620	4	113,487	4	124,355	4	135,223	4	146,040	4	149,260
1/4	5,073	1/4	15,940	1/4	26,805	1/4	37,640	1/4	48,508	1/4	59,375	1/4	70,243	1/4	81,111	1/4	91,978	1/4	102,846	1/4	113,714	1/4	124,582	1/4	135,449	1/4	146,229	1/4	149,260
1/2	5,300	1/2	16,166	1/2	27,030	1/2	37,866	1/2	48,734	1/2	59,602	1/2	70,469	1/2	81,337	1/2	92,205	1/2	103,073	1/2	113,940	1/2	124,808	1/2	135,676	1/2	146,418	1/2	149,260
3/4	5,526	3/4	16,393	3/4	27,256	3/4	38,093	3/4	48,960	3/4	59,828	3/4	70,696	3/4	81,564	3/4	92,431	3/4	103,299	3/4	114,167	3/4	125,034	3/4	135,902	3/4	146,606	3/4	149,260
5	5,752	5	16,619	5	27,481	5	38,319	5	49,187	5	60,055	5	70,922	5	81,790	5	92,658	5	103,525	5	114,393	5	125,261	5	136,129	5	146,995	5	149,260
1/4	5,979	1/4	16,845	1/4	27,707	1/4	38,546	1/4	49,413	1/4	60,281	1/4	71,149	1/4	82,016	1/4	92,884	1/4	103,752	1/4	114,620	1/4	125,487	1/4	136,355	1/4	147,229	1/4	149,260
1/2	6,205	1/2	17,072	1/2	27,933	1/2	38,772	1/2	49,640	1/2	60,507	1/2	71,375	1/2	82,243	1/2	93,111	1/2	103,978	1/2	114,846	1/2	125,714	1/2	136,581	1/2	147,422	1/2	149,260
3/4	6,431	3/4	17,298	3/4	28,158	3/4	38,998	3/4	49,866	3/4	60,734	3/4	71,602	3/4	82,469	3/4	93,337	3/4	104,205	3/4	115,072	3/4	125,940	3/4	136,808	3/4	147,286	3/4	149,260
6	6,658	6	17,525	6	28,384	6	39,225	6	50,093	6	60,960	6	71,828	6	82,696	6	93,563	6	104,431	6	115,299	6	126,166	6	137,034	6	147,449	6	149,260
1/4	6,884	1/4	17,751	1/4	28,609	1/4	39,451	1/4	50,319	1/4	61,187	1/4	72,054	1/4	82,922	1/4	93,790	1/4	104,657	1/4	115,525	1/4	126,393	1/4	137,261	1/4	147,587	1/4	149,260
1/2	7,111	1/2	17,977	1/2	28,835	1/2	39,678	1/2	50,545	1/2	61,413	1/2	72,281	1/2	83,148	1/2	94,016	1/2	104,884	1/2	115,752	1/2	126,619	1/2	137,487	1/2	147,726	1/2	149,260
3/4	7,337	3/4	18,204	3/4	29,060	3/4	39,904	3/4	50,772	3/4	61,639	3/4	72,507	3/4	83,375	3/4	94,243	3/4	105,110	3/4	115,978	3/4	126,846	3/4	137,713	3/4	147,864	3/4	149,260
7	7,563	7	18,430	7	29,286	7	40,130	7	50,998	7	61,866	7	72,734	7	83,601	7	94,469	7	105,337	7	116,204	7	127,072	7	137,940	7	148,003	7	149,260
1/4	7,790	1/4	18,656	1/4	29,511	1/4	40,357	1/4	51,225	1/4	62,092	1/4	72,960	1/4	83,828	1/4	94,695	1/4	105,563	1/4	116,431	1/4	127,299	1/4	138,166	1/4	148,116	1/4	149,260
1/2	8,016	1/2	18,883	1/2	29,737	1/2	40,583	1/2	51,451	1/2	62,319	1/2	73,186	1/2	84,054	1/2	94,922	1/2	105,790	1/2	116,657	1/2	127,525	1/2	138,393	1/2	148,229	1/2	149,260
3/4	8,243	3/4	19,109	3/4	29,963	3/4	40,810	3/4	51,677	3/4	62,545	3/4	73,413	3/4	84,281	3/4	95,148	3/4	106,016	3/4	116,884	3/4	127,751	3/4	138,619	3/4	148,341	3/4	149,260
8	8,469	8	19,336	8	30,188	8	41,036	8	51,904	8	62,772	8	73,639	8	84,507	8	95,375	8	106,242	8	117,110	8	127,978	8	138,845	8	148,455	8	149,260
1/4	8,695	1/4	19,562	1/4	30,414	1/4	41,262	1/4	52,130	1/4	62,998	1/4	73,866	1/4	84,733	1/4	95,601	1/4	106,469	1/4	117,336	1/4	128,204	1/4	139,072	1/4	148,543	1/4	149,260
1/2	8,922	1/2	19,788	1/2	30,639	1/2	41,489	1/2	52,357	1/2	63,224	1/2	74,092	1/2	84,960	1/2	95,827	1/2	106,695	1/2	117,563	1/2	128,431	1/2	139,298	1/2	148,631	1/2	149,260
3/4	9,148	3/4	20,015	3/4	30,865	3/4	41,715	3/4	52,583	3/4	63,451	3/4	74,318	3/4	85,186	3/4	96,054	3/4	106,922	3/4	117,789	3/4	128,657	3/4	139,525	3/4	148,719	3/4	149,260
9	9,375	9	20,241	9	31,090	9	41,942	9	52,809	9	63,677	9	74,54																

GENERAL AMERICAN TRANSPORTATION LEASING CORPORATION
BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

DRAGO HULL NO. 6238

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET		5 FEET		6 FEET		7 FEET		8 FEET		9 FEET		10 FEET		11 FEET		12 FEET		13 FEET		14 FEET	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	* 1,223	0	12,077	0	22,931	0	33,784	0	44,638	0	55,493	0	66,347	0	77,202	0	88,057	0	98,912	0	109,767	0	120,622	0	130,829	0	140,860	0	147,288
1/4	1,449	1/4	12,303	1/4	23,157	1/4	34,010	1/4	44,864	1/4	55,719	1/4	66,574	1/4	77,428	1/4	88,283	1/4	99,138	1/4	109,993	1/4	120,848	1/4	131,047	1/4	141,067	1/4	147,300
1/2	1,675	1/2	12,529	1/2	23,383	1/2	34,236	1/2	45,090	1/2	55,945	1/2	66,800	1/2	77,655	1/2	88,509	1/2	99,364	1/2	110,219	1/2	120,916	1/2	131,254	1/2	141,275	1/2	147,300
3/4	1,902	3/4	12,755	3/4	23,609	3/4	34,462	3/4	45,316	3/4	56,171	3/4	67,026	3/4	77,881	3/4	88,736	3/4	99,590	3/4	110,445	3/4	121,136	3/4	131,466	3/4	141,483	3/4	147,300
1	2,128	1	12,981	1	23,835	1	34,688	1	45,543	1	56,397	1	67,252	1	78,107	1	88,962	1	99,816	1	110,671	1	121,356	1	131,678	1	141,691	1	147,300
1/4	2,354	1/4	13,208	1/4	24,061	1/4	34,914	1/4	45,769	1/4	56,623	1/4	67,478	1/4	78,333	1/4	89,188	1/4	100,043	1/4	110,897	1/4	121,576	1/4	131,890	1/4	141,898	1/4	147,300
1/2	2,580	1/2	13,434	1/2	24,287	1/2	35,140	1/2	45,995	1/2	56,850	1/2	67,704	1/2	78,559	1/2	89,414	1/2	100,269	1/2	111,123	1/2	121,796	1/2	132,102	1/2	142,106	1/2	147,300
3/4	2,806	3/4	13,660	3/4	24,513	3/4	35,366	3/4	46,221	3/4	57,076	3/4	67,931	3/4	78,785	3/4	89,640	3/4	100,495	3/4	111,348	3/4	122,013	3/4	132,312	3/4	142,314	3/4	147,300
1	3,032	1	13,886	1	24,740	1	35,592	1	46,447	1	57,302	1	68,157	1	79,011	1	89,866	1	100,721	1	111,575	1	122,230	1	132,522	1	142,522	1	147,300
1/4	3,258	1/4	14,112	1/4	24,966	1/4	35,818	1/4	46,673	1/4	57,528	1/4	68,383	1/4	79,238	1/4	90,092	1/4	100,947	1/4	111,798	1/4	122,447	1/4	132,751	1/4	142,729	1/4	147,300
1/2	3,484	1/2	14,338	1/2	25,192	1/2	36,045	1/2	46,899	1/2	57,754	1/2	68,609	1/2	79,464	1/2	90,318	1/2	101,173	1/2	112,023	1/2	122,665	1/2	132,941	1/2	142,937	1/2	147,300
3/4	3,710	3/4	14,564	3/4	25,418	3/4	36,271	3/4	47,126	3/4	57,980	3/4	68,835	3/4	79,690	3/4	90,545	3/4	101,399	3/4	112,248	3/4	122,882	3/4	133,151	3/4	143,145	3/4	147,300
1	3,937	1	14,790	1	25,644	1	36,497	1	47,352	1	58,206	1	69,061	1	79,916	1	90,771	1	101,626	1	112,473	1	123,099	1	133,360	1	143,353	1	147,300
1/4	4,163	1/4	15,016	1/4	25,870	1/4	36,723	1/4	47,578	1/4	58,433	1/4	69,287	1/4	80,142	1/4	90,997	1/4	101,852	1/4	112,698	1/4	123,316	1/4	133,570	1/4	143,560	1/4	147,300
1/2	4,389	1/2	15,243	1/2	26,096	1/2	36,949	1/2	47,804	1/2	58,659	1/2	69,513	1/2	80,368	1/2	91,223	1/2	102,078	1/2	112,922	1/2	123,534	1/2	133,780	1/2	143,757	1/2	147,300
3/4	4,615	3/4	15,469	3/4	26,322	3/4	37,175	3/4	48,030	3/4	58,885	3/4	69,740	3/4	80,594	3/4	91,449	3/4	102,304	3/4	113,147	3/4	123,751	3/4	133,989	3/4	143,953	3/4	147,300
1	4,841	1	15,695	1	26,549	1	37,401	1	48,256	1	59,111	1	69,966	1	80,821	1	91,675	1	102,530	1	113,372	1	123,968	1	134,199	1	144,149	1	147,300
1/4	5,067	1/4	15,921	1/4	26,775	1/4	37,628	1/4	48,482	1/4	59,337	1/4	70,192	1/4	81,047	1/4	91,901	1/4	102,756	1/4	113,597	1/4	124,186	1/4	134,409	1/4	144,345	1/4	147,300
1/2	5,293	1/2	16,147	1/2	27,001	1/2	37,854	1/2	48,709	1/2	59,565	1/2	70,418	1/2	81,273	1/2	92,128	1/2	102,982	1/2	113,822	1/2	124,403	1/2	134,618	1/2	144,518	1/2	147,300
3/4	5,519	3/4	16,373	3/4	27,227	3/4	38,080	3/4	48,935	3/4	59,789	3/4	70,644	3/4	81,499	3/4	92,354	3/4	103,209	3/4	114,047	3/4	124,620	3/4	134,828	3/4	144,691	3/4	147,300
1	5,746	1	16,599	1	27,453	1	38,306	1	49,161	1	60,016	1	70,870	1	81,725	1	92,580	1	103,435	1	114,272	1	124,837	1	135,058	1	144,865	1	147,300
1/4	5,972	1/4	16,825	1/4	27,679	1/4	38,532	1/4	49,387	1/4	60,242	1/4	71,096	1/4	81,951	1/4	92,806	1/4	103,661	1/4	114,497	1/4	125,055	1/4	135,247	1/4	145,038	1/4	147,300
1/2	6,198	1/2	17,052	1/2	27,905	1/2	38,758	1/2	49,613	1/2	60,468	1/2	71,323	1/2	82,177	1/2	93,032	1/2	103,887	1/2	114,721	1/2	125,272	1/2	135,457	1/2	145,188	1/2	147,300
3/4	6,424	3/4	17,278	3/4	28,131	3/4	38,984	3/4	49,839	3/4	60,694	3/4	71,549	3/4	82,404	3/4	93,258	3/4	104,113	3/4	114,944	3/4	125,487	3/4	135,665	3/4	145,338	3/4	147,300
1	6,650	1	17,504	1	28,357	1	39,211	1	50,065	1	60,920	1	71,775	1	82,630	1	93,484	1	104,339	1	115,166	1	125,701	1	135,873	1	145,488	1	147,300
1/4	6,876	1/4	17,730	1/4	28,583	1/4	39,437	1/4	50,291	1/4	61,146	1/4	72,001	1/4	82,856	1/4	93,711	1/4	104,565	1/4	115,388	1/4	125,916	1/4	136,081	1/4	145,638	1/4	147,300
1/2	7,102	1/2	17,956	1/2	28,809	1/2	39,663	1/2	50,518	1/2	61,372	1/2	72,227	1/2	83,082	1/2	93,937	1/2	104,792	1/2	115,611	1/2	126,131	1/2	136,289	1/2	145,765	1/2	147,300
3/4	7,328	3/4	18,182	3/4	29,036	3/4	39,889	3/4	50,744	3/4	61,599	3/4	72,453	3/4	83,308	3/4	94,163	3/4	105,018	3/4	115,833	3/4	126,345	3/4	136,497	3/4	145,892	3/4	147,300
1	7,555	1	18,408	1	29,262	1	40,115	1	50,970	1	61,825	1	72,679	1	83,534	1	94,389	1	105,244	1	116,055	1	126,560	1	136,705	1	146,019	1	147,300
1/4	7,781	1/4	18,634	1/4	29,488	1/4	40,341	1/4	51,196	1/4	62,051	1/4	72,906	1/4	83,761	1/4	94,615	1/4	105,470	1/4	116,278	1/4	126,775	1/4	136,912	1/4	146,146	1/4	147,300
1/2	8,007	1/2	18,860	1/2	29,714	1/2	40,567	1/2	51,422	1/2	62,277	1/2	73,132	1/2	83,987	1/2	94,841	1/2	105,696	1/2	116,500	1/2	126,990	1/2	137,120	1/2	146,250	1/2	147,300
3/4	8,233	3/4	19,087	3/4	29,940	3/4	40,794	3/4	51,648	3/4	62,503	3/4	73,358	3/4	84,213	3/4	95,067	3/4	105,922	3/4	116,722	3/4	127,204	3/4	137,328	3/4	146,353	3/4	147,300
1	8,459	1	19,313	1	30,166	1	41,020	1	51,874	1	62,729	1	73,584	1	84,439	1	95,294	1	106,148	1	116,945	1	127,419	1	137,536	1	146,457	1	147,300
1/4	8,685	1/4	19,539	1/4	30,392	1/4	41,246	1/4	52,101	1/4	62,955	1/4	73,810	1/4	84,665	1/4	95,520	1/4	106,375	1/4	117,167	1/4	127,634	1/4	137,743	1/4	146,561	1/4	147,300
1/2	8,911	1/2	19,765	1/2	30,618	1/2	41,472	1/2	52,327	1/2	63,182	1/2	74,036	1/2	84,891	1/2	95,746	1/2	106,601	1/2	117,389	1/2	127,849	1/2	137,951	1/2	146,642	1/2	147,300
3/4	9,137	3/4	19,991	3/4	30,844	3/4	41,698	3/4	52,553	3/4	63,408	3/4	74,262	3/4	85,117	3/4	95,972	3/4	106,827	3/4	117,612	3/4	128,063	3/4	138,159	3/4	146,723	3/4	147,300
1	9,363	1	20,217	1	31,070	1	41,924	1</																					