



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 16 Apr 2026

Expiration Date: 16 Apr 2031

Certificate of Inspection

For ships on International voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CCL 424-T	1359105			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
GALVESTON, TX	09Mar2026	11Jun2025	R-1616	R-1616		R-297.0
UNITED STATES			I-	I-		I-0

Owner	Operator
D STEPHEN LAPLACE 1237 HWY 75 SUNSHINE, LA 70780 UNITED STATES	D STEPHEN LAPLACE 1237 HWY 75 SUNSHINE, LA 70780 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, limited coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a freshwater service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using saltwater intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at GALVESTON, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: <i>B. P. Bergan</i> B.P. BERGAN CDR, USCG, BY DIRECTION Officer in Charge, Marine Inspection Houston-Galveston Inspection Zone
Date	Zone	A/P/R	Signature	



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 16 Apr 2026

Expiration Date: 16 Apr 2031

Certificate of Inspection

Vessel Name: CCL 424-T

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	30Apr2036	16Apr2026	
Internal Structure	30Apr2031	16Apr2026	

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE A AND LOWER AND SPECIFIED HAZARDOUS CARGOS

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
30692	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	944	13.6
2 P/S	1017	13.6
3 P/S	851	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	4766	9ft 9in	13.6	R, LBS
III	5356	11ft 0in	13.6	R, LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial # C1-2601025 dated April 9, 2026 may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



Certificate of Inspection

Vessel Name: CCL 424-T

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system (VCS) has been inspected to the plans approved by MSC Letter# C1-2503711 dated December 2, 2025 and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS system has been approved with a pressure side of 6 psig P/V valve with Coast Guard Approval 162.017/167/4. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 6.50 psig.

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1 P/S	-	16Apr2026	30Apr2036	-	16Apr2026	30Apr2031
2 P/S	-	16Apr2026	30Apr2036	-	16Apr2026	30Apr2031
3 P/S	-	16Apr2026	30Apr2036	-	16Apr2026	30Apr2031
Hydro Test						
Tank Id	Safety Valves		Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		-	-	-	
3 P/S	-		-	-	-	

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

END



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Shipyard: Kennedy Construction

Hull #: KNDY180

46 CFR 151 Tank Group Characteristics

Tank Group Information		Cargo Identification			Hull Type	Cargo Seg Tank	Tanks			Cargo Transfer		Environmental Control		Fire Protection Provided	Special Requirements		Elec Haz	Temp Cont
Tnk Grp	Tanks in Group	Density	Press.	Temp.			Type	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space		General	Materials of Construction		
A	#1-3 P/S	13.6	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73,	55-1(b), (c), (e), (f), (j), 56-1(a), (b), (c), (d), (e), (f), (g).	I-D	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.
2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'l's of	Insp. Period

Authorized Subchapter O Cargoes

Bis(2-ethylhexyl) terephthalate	N/A	PEC	34	D/O	E	II	A	No	N/A	No	G
Olefins (C13+, all isomers)	85535-87-1	OFZ	30	D/O	E	III	A	Yes	1		G
Acetonitrile	75-05-8	ATN	37	O	C	III	A	Yes	3	No	G
Acrylonitrile	N/A	ACN	15 ²	O	C	II	A	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	111-69-3	ADN	37	O	E	II	A	Yes	1	No	G
Alkyl (C7-C9) nitrates	20633-12-9*	AKN	34 ²	O	NA	III	A	Yes	1	.50-81, .50-86	G
Aminoethyl ethanolamine	111-41-1	AEE	8	O	E	III	A	Yes	1	.55-1(b)	G
Ammonium bisulfite solution (70% or less)	10192-30-0	ABX	43 ²	O	NA	III	A	No	N/A	.50-73, .56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	1336-21-6	AMH	6	O	NA	III	A	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	65996-91-0	AHO	33	O	NA	II	A	No	N/A	No	G
Benzene	71-43-2	BNZ	32	O	C	III	A	Yes	1	.50-60	G
Benzene, C10-16 alkyl derivatives	N/A	BEN	32	O	D	III	A	No	N/A		G
Benzene and mixtures having 10% Benzene or more	N/A	BHB	32 ²	O	C	III	A	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	N/A	BHA	32 ²	O	C	III	A	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	N/A	BTX	32	O	B/C	III	A	Yes	1	.50-60	G
Butyl acrylate (all isomers)	141-32-2	BAR	14	O	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	97-88-1	BMH	14	O	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Camphor oil (light)	8008-51-3	CPO	18	O	D	II	A	No	N/A	No	G
Carbon tetrachloride	56-23-5	CBT	36	O	NA	III	A	Yes	3	No	G
Caustic potash solution	1310-58-3	CPS	5 ²	O	NA	III	A	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	1310-73-2	CSS	5 ²	O	NA	III	A	No	N/A	.50-73, .55-1(j)	G



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Kennedy
Construction

Official #: 1359105

Page 2 of 11

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Chemical Oil (refined, containing phenolics)	N/A	COD	21	O	E	II	A	No	N/A	.50-73	G
Chlorobenzene	108-90-7	CRB	36	O	D	III	A	Yes	1	No	G
Chloroform	67-66-3	CRF	36	O	NA	III	A	Yes	3	No	G
Coal tar naphtha solvent	8030-30-6	NCT	33	O	D	III	A	Yes	1	.50-73	G
Creosote	N/A	CCW	21 ²	O	E	III	A	Yes	1	No	G
Cresols (all isomers)	1319-77-3	CRS	21	O	E	III	A	Yes	1	No	G
Cresylate spent caustic	N/A	CSC	5	O	NA	III	A	No	N/A	.50-73, .55-1(b)	G
Cresylic acid tar	N/A	CRX	21	O	E	III	A	Yes	1	.55-1(f)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	N/A	CHG	19 ²	O	C	III	A	Yes	1	No	G
Cyclohexanone	108-94-1	CCH	18	O	D	III	A	Yes	1	.56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	N/A	CYX	18 ²	O	E	III	A	Yes	1	.56-1 (b)	G
Cyclohexylamine	N/A	CHA	7	O	D	III	A	Yes	1	.56-1(a), (b), (c), (g)	G
Cyclopentadiene, Styrene, Benzene mixture	N/A	CSB	30	O	D	III	A	Yes	1	.50-60, .56-1(b)	G
iso-Decyl acrylate	N/A	IAI	14	O	E	III	A	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G
Dichlorobenzene (all isomers)	25321-22-6	DBX	36	O	E	III	A	Yes	3	.56-1(a), (b)	G
1,1-Dichloroethane	75-34-3	DCH	36	O	C	III	A	Yes	1	No	G
Dichloromethane	75-09-2	DCM	36	O	NA	III	A	Yes	5	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	5742-19-8	DDE	43	O	E	III	A	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	2008-39-1	DAD	0 ^{1,2}	O	A	III	A	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	34075-45-1	DTI	43 ²	O	E	III	A	No	N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	78-99-9	DPB	36	O	C	III	A	Yes	3	No	G
1,2-Dichloropropane	78-87-5	DPP	36	O	C	III	A	Yes	3	No	G
1,3-Dichloropropane	142-28-9	DPC	36	O	C	III	A	Yes	3	No	G
1,3-Dichloropropene	N/A	DPU	15	O	D	II	A	Yes	4	No	G
Dichloropropene, Dichloropropane mixtures	8003-19-8	DMX	15	O	C	II	A	Yes	1	No	G
Diethanolamine	111-42-2	DEA	8	O	E	III	A	Yes	1	.55-1(c)	G
Diethylenetriamine	111-40-0	DET	7 ²	O	E	III	A	Yes	1	.55-1(c)	G
Diisopropanolamine	110-97-4	DIP	8	O	E	III	A	Yes	1	.55-1(c)	G
N,N-Dimethylacetamide	127-19-5	DAC	10	O	E	III	A	Yes	3	.56-1(b)	G
Dimethylformamide	68-12-2	DMF	10	O	D	III	A	Yes	1	.55-1(e)	G



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Page 3 of 11

Shipyard: Kennedy
Construction

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
1-Dodecene	N/A	DDC	30	O	E	II	A	No	N/A	No	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	112-18-5*	DOT	7	O	E	III	A	No	N/A	.55-1(b)	G
Dodecyl diphenyl ether disulfonate solution	N/A	DOS	43	O	#	II	A	No	N/A	No	G
Ethanolamine	141-43-5	MEA	8	O	E	III	A	Yes	1	.55-1(c)	G
Ethyl acrylate	140-88-5	EAC	14	O	C	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylamine solutions (72% or less)	75-04-7	EAN	7	O	A	II	A	Yes	6	.55-1(b)	G
Ethylene cyanohydrin	109-78-4	ETC	20	O	E	III	A	Yes	1	No	G
Ethylenediamine	107-15-3	EDA	7 2	O	D	III	A	Yes	1	.55-1(c)	G
Ethylene dichloride	107-06-2	EDC	36 2	O	C	III	A	Yes	1	No	G
Ethylene glycol hexyl ether	112-25-4	EGH	40	O	E	III	A	No	N/A	No	G
Ethylene glycol propyl ether	2807-30-9	EGP	40	O	E	III	A	Yes	1	No	G
2-Ethylhexyl acrylate	103-11-7	EAI	14	O	E	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	97-63-2	ETM	14	O	D/E	III	A	Yes	2	.50-70(a)	G
Glutaraldehyde solutions (50% or less)	111-30-8	GTA	19	O	NA	III	A	No	N/A	No	G
Hexamethylenediamine solution	124-09-4	HMC	7	O	E	III	A	Yes	1	.55-1(c)	G
Hydrocarbon 5-9	N/A	HFN	31	O	C	III	A	Yes	1	.50-70(a), .50-81(a), (b)	G
Isoprene	78-79-5	IPR	30	O	A	III	A	Yes	7	.50-70(a), .50-81(a), (b)	G
Isoprene, Pentadiene mixture	N/A	IPN	30	O	B	III	A	No	N/A	.50-70(a), .55-1(c)	G
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	68131-33-9	KPL	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (c), (g)	G
Mesityl oxide	141-79-7	MSO	18 2	O	D	III	A	Yes	1	No	G
Methyl acrylate	96-33-3	MAM	14	O	C	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methyl-5-ethyl pyridine	104-90-5	MEP	9	O	E	III	A	Yes	1	.55-1(e)	G
Methyl methacrylate	80-62-6	MMM	14	O	C	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	109-06-8	MPR	9	O	D	III	A	Yes	3	.55-1(c)	G
alpha-Methylstyrene	98-83-9	MSR	30	O	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Corn oil	8001-30-7	OCO	34	O	E	II	A	No	N/A	.50-73	G
1,3-Pentadiene	1574-41-0	PDE	30	O	A	III	A	Yes	7	.50-70(a), .50-81	G
Perchloroethylene	127-18-4	PER	36	O	NA	III	A	No	N/A	No	G
Polyethylene polyamines	109-89-7	PEB	7 2	O	E	III	A	Yes	1	.55-1(e)	G
Potassium chloride solution (brine)	N/A	PCSB	0	O	NA	III	A	No	N/A		G
iso-Propanolamine	78-96-6	MPA	8	O	E	III	A	Yes	1	.55-1(c)	G



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Page 4 of 11

Shipyard: Kennedy
Construction

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Propanolamine (iso-, n-)	N/A	PAX	8	O	E	III	A	Yes	1	.56-1(b), (c)	G
Isopropylamine	75-31-0	IPP	7	O	A	II	A	Yes	5	.55-1(c)	G
Pyridine	110-86-1	PRD	9	O	C	III	A	Yes	1	.55-1(e)	G
Solution containing ammonium thiosulfate (≤60%), ammonium sulfate (≤6%) and ammonium sulfite (≤5%) and ammonium sulfite (≤5%)		ATAS	0	O	NA	III	A	No	N/A		G
Sodium aluminate solution (45% or less)	11138-49-1	SAU	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	7775-09	SDD	0 1.2	O	NA	III	A	No	N/A	.50-73	G
Sodium hypochlorite solution (20% or less)	7681-52-9	SHQ	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	N/A	SSH	0 1.2	O	NA	III	A	Yes	1	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	N/A	SSI	0 1.2	O	NA	III	A	No	N/A	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	N/A	SSJ	0 1.2	O	NA	II	A	No	N/A	.50-73, .55-1(b)	G
Spent Caustic Soda Solution (containing up to 0.1% Benzene)	N/A	SCSS	5	O	NA	III	A	No	N/A	.50-60, .50-73, .55-1(j)	G
Styrene (crude)	N/A	STX	30	O	D	III	A	Yes	2	No	G
Styrene monomer	100-42-5	STY	30	O	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Tetrachloroethane	79-34-5	TEC	36	O	NA	III	A	No	N/A	No	G
1,2,4-Trichlorobenzene	120-82-1	TCB	36	O	E	III	A	Yes	1	No	G
1,1,2-Trichloroethane	79-00-5	TCM	36	O	NA	III	A	Yes	1	.50-73, .56-1(a)	G
Trichloroethylene	79-01-6	TCL	36 2	O	NA	III	A	Yes	1	No	G
1,2,3-Trichloropropane	96-18-4	TCN	36	O	E	II	A	Yes	3	.50-73, .56-1(a)	G
Triphenylborane (10% or less), caustic soda solution	960-71-4	TPB	5	O	NA	III	A	No	N/A	.56-1(a), (b), (c)	G
Trisodium phosphate solution	10101-89-0	TSP	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (c)	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	N/A	UAS	6	O	NA	III	A	No	N/A	.56-1(b)	G
Vanillin black liquor (free alkali content, 3% or more).	68514-06-7	VBL	5	O	NA	III	A	No	N/A	.50-73, .56-1(a), (c), (g)	G
Vinyl acetate	108-05-4	VAM	13	O	C	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Vinyl neodecanoate	51000-52-3	VND	13	O	E	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G
Vinyltoluene	25013-15-4	VNT	13	O	D	III	A	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (	G

Subchapter D Cargoes Authorized for Vapor Control

Acetone	67-64-1	ACT	18 2	D	C		A	Yes	1	
---------	---------	-----	------	---	---	--	---	-----	---	--



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Page 5 of 11

Shipyard: Kennedy
Construction

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Acetophenone	98-86-2	ACP	18	D	E		A	Yes	1		
Alcohol (C12-C16) poly(20+) ethoxylates	68551-12-2*	APW	20	D	E		A	Yes	1		
Alcohol (C6-C17) (secondary) poly(3-6) ethoxylates	84133-50-6*	AEA	20	D	E		A	Yes	1		
Alcohol (C6-C17) (secondary) poly(7-12) ethoxylates	84133-50-6*	AEB	20	D	E		A	Yes	1		
Alcohols (C13+)	112-70-9*	ALY	20	D	E		A	Yes	1		
Amyl acetate (all isomers)	628-63-7	AEC	34	D	D		A	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	N/A	AAI	20	D	D		A	Yes	1		
Benzyl acetate	140-11-4	BZE	34	D	E		A	Yes	1		
Benzyl alcohol	100-51-6	BAL	21	D	E		A	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	N/A	BFY	20	D	E		A	Yes	1		
Butyl acetate (all isomers)	123-86-4	BAX	34	D	D		A	Yes	1		
Isobutyl alcohol	78-83-1	IAL	20 ²	D	D		A	Yes	1		
Butyl alcohol (n-)	N/A	BAN	20 ²	D	D		A	Yes	1		
Butyl alcohol (sec-)	N/A	BAS	20 ²	D	C		A	Yes	1		
tert-Butyl Alcohol	N/A	BAT	20 ²	D	C		A	Yes	1		
Butyl benzyl phthalate	85-68-7	BPH	34	D	E		A	Yes	1		
Butyl toluene	1595-05-7	BUE	32	D	D		A	Yes	1		
Caprolactam solutions	105-60-2	CLS	22	D	E		A	Yes	1		
Cycloheptane	291-64-5	CYE	31	D	C		A	Yes	1		
Cyclohexane	110-82-7	CHX	31	D	C		A	Yes	1		
Cyclohexanol	108-93-0	CHN	20	D	E		A	Yes	1		
Cyclohexyl acetate	622-45-7	CYC	34	D	D		A	Yes	1		
1,3-Cyclopentadiene dimer (molten)	7313-32-8	CPD	30	D	D/E		A	Yes	2		
Cyclopentane	287-92-3	CYP	31	D	B		A	Yes	1		
p-Cymene	99-87-6	CMP	32	D	D		A	Yes	1		
iso-Decaldehyde	N/A	IDA	19	D	E		A	Yes	1		
n-Decaldehyde	N/A	DAL	19	D	E		A	Yes	1		
Decanoic acid	334-48-5	DCO	4	D	#		A	Yes	1		
Decene	872-05-9	DCE	30	D	D		A	Yes	1		
Decyl alcohol (all isomers)	85566-12-7	DAX	20 ²	D	E		A	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	104-72-3	DBZ	32	D	E		A	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Page 6 of 11

Shipyard: Kennedy
Construction

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Diacetone alcohol	123-42-2	DAA	20 ²	D	D		A	Yes	1		
Dibutyl phthalate	84-74-2	DPA	34	D	E		A	Yes	1		
Diethylbenzene	25340-17-4	DEB	32	D	D		A	Yes	1		
Diethylene glycol	111-46-6	DEG	40 ²	D	E		A	Yes	1		
Diisobutylene	25167-70-8	DBL	30	D	C		A	Yes	1		
Diisobutyl ketone	108-83-8	DIK	18	D	D		A	Yes	1		
Diisopropylbenzene (all isomers)	25321-09-9	DIX	32	D	E		A	Yes	1		
Dimethyl phthalate	131-11-3	DTL	34	D	E		A	Yes	1		
Diethyl phthalate	117-84-0	DOP	34	D	E		A	Yes	1		
Dipentene	138-86-3	DPN	30	D	D		A	Yes	1		
Diphenyl	92-52-4	DIL	32	D	D/E		A	Yes	1		
Diphenyl, Diphenyl ether mixtures	8004-13-5	DDO	33	D	E		A	Yes	1		
Diphenyl ether	101-84-8	DPE	41	D	{E}		A	Yes	1		
Dipropylene glycol	25265-71-8	DPG	40	D	E		A	Yes	1		
Distillates: Flashed feed stocks	8002-05-9	DFF	33	D	E		A	Yes	1		
Distillates: Straight run	68814-87-9	DSR	33	D	E		A	Yes	1		
Dodecene (all isomers)	25378-22-7	DOZ	30	D	D		A	Yes	1		
Dodecylbenzene	123-01-3	DDB	32	D	E		A	Yes	1		
2-Ethoxyethyl acetate	111-15-9	EEA	34	D	D		A	Yes	1		
Ethoxy triglycol (crude)	112-50-5	ETG	40	D	E		A	Yes	1		
Ethyl acetate	141-78-6	ETA	34	D	C		A	Yes	1		
Ethyl acetoacetate	141-97-9	EAA	34	D	E		A	Yes	1		
Ethyl alcohol	64-17-5	EAL	20 ²	D	C		A	Yes	1		
Ethylbenzene	100-41-4	ETB	32	D	C		A	Yes	1		
Ethyl butanol	97-95-0	EBT	20	D	D		A	Yes	1		
Ethyl tert-butyl ether	637-92-3	EBE	41	D	C		A	Yes	1		
Ethyl butyrate	105-54-4	EBR	34	D	D		A	Yes	1		
Ethyl cyclohexane	1678-91-7	ECY	31	D	D		A	Yes	1		
Ethylene glycol	107-21-1	EGL	20 ²	D	E		A	Yes	1		
Ethylene glycol butyl ether acetate	112-07-2	EMA	34	D	E		A	Yes	1		
Ethylene glycol diacetate	111-55-7	EGY	34	D	E		A	Yes	1		
Ethylene glycol phenyl ether	122-99-6	EPE	40	D	E		A	Yes	1		
Ethyl-3-ethoxypropionate	763-69-9	EEP	34	D	D		A	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Kennedy
Construction

Official #: 1359105

Page 7 of 11

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
2-Ethylhexanol	104-76-7	EHX	20	D	E		A	Yes	1		
Ethyl propionate	105-37-3	EPR	34	D	C		A	Yes	1		
Ethyl toluene	25550-14-5	ETE	32	D	D		A	Yes	1		
Formamide	75-12-7	FAM	10	D	E		A	Yes	1		
Furfuryl alcohol	98-00-0	FAL	20 ²	D	E		A	Yes	1		
Gasoline blending stocks: Alkylates	64741-64-6	GAK	33	D	C		A	Yes	1		
Gasoline blending stocks: Reformates	8006-61-9	GRF	33	D	C		A	Yes	1		
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	86290-81-5	GAT	33	D	A/C		A	Yes	1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	N/A	GAV	33	D	C		A	Yes	1		
Gasolines: Casinghead (natural)	68425-31-0	GCS	33	D	A/C		A	Yes	1		
Gasolines: Polymer	8006-61-9	GPL	33	D	C		A	Yes	1		
Gasolines: Straight run	68606-11-1	GSR	33	D	A/C		A	Yes	1		
Glycerine	56-81-5	GCR	20 ²	D	E		A	Yes	1		
Heptane (all isomers)	142-82-5	HMX	31	D	C		A	Yes	1		
n-Heptanoic acid	111-14-8	HEN	4	D	E		A	Yes	1		
Heptanol (all isomers)	111-70-6	HTX	20	D	D/E		A	Yes	1		
Heptene (all isomers)	592-76-7	HPX	30	D	C		A	Yes	2		
Heptyl acetate	112-06-1	HPE	34	D	E		A	Yes	1		
Hexane (all isomers)	110-54-3	HXS	31 ²	D	B/C		A	Yes	1		
Hexanoic acid	142-62-1	HXO	4	D	E		A	Yes	1		
Hexanol	N/A	HXN	20	D	D		A	Yes	1		
Hexene (all isomers)	592-41-6	HEX	30	D	C		A	Yes	2		
Hexylene glycol	107-41-5	HXG	20	D	E		A	Yes	1		
Isophorone	78-59-1	IPH	18 ²	D	E		A	Yes	1		
Jet fuel: JP-4	50815-00-4	JPF	33	D	E		A	Yes	1		
Jet fuel: JP-5 (kerosene, heavy)	8008-20-6	JPV	33	D	D		A	Yes	1		
Kerosene	8008-20-6	KRS	33	D	D		A	Yes	1		
Lauric acid	143-07-7	LRA	34	D	#		A	Yes	1		
Methyl acetate	79-20-9	MTT	34	D	D		A	Yes	1		
Methyl alcohol	67-56-1	MAL	20 ²	D	C		A	Yes	1		
Methylamyl acetate	7789-99-3	MAC	34	D	D		A	Yes	1		
Methylamyl alcohol	108-11-2	MAA	20	D	D		A	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Page 8 of 11

Shipyard: Kennedy
Construction

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Methyl amyl ketone	110-43-0	MAK	18	D	D		A	Yes	1		
Methyl tert-butyl ether	1634-04-4	MBE	41 ²	D	C		A	Yes	1		
Methyl butyl ketone	N/A	MBK	18	D	C		A	Yes	1		
Methyl butyrate	623-42-7	MBU	34	D	C		A	Yes	1		
Methylcyclohexane	591-47-9	MCY	31	D	C		A	Yes	1		
Methyl ethyl ketone	78-93-3	MEK	18 ²	D	C		A	Yes	1		
Methyl formate	107-31-3	MFM	34	D	A		A	Yes	6		
Methyl heptyl ketone	821-55-6	MHK	18	D	D		A	Yes	1		
2-Methyl-2-hydroxy-3-butyne	115-19-5	MHB	20	D	C		A	Yes	1		
Methyl isobutyl ketone	108-10-1	MIK	18 ²	D	C		A	Yes	1		
Mineral spirits	64475-85-0	MNS	33	D	D		A	Yes	1		
Myrcene	123-35-3	MRE	30	D	D		A	Yes	1		
Naphtha: Heavy	64742-94-5	NAG	33	D	#		A	Yes	1		
Naphtha: Petroleum	64742-94-5	PTN	33	D	#		A	Yes	1		
Naphtha: Solvent	64742-94-5	NSV	33	D	D		A	Yes	1		
Naphtha: Stoddard solvent	8052-41-3	NSS	33	D	D		A	Yes	1		
Naphtha: Varnish makers and painters (75%)	8032-32-4	NVM	33	D	C		A	Yes	1		
Neodecanoic acid	26896-20-8	NEA	4	D	E		A	Yes	1		
Nonane (all isomers)	111-84-2	NAX	31	D	D		A	Yes	1		
Nonene (all isomers)	N/A	NON	30	D	D		A	Yes	2		
Nonyl alcohol (all isomers)	143-08-8	NNS	20 ²	D	E		A	Yes	1		
Nonyl phenol	25154-52-3	NNP	21	D	E		A	Yes	1		
Nonyl phenol poly(4+)ethoxylates	9016-45-9	NPE	40	D	E		A	Yes	1		
Octane (all isomers)	111-65-9	OAX	31	D	C		A	Yes	1		
Octanoic acid (all isomers)	124-07-2	OAY	4	D	E		A	Yes	1		
Octanol (all isomers)	111-87-5	OCX	20 ²	D	E		A	Yes	1		
Octene (all isomers)	111-66-0	OTX	30	D	C		A	Yes	2		
Oil, fuel: No. 2	68476-30-2	OTW	33	D	D/E		A	Yes	1		
Oil, fuel: No. 2-D	N/A	OTD	33	D	D		A	Yes	1		
Oil, fuel: No. 4	68553-00-4	OFR	33	D	D/E		A	Yes	1		
Oil, fuel: No. 5	70892-11-4	OFV	33	D	D/E		A	Yes	1		
Oil, fuel: No. 6	68553-00-4	OSX	33	D	E		A	Yes	1		
Oil, misc: Crude	N/A	OIL	33	D	A/D		A	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Page 9 of 11

Shipyard: Kennedy
Construction

Hull #: KNDY180

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Oil, misc: Diesel	68334-30-5	ODS	33	D	D/E		A	Yes	1		
Oil, misc: Gas, high pour	8006-61-9	OGP	33	D	E		A	Yes	1		
Oil, misc: Lubricating	93572-43-1	OLB	33	D	E		A	Yes	1		
Oil, misc: Residual	68476-33-5	ORL	33	D	E		A	Yes	1		
Oil, misc: Turbine	N/A	OTB	33	D	E		A	Yes	1		
alpha-Olefins (C6-C18) mixtures	592-41-6	OAM	30	D	E		A	Yes	1		
n-Pentyl propionate	624-54-4	PPE	34	D	D		A	Yes	1		
alpha-Pinene	7785-26-4	PIO	30	D	D		A	Yes	1		
beta-Pinene	127-91	PIP	30	D	D		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether	N/A	PAG	40	D	E		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	N/A	PAF	34	D	E		A	Yes	1		
Polybutene	9003-29-6	PLB	30	D	E		A	Yes	1		
Polypropylene glycol	25322-69-4	PGC	40	D	E		A	Yes	1		
Propionaldehyde	123-38-6	PAD	19	D	C		A	Yes	2		
Isopropyl acetate	108-21-4	IAC	34	D	C		A	Yes	1		
n-Propyl acetate	109-60-4	PAT	34	D	C		A	Yes	1		
Isopropyl alcohol	67-63-0	IPA	20 ^{2,3}	D	C		A	Yes	1		
n-Propyl alcohol	71-23-8	PAL	20 ²	D	C		A	Yes	1		
Propylbenzene (all isomers)	103-65-1	PBY	32	D	D		A	Yes	1		
Isopropylcyclohexane	696-29-7	IPX	31	D	D		A	Yes	1		
Propylene glycol	57-55-6	PPG	20 ²	D	E		A	Yes	1		
Propylene glycol methyl ether acetate	108-65-6	PGN	34	D	D		A	Yes	1		
Propylene tetramer	6842-15-5	PTT	30	D	D		A	Yes	1		
Sulfolane	126-33-0	SFL	39	D	E		A	Yes	1		
Tetraethylene glycol	112-60-7	TTG	40	D	E		A	Yes	1		
Tetrahydronaphthalene	119-64-2	THN	32	D	E		A	Yes	1		
Tetramethylbenzene (all isomers)	527-53-7	TTC	32	D	#		A	Yes	1		
Toluene	108-88-3	TOL	32	D	C		A	Yes	1		
Tricresyl phosphate (containing less than 1% ortho isomer)	1330-78-5	TCP	34	D	E		A	Yes	1		
Triethylbenzene	102-25-0 (1,3,5)	TEB	32	D	E		A	Yes	1		
Triethylene glycol	112-27-6	TEG	40	D	E		A	Yes	1		
Triethyl phosphate	78-40-0	TPS	34	D	E		A	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Kennedy
Construction
Hull #: KNDY180

Official #: 1359105

Page 10 of 11

Cargo Identification							Conditions of Carriage				
Name	CAS Number	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Trimethylbenzene (all isomers)	95-63-6 (1,2,4)	TRE	32	D	{D}		A	Yes	1		
2,2,4-Trimethyl-1,3-pentanediol-1-isobutyrate	18491-15-1	TMP	34	D	E		A	Yes	1		
Trixylyl phosphate	N/A	TRP	34	D	E		A	Yes	1		
1-Undecene	821-95-4	UDC	30	D	D/E		A	Yes	1		
Undecyl alcohol	112-42-5	UND	20	D	E		A	Yes	1		
Xylenes	106-42-3	XLX	32	D	D		A	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Official #: 1359105

Page 11 of 11

Shipyard: Kennedy Const

Hull #: KNDY180

Explanation of terms & symbols used in the Table:

Cargo Identification

Name	The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.
Chem Code	The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. none Certain mixtures of cargoes may not have a CHRIS Code assigned.
Compatability Group No.	The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
Note 1	Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-ENG-5), 2703 Martin Luther King Jr. Ave SE Stop 7509, Washington DC 20593-7509. Email: hazmatstandards@uscg.mil.
Note 2	See Appendix I to 46 CFR Part 150 - exceptions to the compatibility chart.
Subchapter	The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.
Subchapter D	Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Subchapter O	Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.
Note 3	Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.
Grade	The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
A, B, C	Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
D, E	Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
Note 4	The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
NA	Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
#	No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
Hull Type	The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
I	Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
II	Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
III	Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).
NA	Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group	The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.
Vapor Recovery	
Approved (Y or N)	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group	The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.
Vapor Recovery	
Approved (Y or N)	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.
VCS Category:	The specified cargo's provisional classification for vapor control systems.
Category 1	(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.2011) and the pressure drop calculations (46 CFR 39.3001) must use appropriate friction factors, vapor densities and vapor growth rates.
Category 2	(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.
Category 3	(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.2009. This requirement is in addition to the requirements of Category 1.
Category 4	(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.
Category 5	(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.
Category 6	(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5.
Category 7	(High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.
none	The cargo has not been evaluated/classified for use in vapor control systems.

Certificate of Financial Responsibility (COFR)

<https://www.uscg.mil/Mariners/National-Pollution-Funds-Center/COFRs/ECOFR-Active-Vessel-Status/>

Updated: 05/12/2026 0950

Vessel Name	Vin	Vsl Vessel Type Desc	Vessel Type Code	Gross Tonnage	Case Control ID	Examiner ID	Operator Name	Effective Date	Expiration Date
CCL 1	D518612	TANKBARGE	50	812	841310	22	CHEM CARRIERS, L.L.C	9/2/2025	9/2/2028
CCL 2	D510107	TANKBARGE	50	855	841310	22	CHEM CARRIERS, L.L.C	6/23/2023	6/23/2026
CCL 3	D296363	TANKBARGE	50	822	841310	22	CHEM CARRIERS, L.L.C	10/3/2023	10/3/2026
CCL 4	D512519	TANKBARGE	50	860	841310	22	CHEM CARRIERS, L.L.C	4/7/2025	4/7/2028
CCL 6	D530996	TANKBARGE	50	798	841310	22	CHEM CARRIERS, L.L.C	1/26/2025	1/26/2028
CCL 7	D551980	TANKBARGE	50	773	841310	22	CHEM CARRIERS, L.L.C	11/27/2023	11/27/2026
CCL 8	D551982	TANKBARGE	50	773	841310	22	CHEM CARRIERS, L.L.C	9/27/2025	9/27/2028
CCL 9	D551983	TANKBARGE	50	773	841310	22	CHEM CARRIERS, L.L.C	2/19/2026	2/19/2029
CCL 10	D551979	TANKBARGE	50	773	841310	22	CHEM CARRIERS, L.L.C	12/12/2023	12/12/2026
CCL 11	D551976	TANKBARGE	50	773	841310	22	CHEM CARRIERS, L.L.C	9/29/2025	9/29/2028
CCL 14	D4497784	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	9/22/2025	9/22/2028
CCL 15	D1164452	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	3/1/2024	3/1/2027
CCL 16	D1164666	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	9/14/2024	9/14/2027
CCL 17	D1166179	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	12/19/2025	12/19/2028
CCL 18	D1168981	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	7/1/2023	7/1/2026
CCL 19	D1168980	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	8/24/2023	8/24/2026
CCL 20	D1191598	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	2/27/2025	2/27/2028
CCL 21	D1191599	TANKBARGE	50	793	841310	22	CHEM CARRIERS, L.L.C	2/26/2025	2/26/2028
CCL 22	D1191600	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	1/13/2025	1/13/2028
CCL 23	D1191601	TANKBARGE	50	793	841310	22	CHEM CARRIERS, L.L.C	4/20/2025	4/20/2028
CCL 24	D1196547	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	8/11/2023	8/11/2026
CCL 25	D1196548	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	8/11/2023	8/11/2026
CCL 26	D1203816	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	2/11/2025	2/11/2028
CCL 27	D1203817	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	5/3/2024	5/3/2027
CCL 28	D1212828	TANKBARGE	50	793	841310	22	CHEM CARRIERS, L.L.C	9/9/2023	9/9/2026
CCL 29	D1212829	TANKBARGE	50	793	841310	22	CHEM CARRIERS, L.L.C	9/22/2023	9/22/2026
CCL 30	D1305871	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	10/1/2023	10/1/2026
CCL 31	D1305870	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	10/1/2023	10/1/2026
CCL 32	D1305869	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	11/13/2023	11/13/2026
CCL 33	D1305868	TANKBARGE	50	735	841310	22	CHEM CARRIERS, L.L.C	11/13/2023	11/13/2026
CCL 401	D1216671	TANKBARGE	50	2001	841310	22	CHEM CARRIERS, L.L.C	4/13/2024	4/13/2027
CCL 402	D1219910	TANKBARGE	50	1754	841310	22	CHEM CARRIERS, L.L.C	4/29/2024	4/29/2027
CCL 403	D1231311	TANKBARGE	50	1691	841310	22	CHEM CARRIERS, L.L.C	2/8/2026	2/8/2029
CCL 404	D1231312	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	2/23/2026	2/23/2029
CCL 405	D1236867	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	1/1/2024	1/1/2027
CCL 406	D1236866	TANKBARGE	50	1691	841310	22	CHEM CARRIERS, L.L.C	1/27/2024	1/27/2027
CCL 407	D1246320	TANKBARGE	50	1754	841310	22	CHEM CARRIERS, L.L.C	8/22/2025	8/22/2028
CCL 408	D1246097	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	8/7/2025	8/7/2028
CCL 409	D1246098	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	10/2/2025	10/2/2028
CCL 410	D1255906	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	9/3/2023	9/3/2026
CCL 411	D1255907	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	9/25/2023	9/25/2026
CCL 414-L	D1262941	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	9/23/2024	9/23/2027
CCL 415-T	D1262942	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	9/28/2024	9/28/2027
CCL 416-T	D1264691	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	1/20/2025	1/20/2028
CCL 417-T	D1298307	TANKBARGE	50	1769	841310	22	CHEM CARRIERS, L.L.C	12/19/2025	12/19/2028
CCL 418-L	D1306896	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	11/13/2023	11/13/2026
CCL 419-L	D1306897	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	1/5/2024	1/5/2027
CCL 420-T	D1348560	TANKBARGE	50	1619	841310	22	CHEM CARRIERS, L.L.C	2/12/2025	2/12/2028
CCL 421-T	D1352615	TANKBARGE	50	1616	841310	22	CHEM CARRIERS, L.L.C	8/28/2025	8/28/2028
CCL 422-T	D1364186	TANK BARGE	50	1616	841310	22	CHEM CARRIERS, L.L.C	5/5/2026	5/5/2029
CCL 423-T	D1364187	TANK BARGE	50	1616	841310	22	CHEM CARRIERS, L.L.C	4/14/2026	4/14/2029
CCL 424-T	D1359105	TANKBARGE	50	1616	841310	22	CHEM CARRIERS, L.L.C	3/12/2026	3/12/2029
AX 3202	D1089031	TANKBARGE	50	1754	841310	22	CHEM CARRIERS, L.L.C	6/11/2024	6/11/2027
MERLIN BANTA	D249614	TUG AND TOWBOAT	51	384	841310	22	CHEM CARRIERS, L.L.C	11/24/2024	11/24/2027




UNITED STATES OF AMERICA

DEPARTMENT OF HOMELAND SECURITY UNITED STATES COAST GUARD

NATIONAL VESSEL DOCUMENTATION CENTER

CERTIFICATE OF DOCUMENTATION

VESSEL NAME CCL 424-T		OFFICIAL NUMBER 1359105	IMO OR OTHER NUMBER KNDY180	YEAR COMPLETED 2026	
HAILING PORT NEW ORLEANS LA		HULL MATERIAL STEEL		MECHANICAL PROPULSION NO	
GROSS TONNAGE 1616 GRT	NET TONNAGE 1616 NRT	LENGTH 297.0	BREADTH 54.0	DEPTH 12.0	
PLACE BUILT GALVESTON TX					
OWNERS D STEPHEN LAPLACE TRUSTEE OF THE FRANK BANTA JR 2012 GRANTOR TRUST		OPERATIONAL ENDORSEMENTS COASTWISE			
MANAGING OWNER D STEPHEN LAPLACE 1237 HWY 75 SUNSHINE LA 70780					
RESTRICTIONS NO RECREATION - BARGE, 79 FEET OR MORE IN LENGTH, MEASURED UNDER SIMPLIFIED SYSTEM					
ENTITLEMENTS NONE					
REMARKS NONE					
ISSUE DATE FEBRUARY 06, 2026		 DIRECTOR, NATIONAL VESSEL DOCUMENTATION CENTER			
THIS CERTIFICATE EXPIRES FEBRUARY 28, 2027					



This certificate is not valid for operation of the vessel until the vessel is marked with the name, official number, and hailing port as shown on the certificate. The original certificate must be kept aboard the vessel at all times when in operation and must be presented upon the demand of federal, state or local officials for law enforcement purposes. Vessels with only a recreational endorsement may not engage in commercial trade.

Documented vessels may be registered by states for tax and other purposes and may be required to display a state decal. Renewal is the responsibility of the owner. This certificate becomes invalid upon a change in ownership, change in state of incorporation, or a change in any other element shown on the certificate other than change of address. This certificate is invalid for any vessel other than one documented solely for recreation when the vessel is placed under the command of a person who is not a citizen of the U.S. The vessel and its equipment are liable to seizure and forfeiture to the U.S. government and the owner is liable for a civil penalty of not more than \$10,000.00 per violation. Each day of a continuing violation is a separate violation.

Any change in address of the managing owner must be reported promptly to the NVDC. You may contact NVDC at nvdc.w.webmaster@uscg.mil.

Note: The certificate on the face of this document is not conclusive evidence of title in any proceeding where ownership is in issue. Complete records are on file at the NVDC. The sale or transfer section below is provided for convenience only.

SALE OR TRANSFER OF VESSEL

100% OF THE VESSEL IDENTIFIED HEREIN IS SOLD (TRANSFERRED) BY THE OWNER(S) NAMED ON THE FACE OF THIS CERTIFICATE TO THE FOLLOWING PERSON(S). ADDRESS MUST BE INCLUDED.

IF SOLD (TRANSFERRED) TO MORE THAN ONE PERSON, THE PURCHASER(S)/TRANSFeree(S) ARE TENANTS IN COMMON, EACH OWNING AN EQUAL UNDIVIDED INTEREST, UNLESS OTHERWISE INDICATED HEREIN: CHECK ONLY ONE OF THE FOLLOWING BLOCKS TO SHOW ANOTHER FORM OF OWNERSHIP.

- ☐ JOINT TENANCY WITH RIGHT OF SURVIVORSHIP ☐ TENANCY BY THE ENTIRETIES ☐ COMMUNITY PROPERTY
☐ OTHER

SIGNATURE OF SELLER(S)/TRANSFEROR(S) OR PERSONS SIGNING ON BEHALF OF SELLER(S)/TRANSFEROR(S):

DATE SIGNED:

NAME(S) OF PERSON(S) SIGNING ABOVE, AND LEGAL CAPACITY IN WHICH SIGNED (E.G. OWNER, AGENT, TRUSTEE, EXECUTOR)

ACKNOWLEDGMENT (TO BE COMPLETED BY NOTARY PUBLIC OR OTHER OFFICIAL AUTHORIZED BY A LAW OR A STATE OR THE UNITED STATES TO TAKE OATHS.)

ON _____ THE PERSON(S) NAMED
(DATE)

STATE:

COUNTY:

ABOVE ACKNOWLEDGED EXECUTION OF THE FOREGOING INSTRUMENT
IN THEIR STATED CAPACITY(IES) FOR THE PURPOSES THEREIN CONTAINED.

NOTARY PUBLIC
MY COMMISSION EXPIRES:

PRIVACY ACT STATEMENT

IN ACCORDANCE WITH 5 USC 552(A). THE FOLLOWING INFORMATION IS PROVIDED TO YOU WHEN SUPPLYING PERSONAL INFORMATION TO THE U.S. COAST GUARD:

1. AUTHORITY. SOLICITATION OF THIS INFORMATION IS AUTHORIZED BY 46 USC CHAPTER 313 AND 46 CFR, PART 67.
2. THE PRINCIPAL PURPOSES FOR WHICH THIS INSTRUMENT IS TO BE USED ARE:
 - (A) TO PROVIDE A RECORD, AVAILABLE FOR PUBLIC INSPECTION AND COPYING, OF THE SALE OR OTHER CHANGE IN OWNERSHIP OF A VESSEL WHICH IS DOCUMENTED, WILL BE DOCUMENTED, OR HAS BEEN DOCUMENTED PURSUANT TO 46 USC, CHAPTER 121.
 - (B) RETENTION FOR EXAMINATION BY GOVERNMENTAL AUTHORITIES AND MEMBERS OF THE GENERAL PUBLIC.
3. THE ROUTINE USE WHICH MAY BE MADE OF THIS INFORMATION INCLUDES DEVELOPMENT OF STATISTICAL DATA CONCERNING DOCUMENTED VESSELS.
4. DISCLOSURE OF THE INFORMATION REQUESTED ON THIS FORM IS VOLUNTARY. HOWEVER, FAILURE TO PROVIDE THE INFORMATION COULD PRECLUDE FILING OF A BILL OF SALE AND DOCUMENTATION OF THE VESSEL NAMED HEREIN PURSUANT TO 46 USC CHAPTER 121. MOREOVER, BILLS OF SALE WHICH ARE NOT FILED ARE NOT DEEMED TO BE VALID AGAINST ANY PERSON HAVING ACTUAL KNOWLEDGE OF THE SALE. (46 USC 31321 (A)).

AN AGENCY MAY NOT CONDUCT OR SPONSOR, AND A PERSON IS NOT REQUIRED TO RESPOND TO A COLLECTION OF INFORMATION UNLESS IT DISPLAYS A VALID OMB CONTROL NUMBER.

THE COAST GUARD ESTIMATES THAT THE AVERAGE BURDEN FOR THIS FORM IS 20 MINUTES FOR COMPLETING AND 3 MINUTES FOR FILING. YOU MAY SUBMIT ANY COMMENTS CONCERNING THE ACCURACY OF THIS BURDEN ESTIMATE OR ANY SUGGESTIONS FOR REDUCING THE BURDEN TO: U.S. COAST GUARD, NATIONAL VESSEL DOCUMENTATION CENTER, 792 T J JACKSON DRIVE, FALLING WATERS, WEST VIRGINIA 25419 OR OFFICE OF MANAGEMENT AND BUDGET, PAPERWORK REDUCTION PROJECT (1625-0027), WASHINGTON, DC 20503.

AY 721142522419



www.chemcarriersllc.com

1237 Highway 75
Sunshine, LA 70780
Phone 225.642.0060

Barge Piping Letter

Barge Name / Official Number: 424 T

Barge Owner: CHEM CARRIERS

Test Date (VALID FOR ONE (1) YEAR AFTER TEST DATE): _____

Testing Location (Company Name / Address): KENNEDY CON. INC. GALVESTON, TX.

Cargo Piping and Valves (188 psi): Test Date: 1-28-26 Test Pressure: 188 PSI

Cargo Relief Valve (125 psi): Test Date: 4-21-25 Test Pressure: 125 PSI G

Cargo Pressure Gauge: Test Date: 1-28-26 % Accuracy: 100%

Steam Piping and Relief Valves (125 psi): Test Date: N/A Test Pressure: _____

Tester (print): _____ Tester (sign): _____

Barge Vapor Tightness Letter

Pressure Cargo tanks and vapor system to twenty-eight (28) inches of water using a Manometer to record the time and pressure. Close all valves and allow the vessel to remain under pressure for thirty (30) minutes. Use soap to test and inspect for leaks. After thirty (30) minutes, record pressure and times as in accordance with CFR 61.304f.

Test Results


Test cargo tanks to _____ inches of water or <u>3</u> psi. Maximum Load Rate (BPH):	
Start Time: <u>9:00AM</u>	Start Pressure: <u>3PSI</u>
End Time: <u>12:20</u>	End Pressure: <u>3PSI</u>
Total Pressure Loss: <u>-0-</u>	Allowable Pressure Loss: _____

This barge has been tested in accordance with section 40 CFR 61.034 (f) and 40 CFR 36.565 (c) and is considered vapor tight.

Tester (print): Rafael Diosdado Tester (sign): [Signature]

Witness (print): CHRIS KENNEDY Witness (sign): [Signature]

Witness Affiliation (print): KENNEDY CON. INC.



CCL 424-T

CARGO TRANSFER PROCEDURES

CHEM CARRIERS L.L.C.

TRANSFER FROM BARGE TO DOCK

PARTS

1. PRODUCTS TRANSFERRED
2. DESCRIPTION OF SYSTEM
3. PERSONS ON DUTY
4. PERSONS IN CHARGE
5. EMERGENCY SHUTDOWN
6. TOPPING OFF PROCEDURE
7. COMPLETION OF TRANSFER
8. REPORTING CARGO SPILLS
9. VESSEL CLOSURES
10. PRODUCT DATA
11. Vapor Control Procedures

PARTS 1. PRODUCTS TRANSFERRED

33 CFR 155.750 (a) (1) (i)

This vessel is certificated for the carriage of grades "A" and lower Sub-Chapter (D) and (O) Products. It has also been certified to carry vapor products. Reference Certificate of Inspection.

PARTS 2. DESCRIPTION OF CARGO TRANSFER SYSTEM

33 CFR 155.750 (a) (2) (i) (ii)

The cargo transfer procedures apply to all Chem Carrier L.L.C, owned or leased tank barges. In most cases other than series built barges, the cargo piping arrangement is usually slightly different on every barge, and for this reason, the piping diagram must be studied before loading or discharging a barge. The basic concept for loading and discharging is fairly standard depending on the location of the pump.

A. (Reference the piping diagram for transfer system arrangement.)

B. PROCEDURES FOR THE CONTAINMENT SYSTEM

33 CFR 155.310 (a) (1) (iv)

33 CFR 155.750 (a) (2) (iii)

1). The containment pans are equipped with a drain for the removal of slops to shore facilities:

~~NEVER DRAIN THE CONTAINMENT TANKS ONTO THE DECK.~~

2). CCL 424-T is equipped with a separate containment area for

the cargo trunk top and the aft deck area. Each containment area is equipped with drains and scupper plugs. Plugs should be installed prior to cargo transfer and removed after the cargo transfer is complete. PIC should notify Chem Carriers when containment areas need cleaning or if scupper plugs need replacing. **Never Drain Product captured in containment area overboard.**

PARTS 3. PERSONS ON DUTY DURING TRANSFER

33 CFR 155.750 (a) (3)

Number of persons required on duty during transfer operations:

- A. At no time during the transfer operation will be less than one responsible person on duty. The certified tanker man assigned shall be in charge and responsible for the safe transfer of cargo.

PARTS 4. PERSONS IN CHARGE

The tanker man (person in charge) is responsible for transferring cargo and carrying out related operations on board in an efficient, safe, and pollution free manner. The tanker man whether employed by the towboat, owner, operator, a shore tanker man service, or Chem Carriers L.L.C., shall comply with all Coast Guard, State and local regulations. Tanker man's responsibility shall include but not be limited to the following:

- A. To have on his/her person a valid merchant marine document endorsed as tanker man, certified to handle the grade of cargo to be transferred.
- B. Make a thorough inspection of the barge prior to the start of transfer operation.
- C. To have proper connection of the grounding cable.
- D. The vessel's moorings are adequate to hold during all expected conditions of surge, current, wind, tide, ect., and lines are long enough to allow for surge, tide, wind, changes in draft etc.
- E. Proper hose sizes, lengths, support, and connections.
- F. The condition of fire extinguishers and required number.
- G. The person in charge of transfer operations on the transferring vessel or facility and the person in charge of transferring operations on the receiving vessel or facility agree to begin the transfer operations.
- H. The transfer operation between tank barges and dock facilities should be lighted between sunset and sunrise to comply with the U. S. Coast Guard regulation pertaining to the displaying of lights on barges as required by Title 33.
- I. The PIC (PERSON IN CHARGE) will be responsible for the DOI (declaration of inspection) and DOS (declaration of security).
- J. Always maintain communications with dock or shore personnel with an agreed upon approved system.

PARTS 5: EMERGENCY SHUTDOWN

33 CFR 155.750 (a) (6)

THE EMERGENCY SHUTDOWN IS LOCATED NEAR THE CENTER OF THE BARGE.

- A. In the event of an emergency, transfer operations can be stopped by pulling the remote shutdown cable.
- B. Familiarize yourself with its location and operation prior to transfer.

PARTS 6; TOPPING OFF PROCEDURES

33 CFR 155.750 (a) (7)

In the process of topping off, tanks should be loaded at different levels to top off one at a time. Extra care should be taken to avoid over pressuring the connections, and hoses by closing valves against the receiving line. Since barges and facilities vary in their systems, no standard for topping off exist, but the following should be considered:

- A. The closing of one tank increases the rate of flow to other tanks on the same line.
- B. Always consider temperature and cargo in accordance with the amount of expansion that should be allowed.
- C. Always maintain communications with dock or shore personnel.
- D. A set of dipstick overfill devices have been installed on the **CCL 424-T** . Dipsticks can be made operational by releasing the covers or caps. Dipsticks should be used as a visual aid for overfill protection.

PARTS 7: COMPLETION OF TRANSFER

33 CFR 155.750 (a) (8)

Upon the completion of the transfer all pipelines should be drained into cargo tanks. The header valve used during the operation should then be closed, sealed off with a blind flange and shore personnel should seal lines and hatches on vessel.

PARTS 8: REPORTING CARGO SPILLS

33 CFR 155.750 (a) (9)

Should an accidental discharge of product occur, you should consider the following:

- A. Locate the source of the spill and try to stop it, if possible, and safe to do so.

- B. Make an attempt to contain the product if possible.
- C. Notify the Coast Guard. The national Response Center at 1-800-424-8802.
- E. Notify Chem Carriers L.L.C. at (225) 642-0060
- F. If loading, transfer the cargo from the leaking tank to an adjacent tank or back to the dock if safe to do so.
- G. If discharging, pump the product from the leaking tank as quickly as possible if safe to do so.

***When reporting a spill, the tankerman should provide the following information:**

- A. Name (his or her)
- B. Name of Company: (employed by; (contracted by;
- C. Name of Barge.
- D. Spill Location
- E. Specify Product.
- F. Estimate Quantity of Spill
- G. Weather, Tide, Sea and Current Conditions.
- H. Cause of Spill.
- I. Action Being Taken to Contain and Stop Spill

PART 9

CLOSURES ON VESSELS

Upon completion of cargo transfer operations, all tank hatch covers, ullage covers, and gauging device covers shall be dogged down and secured. In addition, the vent drain valves, if installed, should be secured and left in the proper position. All drain valves should be closed, and drip pan covers, if installed, should be made up tight. Covers for void spaces, bow and stern compartments shall be secured at all times and checked for tightness. Closing devices on clean-out hatches and clean-out opening should be checked, especially when the barge is loaded.

PART 10

PRODUCT DATA

See specific MSDS sheets provided with these procedures.

In case of any other emergency, immediately shut down and notify the transferring facility, and Chem Carriers L.L.C. (225) 642-0060 24 Hour Line.

PART 11

VAPOR CONTROL PROCEDURES

This is a guide only and is not intended to replace experience, sound judgment, and a proper assessment of the task at hand.

The tanker man on duty is the acting Designated Person In Charge (PIC) and is responsible for cargo transfer operations and carrying out related operations on barges.

1. Vapor Recovery Transfer Maximum Rate is **3900** BBLS/HR for

subchapter "D" Cargoes and 3900 BBLS/Hr for subchapter "O" Cargoes.

- 1.1 Transfer rates, which exceed these maximums, must be approved by Chem Carriers.
- 1.2 Transfer rates for each cargo tank should not exceed the maximum transfer rate.

2. Pre-transfer Inspection For Vapor Recovery Operations

2.1 Follow the procedures outlined below in addition to the procedures utilized during normal transfers:

2.1.1 Wear personal protective equipment (PPE) as needed for the cargo in the barge when testing P/V and, hooking up hoses, or draining low points.

2.1.2 Ensure that a Certificate of Vapor Tightness is onboard and valid.

2.1.3 Close the low point drain on the port/starboard vapor header, if applicable.

2.1.4 Close the low point drain near the vent stack, if applicable.

2.1.5 Close valve to the vent riser if applicable.

2.1.7 Blinds used for the vapor control manifold should have a hole to accommodate the 1/2" stud located in the vapor header.

2.1.8 Each cargo tank is fitted with a liquid level gauge stick. Remove the cap, raise the stick, this stick can be monitored visually to avoid overfilling.

2.1.9 Ensure that the last one meter (3.3 feet) of vapor piping before the vapor connection is painted red/yellow/red.

2.1.10 The cross-header should be stenciled with the word "VAPOR" in black letters at least 2" high.

2.1.11 The vapor connection flange should be fixed with a 1" long by 1/2" diameter stud projecting outward from the face of the flange, midway between bolt holes.

2.1.12 The high level alarms/shutdowns are installed near the center of each cargo tank. Dock alarm/shutdown should be connected prior to loading, and plugs located near the forward end of the barge Port and Starboard should be labeled "ALARM/SHUTDOWN SENSOR." High level alarms are set to alarm at 90% of the cargo tanks capacity and Shut downs are set to shut transfer down at 95% of each tanks capacity.

2.1.13 Ensure that the P/V relief valve flame screen, if required, is in place and in good condition prior to testing.

2.1.14 Ensure that the facility has a Letter of Adequacy endorsed as meeting the requirements of 33 CFR Subpart E.

3. Vapor Piping

3.1 The PIC checks the vapor piping diagram.

3.2 Characteristics of a vapor header:

3.2.1 The vapor collection piping system on tank barges is permanently installed and located as close as practical to the loading manifold. The piping system is electrically bonded to the hull and electrically continuous.

3.2.2 The last one meter (3.3 feet) of vapor piping prior to the valve before the vapor connection is painted red/yellow/red. The red bands are 4" wide and the yellow band is 32" wide.

3.2.3 The vapor header is stenciled with the word "VAPOR" in black letters at least 2" high.

3.2.4 The vapor connection flange is to be fixed with a 1" by 1/2" diameter stud projecting outward from the face of the flange. This stud is located at the top of the flange, midway between bolt holes.

3.2.5 When not in use, blank off the vapor headers using a blind flange with a bolt in every hole. Each blind flange used on the vapor piping has a hole drilled to accommodate the pin.

4. Inspection And Verification Of Vent Lines

4.1 The Person in Charge performs the following steps:

4.1.1 Checks the Certificate of Inspection on board the barge;

4.1.2 Locates polymerizing or inhibited cargoes in the section of the COI marked *Specific Hazardous Cargo Authority*;

4.1.3 Refers to the MSDS or Chemical Data Guide on board the vessel to determine what cargoes are subject to polymerization, or what cargoes are inhibited;

4.1.4 Locates the MSDS for the cargo and determines its toxicity and whether or not it is a polymerizing or inhibited cargo; and,

4.1.5 Notifies the Dispatcher and Field Supervisor when polymerization is suspected.

5. Any problems with the Vapor Control system must be reported immediately to the person in charge and Chem Carriers.



Marine Safety Center Vapor Control System (VCS) Plan Review Information Sheet (PRIS)



Vessel Name CCL 424-T & CCL 425-T

Official Number 1359105 & 1359106

Shipyard

Kennedy Construction

Hull Number

KNDY180 & KNDY181

1. This sheet consolidates critical VCS parameters for MSC Staff Engineers and CG Field Inspectors dealing with Vapor Control Systems. CG Inspectors should verify the vessel's VCS design is consistent with the information listed in boxes 2, 6, 7 & 8 prior to updating the vapor control endorsement on the vessel's Certificate of Inspection. For cases where the information in the VCS PRIS does not reflect the vessel's design the CG Inspector should contact the MSC's Cargo Authority branch.

2. Tank Maximum Design Working Pressure

6.50

psig

Raised Trunk



Flush Deck



3. Authorized Maximum Cargo Transfer Rate(s)

5,200

bbl/hr loading

3,900

bbl/hr discharging

4. Authorized Maximum Vapor-Air Mixture Density

0.379

lbm/ft³

5. Authorized VCS Categories

1 Through 7

6. Cargoes with the highest vapor density and/or pressure drop:

a. Cargo Name Pentane (all isomers) [PTY]

b. Cargo Name Pentane (all isomers) [PTY]

7. Pressure Vacuum Valve:

Manufacturer

ERL

Size

ERL SUPERAC Model II

CG Approval

162.017/167/4

Settings in psig:

Pressure-side

6

Vacuum-side

3

8. VCS Pipe Sizes:

Approx. Inside Diameter

Longitudinal Header (inches)

8

Transverse Header (Inches)

8

Required Venting Capacity of Pressure-Side of P/V valve

13873

bbl/hr (air)

Required Venting Capacity of Vacuum-Side of P/V valve

3900

bbl/hr (air)

9. Tank Overfill Protection System (check appropriate box or boxes)

a. High Level/Tank Overfill Alarm



Type

TIMCO LFA-S

b. Overfill Control Shutdown



Type

TIMCO LFS-S

c. Spill Valve



Type

N/A

d. Rupture Disk



Type

N/A

Meets ASTM F1271

Setting in psig

N/A

10. Closed Gauging Verify the vessel has closed gauging that satisfies 46 CFR 39.2003 and 151.15-10(c).

11. Instructions/Guidelines for the OCMI:

11a. The MSC approval letters must be available at the OCMI's request.

11b. Verify isolation valve at the vapor connection flange is manually operable and designed in a way it is "clearly" open or closed.

11c. Verify the set-point of the overfill shutdown system. It shall be no higher than 4.75 inches (0.40 feet) below the tank top at centerline of cargo tans #1-3 P/S.

11d. The tanks share a common vent header, which would allow mixing of various vapors and liquid cargoes. Note this configuration restricts the types of cargoes that can be carried simultaneously.

11e. The vapor collection piping must be electrically continuous and bonded to the hull as required by 46 CFR 39.2001(c).

Current VCS Approval Letter

C1-2503711 dated December 2, 2025

MSC Plan Reviewer

LT N. A. Remke



BARGE "CCL 424 T"

INNAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-7/8	- 01-7/8
1 STBD	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-7/8	- 01-7/8
2 PORT	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8
2 STBD	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-5/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 3/8"

LENGTH BETWEEN DRAFT MARKS: 262'-06"

February 4, 2026

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 PORT

INNAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-11 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.71	0	360.37	0	717.35	0	1,073.65	0	1,428.89	0	1,785.27	0	2,142.26	0	2,499.26	0	2,856.25	0	3,213.25
1/4	19.98	1/4	367.80	1/4	724.79	1/4	1,081.06	1/4	1,436.29	1/4	1,792.71	1/4	2,149.70	1/4	2,506.70	1/4	2,863.69	1/4	3,220.69
1/2	25.24	1/2	375.24	1/2	732.23	1/2	1,088.47	1/2	1,443.68	1/2	1,800.14	1/2	2,157.14	1/2	2,514.13	1/2	2,871.13	1/2	3,228.12
3/4	30.51	3/4	382.68	3/4	739.66	3/4	1,095.88	3/4	1,451.08	3/4	1,807.58	3/4	2,164.58	3/4	2,521.57	3/4	2,878.57	3/4	3,235.56
1	35.78	1	390.12	1	747.10	1	1,103.30	1	1,458.47	1	1,815.02	1	2,172.01	1	2,529.01	1	2,886.00	1	3,243.00
1/4	42.69	1/4	397.55	1/4	754.54	1/4	1,110.71	1/4	1,465.86	1/4	1,822.46	1/4	2,179.45	1/4	2,536.45	1/4	2,893.44	1/4	3,250.44
1/2	49.60	1/2	404.99	1/2	761.98	1/2	1,118.12	1/2	1,473.26	1/2	1,829.89	1/2	2,186.89	1/2	2,543.88	1/2	2,900.88	1/2	3,257.87
3/4	56.51	3/4	412.43	3/4	769.41	3/4	1,125.53	3/4	1,480.65	3/4	1,837.33	3/4	2,194.33	3/4	2,551.32	3/4	2,908.32	3/4	3,265.31
2	63.42	2	419.86	2	776.85	2	1,132.94	2	1,488.05	2	1,844.77	2	2,201.76	2	2,558.76	2	2,915.75	2	3,272.75
1/4	70.79	1/4	427.30	1/4	784.29	1/4	1,140.35	1/4	1,495.45	1/4	1,852.21	1/4	2,209.20	1/4	2,566.20	1/4	2,923.19	1/4	3,280.19
1/2	78.16	1/2	434.74	1/2	791.72	1/2	1,147.76	1/2	1,502.86	1/2	1,859.64	1/2	2,216.64	1/2	2,573.63	1/2	2,930.63	1/2	3,287.62
3/4	85.53	3/4	442.18	3/4	799.16	3/4	1,155.17	3/4	1,510.26	3/4	1,867.08	3/4	2,224.08	3/4	2,581.07	3/4	2,938.07	3/4	3,295.06
3	92.90	3	449.61	3	806.60	3	1,162.59	3	1,517.67	3	1,874.52	3	2,231.51	3	2,588.51	3	2,945.50	3	3,302.50
1/4	100.30	1/4	457.05	1/4	814.04	1/4	1,170.00	1/4	1,525.08	1/4	1,881.96	1/4	2,238.95	1/4	2,595.95	1/4	2,952.94	1/4	3,309.94
1/2	107.70	1/2	464.49	1/2	821.47	1/2	1,177.41	1/2	1,532.49	1/2	1,889.39	1/2	2,246.39	1/2	2,603.38	1/2	2,960.38	1/2	3,317.37
3/4	115.10	3/4	471.92	3/4	828.91	3/4	1,184.82	3/4	1,539.90	3/4	1,896.83	3/4	2,253.83	3/4	2,610.82	3/4	2,967.82	3/4	3,324.81
4	122.50	4	479.36	4	836.35	4	1,192.23	4	1,547.31	4	1,904.27	4	2,261.26	4	2,618.26	4	2,975.25	4	3,332.25
1/4	129.91	1/4	486.80	1/4	843.78	1/4	1,199.63	1/4	1,554.74	1/4	1,911.71	1/4	2,268.70	1/4	2,625.70	1/4	2,982.69	1/4	3,339.69
1/2	137.33	1/2	494.24	1/2	851.22	1/2	1,207.02	1/2	1,562.17	1/2	1,919.14	1/2	2,276.14	1/2	2,633.13	1/2	2,990.13	1/2	3,347.12
3/4	144.75	3/4	501.67	3/4	858.66	3/4	1,214.41	3/4	1,569.59	3/4	1,926.58	3/4	2,283.57	3/4	2,640.57	3/4	2,997.57	3/4	3,354.56
5	152.17	5	509.11	5	866.10	5	1,221.81	5	1,577.02	5	1,934.02	5	2,291.01	5	2,648.01	5	3,005.00	5	3,362.00
1/4	159.60	1/4	516.55	1/4	873.52	1/4	1,229.21	1/4	1,584.46	1/4	1,941.45	1/4	2,298.45	1/4	2,655.44	1/4	3,012.44	1/4	3,369.44
1/2	167.03	1/2	523.99	1/2	880.94	1/2	1,236.61	1/2	1,591.90	1/2	1,948.89	1/2	2,305.89	1/2	2,662.88	1/2	3,019.88	1/2	3,376.87
3/4	174.45	3/4	531.42	3/4	888.36	3/4	1,244.01	3/4	1,599.33	3/4	1,956.33	3/4	2,313.32	3/4	2,670.32	3/4	3,027.31	3/4	3,384.31
6	181.88	6	538.86	6	895.78	6	1,251.41	6	1,606.77	6	1,963.77	6	2,320.76	6	2,677.76	6	3,034.75	6	3,391.75
1/4	189.32	1/4	546.30	1/4	903.19	1/4	1,258.82	1/4	1,614.21	1/4	1,971.20	1/4	2,328.20	1/4	2,685.19	1/4	3,042.19	1/4	3,399.18
1/2	196.75	1/2	553.73	1/2	910.60	1/2	1,266.22	1/2	1,621.65	1/2	1,978.64	1/2	2,335.64	1/2	2,692.63	1/2	3,049.63	1/2	3,406.62
3/4	204.19	3/4	561.17	3/4	918.02	3/4	1,273.62	3/4	1,629.08	3/4	1,986.08	3/4	2,343.07	3/4	2,700.07	3/4	3,057.06	3/4	3,414.06
7	211.62	7	568.61	7	925.43	7	1,281.02	7	1,636.52	7	1,993.52	7	2,350.51	7	2,707.51	7	3,064.50	7	3,421.50
1/4	219.06	1/4	576.05	1/4	932.84	1/4	1,288.41	1/4	1,643.96	1/4	2,000.95	1/4	2,357.95	1/4	2,714.94	1/4	3,071.94	1/4	3,428.93
1/2	226.50	1/2	583.48	1/2	940.25	1/2	1,295.80	1/2	1,651.40	1/2	2,008.39	1/2	2,365.39	1/2	2,722.38	1/2	3,079.38	1/2	3,436.37
3/4	233.93	3/4	590.92	3/4	947.66	3/4	1,303.20	3/4	1,658.83	3/4	2,015.83	3/4	2,372.82	3/4	2,729.82	3/4	3,086.81	3/4	3,443.81
8	241.37	8	598.36	8	955.07	8	1,310.59	8	1,666.27	8	2,023.27	8	2,380.26	8	2,737.26	8	3,094.25	8	3,451.25
1/4	248.81	1/4	605.79	1/4	962.48	1/4	1,317.99	1/4	1,673.71	1/4	2,030.70	1/4	2,387.70	1/4	2,744.69	1/4	3,101.69	1/4	3,458.68
1/2	256.25	1/2	613.23	1/2	969.89	1/2	1,325.38	1/2	1,681.15	1/2	2,038.14	1/2	2,395.14	1/2	2,752.13	1/2	3,109.13	1/2	3,466.12
3/4	263.68	3/4	620.67	3/4	977.31	3/4	1,332.77	3/4	1,688.58	3/4	2,045.58	3/4	2,402.57	3/4	2,759.57	3/4	3,116.56	3/4	3,473.56
9	271.12	9	628.11	9	984.72	9	1,340.17	9	1,696.02	9	2,053.02	9	2,410.01	9	2,767.01	9	3,124.00	9	3,481.00
1/4	278.56	1/4	635.54	1/4	992.13	1/4	1,347.56	1/4	1,703.46	1/4	2,060.45	1/4	2,417.45	1/4	2,774.44	1/4	3,131.44	1/4	3,488.43
1/2	285.99	1/2	642.98	1/2	999.54	1/2	1,354.96	1/2	1,710.90	1/2	2,067.89	1/2	2,424.89	1/2	2,781.88	1/2	3,138.88	1/2	3,495.87
3/4	293.43	3/4	650.42	3/4	1,006.95	3/4	1,362.35	3/4	1,718.33	3/4	2,075.33	3/4	2,432.32	3/4	2,789.32	3/4	3,146.31	3/4	3,503.31
10	300.87	10	657.85	10	1,014.36	10	1,369.74	10	1,725.77	10	2,082.77	10	2,439.76	10	2,796.76	10	3,153.75	10	3,510.75
1/4	308.31	1/4	665.29	1/4	1,021.77	1/4	1,377.14	1/4	1,733.21	1/4	2,090.20	1/4	2,447.20	1/4	2,804.19	1/4	3,161.19	1/4	3,518.18
1/2	315.74	1/2	672.73	1/2	1,029.18	1/2	1,384.53	1/2	1,740.64	1/2	2,097.64	1/2	2,454.64	1/2	2,811.63	1/2	3,168.63	1/2	3,525.62
3/4	323.18	3/4	680.17	3/4	1,036.60	3/4	1,391.92	3/4	1,748.08	3/4	2,105.08	3/4	2,462.07	3/4	2,819.07	3/4	3,176.06	3/4	3,533.06
11	330.62	11	687.60	11	1,044.01	11	1,399.32	11	1,755.52	11	2,112.51	11	2,469.51	11	2,826.51	11	3,183.50	11	3,540.50
1/4	338.06	1/4	695.04	1/4	1,051.42	1/4	1,406.71	1/4	1,762.96	1/4	2,119.95	1/4	2,476.95	1/4	2,833.94	1/4	3,190.94	1/4	3,547.93
1/2	345.49	1/2	702.48	1/2	1,058.83	1/2	1,414.11	1/2	1,770.39	1/2	2,127.39	1/2	2,484.38	1/2	2,841.38	1/2	3,198.38	1/2	3,555.37
3/4	352.93	3/4	709.92	3/4	1,066.24	3/4	1,421.50	3/4	1,777.83	3/4	2,134.83	3/4	2,491.82	3/4	2,848.82	3/4	3,205.81	3/4	3,562.81

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 36'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 PORT INNAGE TABLE 2" PIPE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,570.25	0	3,927.24	0	4,283.62	0	4,639.73	0	4,994.08	0		0		0		0		0	
1/4	3,577.68	1/4	3,934.68	1/4	4,291.04	1/4	4,647.15	1/4	5,001.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,585.12	1/2	3,942.12	1/2	4,298.46	1/2	4,654.57	1/2	5,008.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,592.56	3/4	3,949.55	3/4	4,305.87	3/4	4,661.99	3/4	5,016.10	3/4		3/4		3/4		3/4		3/4	
1	3,599.99	1	3,956.99	1	4,313.29	1	4,669.41	1	5,023.44	1		1		1		1		1	
1/4	3,607.43	1/4	3,964.43	1/4	4,320.71	1/4	4,676.82	1/4	5,030.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,614.87	1/2	3,971.86	1/2	4,328.13	1/2	4,684.24	1/2	5,037.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,622.31	3/4	3,979.30	3/4	4,335.55	3/4	4,691.66	3/4	5,044.30	3/4		3/4		3/4		3/4		3/4	
2	3,629.74	2	3,986.74	2	4,342.97	2	4,699.08	2	5,051.25	2		2		2		2		2	
1/4	3,637.18	1/4	3,994.18	1/4	4,350.39	1/4	4,706.50	1/4	5,057.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,644.62	1/2	4,001.61	1/2	4,357.81	1/2	4,713.92	1/2	5,063.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.06	3/4	4,009.05	3/4	4,365.23	3/4	4,721.34	3/4	5,069.09	3/4		3/4		3/4		3/4		3/4	
3	3,659.49	3	4,016.49	3	4,372.65	3	4,728.76	3	5,075.04	3		3		3		3		3	
1/4	3,666.93	1/4	4,023.92	1/4	4,380.06	1/4	4,736.18	1/4	5,079.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,674.37	1/2	4,031.35	1/2	4,387.48	1/2	4,743.60	1/2	5,084.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,681.81	3/4	4,038.78	3/4	4,394.90	3/4	4,751.01	3/4	5,089.16	3/4		3/4		3/4		3/4		3/4	
4	3,689.24	4	4,046.21	4	4,402.32	4	4,758.43	4	5,093.87	4		4		4		4		4	
1/4	3,696.68	1/4	4,053.63	1/4	4,409.74	1/4	4,765.85	1/4	5,097.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,704.12	1/2	4,061.05	1/2	4,417.16	1/2	4,773.27	1/2	5,100.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,711.56	3/4	4,068.47	3/4	4,424.58	3/4	4,780.69	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,718.99	5	4,075.89	5	4,432.00	5	4,788.11	5		5		5		5		5		5	
1/4	3,726.43	1/4	4,083.30	1/4	4,439.42	1/4	4,795.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,733.87	1/2	4,090.72	1/2	4,446.84	1/2	4,802.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,741.31	3/4	4,098.14	3/4	4,454.25	3/4	4,810.37	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,748.74	6	4,105.56	6	4,461.67	6	4,817.79	6		6		6		6		6		6	
1/4	3,756.18	1/4	4,112.98	1/4	4,469.09	1/4	4,825.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,763.62	1/2	4,120.40	1/2	4,476.51	1/2	4,832.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,771.05	3/4	4,127.82	3/4	4,483.93	3/4	4,839.89	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,778.49	7	4,135.24	7	4,491.35	7	4,847.26	7		7		7		7		7		7	
1/4	3,785.93	1/4	4,142.66	1/4	4,498.77	1/4	4,854.60	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,793.37	1/2	4,150.08	1/2	4,506.19	1/2	4,861.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,800.80	3/4	4,157.49	3/4	4,513.61	3/4	4,869.28	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,808.24	8	4,164.91	8	4,521.03	8	4,876.63	8		8		8		8		8		8	
1/4	3,815.68	1/4	4,172.33	1/4	4,528.44	1/4	4,883.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,823.12	1/2	4,179.75	1/2	4,535.86	1/2	4,891.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,830.55	3/4	4,187.17	3/4	4,543.28	3/4	4,898.65	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,837.99	9	4,194.59	9	4,550.70	9	4,905.99	9		9		9		9		9		9	
1/4	3,845.43	1/4	4,202.01	1/4	4,558.12	1/4	4,913.33	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,852.87	1/2	4,209.43	1/2	4,565.54	1/2	4,920.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,860.30	3/4	4,216.85	3/4	4,572.96	3/4	4,928.01	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,867.74	10	4,224.27	10	4,580.38	10	4,935.35	10		10		10		10		10		10	
1/4	3,875.18	1/4	4,231.68	1/4	4,587.80	1/4	4,942.69	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,882.62	1/2	4,239.10	1/2	4,595.22	1/2	4,950.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,890.05	3/4	4,246.52	3/4	4,602.63	3/4	4,957.37	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,897.49	11	4,253.94	11	4,610.05	11	4,964.71	11		11		11		11		11		11	
1/4	3,904.93	1/4	4,261.36	1/4	4,617.47	1/4	4,972.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,912.37	1/2	4,268.78	1/2	4,624.89	1/2	4,979.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,919.80	3/4	4,276.20	3/4	4,632.31	3/4	4,986.74	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 STBD

INNAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.72	0	360.61	0	717.85	0	1,075.08	0	1,431.13	0	1,787.75	0	2,145.00	0	2,502.24	0	2,859.49	0	3,216.73
1/4	19.99	1/4	368.06	1/4	725.29	1/4	1,082.52	1/4	1,438.53	1/4	1,795.20	1/4	2,152.44	1/4	2,509.69	1/4	2,866.93	1/4	3,224.18
1/2	25.26	1/2	375.50	1/2	732.73	1/2	1,089.96	1/2	1,445.93	1/2	1,802.64	1/2	2,159.88	1/2	2,517.13	1/2	2,874.37	1/2	3,231.62
3/4	30.53	3/4	382.94	3/4	740.17	3/4	1,097.40	3/4	1,453.33	3/4	1,810.08	3/4	2,167.33	3/4	2,524.57	3/4	2,881.82	3/4	3,239.06
1	35.80	1	390.38	1	747.61	1	1,104.84	1	1,460.73	1	1,817.52	1	2,174.77	1	2,532.01	1	2,889.26	1	3,246.50
1/4	42.72	1/4	397.83	1/4	755.06	1/4	1,112.29	1/4	1,468.13	1/4	1,824.97	1/4	2,182.21	1/4	2,539.46	1/4	2,896.70	1/4	3,253.95
1/2	49.63	1/2	405.27	1/2	762.50	1/2	1,119.73	1/2	1,475.52	1/2	1,832.41	1/2	2,189.65	1/2	2,546.90	1/2	2,904.14	1/2	3,261.39
3/4	56.55	3/4	412.71	3/4	769.94	3/4	1,127.17	3/4	1,482.92	3/4	1,839.85	3/4	2,197.10	3/4	2,554.34	3/4	2,911.59	3/4	3,268.83
2	63.47	2	420.15	2	777.38	2	1,134.61	2	1,490.32	2	1,847.29	2	2,204.54	2	2,561.78	2	2,919.03	2	3,276.27
1/4	70.84	1/4	427.60	1/4	784.83	1/4	1,142.06	1/4	1,497.73	1/4	1,854.74	1/4	2,211.98	1/4	2,569.23	1/4	2,926.47	1/4	3,283.72
1/2	78.21	1/2	435.04	1/2	792.27	1/2	1,149.50	1/2	1,505.14	1/2	1,862.18	1/2	2,219.42	1/2	2,576.67	1/2	2,933.91	1/2	3,291.16
3/4	85.59	3/4	442.48	3/4	799.71	3/4	1,156.94	3/4	1,512.55	3/4	1,869.62	3/4	2,226.87	3/4	2,584.11	3/4	2,941.36	3/4	3,298.60
3	92.96	3	449.92	3	807.15	3	1,164.38	3	1,519.96	3	1,877.06	3	2,234.31	3	2,591.55	3	2,948.80	3	3,306.04
1/4	100.37	1/4	457.36	1/4	814.60	1/4	1,171.83	1/4	1,527.38	1/4	1,884.51	1/4	2,241.75	1/4	2,599.00	1/4	2,956.24	1/4	3,313.49
1/2	107.77	1/2	464.81	1/2	822.04	1/2	1,179.27	1/2	1,534.80	1/2	1,891.95	1/2	2,249.19	1/2	2,606.44	1/2	2,963.68	1/2	3,320.93
3/4	115.18	3/4	472.25	3/4	829.48	3/4	1,186.71	3/4	1,542.21	3/4	1,899.39	3/4	2,256.64	3/4	2,613.88	3/4	2,971.13	3/4	3,328.37
4	122.58	4	479.69	4	836.92	4	1,194.15	4	1,549.63	4	1,906.84	4	2,264.08	4	2,621.32	4	2,978.57	4	3,335.81
1/4	130.00	1/4	487.13	1/4	844.36	1/4	1,201.58	1/4	1,557.06	1/4	1,914.28	1/4	2,271.52	1/4	2,628.77	1/4	2,986.01	1/4	3,343.26
1/2	137.43	1/2	494.58	1/2	851.81	1/2	1,209.01	1/2	1,564.50	1/2	1,921.72	1/2	2,278.97	1/2	2,636.21	1/2	2,993.45	1/2	3,350.70
3/4	144.85	3/4	502.02	3/4	859.25	3/4	1,216.44	3/4	1,571.93	3/4	1,929.16	3/4	2,286.41	3/4	2,643.65	3/4	3,000.90	3/4	3,358.14
5	152.27	5	509.46	5	866.69	5	1,223.86	5	1,579.36	5	1,936.61	5	2,293.85	5	2,651.10	5	3,008.34	5	3,365.58
1/4	159.71	1/4	516.90	1/4	874.13	1/4	1,231.28	1/4	1,586.80	1/4	1,944.05	1/4	2,301.29	1/4	2,658.54	1/4	3,015.78	1/4	3,373.03
1/2	167.14	1/2	524.35	1/2	881.58	1/2	1,238.70	1/2	1,594.25	1/2	1,951.49	1/2	2,308.74	1/2	2,665.98	1/2	3,023.23	1/2	3,380.47
3/4	174.57	3/4	531.79	3/4	889.02	3/4	1,246.11	3/4	1,601.69	3/4	1,958.93	3/4	2,316.18	3/4	2,673.42	3/4	3,030.67	3/4	3,387.91
6	182.01	6	539.23	6	896.46	6	1,253.53	6	1,609.13	6	1,966.38	6	2,323.62	6	2,680.87	6	3,038.11	6	3,395.36
1/4	189.45	1/4	546.67	1/4	903.90	1/4	1,260.93	1/4	1,616.57	1/4	1,973.82	1/4	2,331.06	1/4	2,688.31	1/4	3,045.55	1/4	3,402.80
1/2	196.89	1/2	554.11	1/2	911.34	1/2	1,268.34	1/2	1,624.02	1/2	1,981.26	1/2	2,338.51	1/2	2,695.75	1/2	3,053.00	1/2	3,410.24
3/4	204.33	3/4	561.56	3/4	918.79	3/4	1,275.74	3/4	1,631.46	3/4	1,988.70	3/4	2,345.95	3/4	2,703.19	3/4	3,060.44	3/4	3,417.68
7	211.77	7	569.00	7	926.23	7	1,283.15	7	1,638.90	7	1,996.15	7	2,353.39	7	2,710.64	7	3,067.88	7	3,425.13
1/4	219.21	1/4	576.44	1/4	933.67	1/4	1,290.55	1/4	1,646.34	1/4	2,003.59	1/4	2,360.83	1/4	2,718.08	1/4	3,075.32	1/4	3,432.57
1/2	226.65	1/2	583.88	1/2	941.11	1/2	1,297.95	1/2	1,653.79	1/2	2,011.03	1/2	2,368.28	1/2	2,725.52	1/2	3,082.77	1/2	3,440.01
3/4	234.10	3/4	591.33	3/4	948.56	3/4	1,305.35	3/4	1,661.23	3/4	2,018.47	3/4	2,375.72	3/4	2,732.96	3/4	3,090.21	3/4	3,447.45
8	241.54	8	598.77	8	956.00	8	1,312.75	8	1,668.67	8	2,025.92	8	2,383.16	8	2,740.41	8	3,097.65	8	3,454.90
1/4	248.98	1/4	606.21	1/4	963.44	1/4	1,320.15	1/4	1,676.11	1/4	2,033.36	1/4	2,390.60	1/4	2,747.85	1/4	3,105.09	1/4	3,462.34
1/2	256.42	1/2	613.65	1/2	970.88	1/2	1,327.54	1/2	1,683.56	1/2	2,040.80	1/2	2,398.05	1/2	2,755.29	1/2	3,112.54	1/2	3,469.78
3/4	263.86	3/4	621.10	3/4	978.33	3/4	1,334.94	3/4	1,691.00	3/4	2,048.24	3/4	2,405.49	3/4	2,762.73	3/4	3,119.98	3/4	3,477.22
9	271.31	9	628.54	9	985.77	9	1,342.34	9	1,698.44	9	2,055.69	9	2,412.93	9	2,770.18	9	3,127.42	9	3,484.67
1/4	278.75	1/4	635.98	1/4	993.21	1/4	1,349.74	1/4	1,705.88	1/4	2,063.13	1/4	2,420.37	1/4	2,777.62	1/4	3,134.86	1/4	3,492.11
1/2	286.19	1/2	643.42	1/2	1,000.65	1/2	1,357.14	1/2	1,713.33	1/2	2,070.57	1/2	2,427.82	1/2	2,785.06	1/2	3,142.31	1/2	3,499.55
3/4	293.63	3/4	650.86	3/4	1,008.09	3/4	1,364.54	3/4	1,720.77	3/4	2,078.01	3/4	2,435.26	3/4	2,792.50	3/4	3,149.75	3/4	3,506.99
10	301.08	10	658.31	10	1,015.54	10	1,371.94	10	1,728.21	10	2,085.46	10	2,442.70	10	2,799.95	10	3,157.19	10	3,514.44
1/4	308.52	1/4	665.75	1/4	1,022.98	1/4	1,379.34	1/4	1,735.66	1/4	2,092.90	1/4	2,450.14	1/4	2,807.39	1/4	3,164.63	1/4	3,521.88
1/2	315.96	1/2	673.19	1/2	1,030.42	1/2	1,386.74	1/2	1,743.10	1/2	2,100.34	1/2	2,457.59	1/2	2,814.83	1/2	3,172.08	1/2	3,529.32
3/4	323.40	3/4	680.63	3/4	1,037.86	3/4	1,394.14	3/4	1,750.54	3/4	2,107.79	3/4	2,465.03	3/4	2,822.27	3/4	3,179.52	3/4	3,536.76
11	330.85	11	688.08	11	1,045.31	11	1,401.53	11	1,757.98	11	2,115.23	11	2,472.47	11	2,829.72	11	3,186.96	11	3,544.21
1/4	338.29	1/4	695.52	1/4	1,052.75	1/4	1,408.93	1/4	1,765.43	1/4	2,122.67	1/4	2,479.92	1/4	2,837.16	1/4	3,194.40	1/4	3,551.65
1/2	345.73	1/2	702.96	1/2	1,060.19	1/2	1,416.33	1/2	1,772.87	1/2	2,130.11	1/2	2,487.36	1/2	2,844.60	1/2	3,201.85	1/2	3,559.09
3/4	353.17	3/4	710.40	3/4	1,067.63	3/4	1,423.73	3/4	1,780.31	3/4	2,137.56	3/4	2,494.80	3/4	2,852.05	3/4	3,209.29	3/4	3,566.53

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 36'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 STBD

INNAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,573.98	0	3,931.22	0	4,287.82	0	4,644.18	0	4,998.77	0		0		0		0		0	
1/4	3,581.42	1/4	3,938.66	1/4	4,295.24	1/4	4,651.60	1/4	5,006.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,588.86	1/2	3,946.11	1/2	4,302.67	1/2	4,659.03	1/2	5,013.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,596.31	3/4	3,953.55	3/4	4,310.09	3/4	4,666.45	3/4	5,020.81	3/4		3/4		3/4		3/4		3/4	
1	3,603.75	1	3,960.99	1	4,317.52	1	4,673.87	1	5,028.16	1		1		1		1		1	
1/4	3,611.19	1/4	3,968.44	1/4	4,324.94	1/4	4,681.30	1/4	5,035.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,618.63	1/2	3,975.88	1/2	4,332.37	1/2	4,688.72	1/2	5,042.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,626.08	3/4	3,983.32	3/4	4,339.79	3/4	4,696.15	3/4	5,049.03	3/4		3/4		3/4		3/4		3/4	
2	3,633.52	2	3,990.76	2	4,347.21	2	4,703.57	2	5,055.99	2		2		2		2		2	
1/4	3,640.96	1/4	3,998.21	1/4	4,354.64	1/4	4,710.99	1/4	5,061.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.40	1/2	4,005.65	1/2	4,362.06	1/2	4,718.42	1/2	5,067.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,655.85	3/4	4,013.09	3/4	4,369.49	3/4	4,725.84	3/4	5,073.84	3/4		3/4		3/4		3/4		3/4	
3	3,663.29	3	4,020.53	3	4,376.91	3	4,733.27	3	5,079.79	3		3		3		3		3	
1/4	3,670.73	1/4	4,027.96	1/4	4,384.33	1/4	4,740.69	1/4	5,084.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,678.17	1/2	4,035.39	1/2	4,391.76	1/2	4,748.11	1/2	5,089.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,685.62	3/4	4,042.82	3/4	4,399.18	3/4	4,755.54	3/4	5,093.92	3/4		3/4		3/4		3/4		3/4	
4	3,693.06	4	4,050.25	4	4,406.61	4	4,762.96	4	5,098.63	4		4		4		4		4	
1/4	3,700.50	1/4	4,057.67	1/4	4,414.03	1/4	4,770.39	1/4	5,102.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,707.94	1/2	4,065.10	1/2	4,421.45	1/2	4,777.81	1/2	5,105.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,715.39	3/4	4,072.52	3/4	4,428.88	3/4	4,785.24	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,722.83	5	4,079.95	5	4,436.30	5	4,792.66	5		5		5		5		5		5	
1/4	3,730.27	1/4	4,087.37	1/4	4,443.73	1/4	4,800.08	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,737.71	1/2	4,094.79	1/2	4,451.15	1/2	4,807.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,745.16	3/4	4,102.22	3/4	4,458.57	3/4	4,814.93	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,752.60	6	4,109.64	6	4,466.00	6	4,822.36	6		6		6		6		6		6	
1/4	3,760.04	1/4	4,117.07	1/4	4,473.42	1/4	4,829.73	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,767.49	1/2	4,124.49	1/2	4,480.85	1/2	4,837.11	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,774.93	3/4	4,131.91	3/4	4,488.27	3/4	4,844.48	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,782.37	7	4,139.34	7	4,495.70	7	4,851.86	7		7		7		7		7		7	
1/4	3,789.81	1/4	4,146.76	1/4	4,503.12	1/4	4,859.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,797.26	1/2	4,154.19	1/2	4,510.54	1/2	4,866.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,804.70	3/4	4,161.61	3/4	4,517.97	3/4	4,873.89	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,812.14	8	4,169.04	8	4,525.39	8	4,881.24	8		8		8		8		8		8	
1/4	3,819.58	1/4	4,176.46	1/4	4,532.82	1/4	4,888.59	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,827.03	1/2	4,183.88	1/2	4,540.24	1/2	4,895.93	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,834.47	3/4	4,191.31	3/4	4,547.66	3/4	4,903.28	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,841.91	9	4,198.73	9	4,555.09	9	4,910.62	9		9		9		9		9		9	
1/4	3,849.35	1/4	4,206.16	1/4	4,562.51	1/4	4,917.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,856.80	1/2	4,213.58	1/2	4,569.94	1/2	4,925.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,864.24	3/4	4,221.00	3/4	4,577.36	3/4	4,932.66	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,871.68	10	4,228.43	10	4,584.78	10	4,940.01	10		10		10		10		10		10	
1/4	3,879.12	1/4	4,235.85	1/4	4,592.21	1/4	4,947.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,886.57	1/2	4,243.28	1/2	4,599.63	1/2	4,954.70	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,894.01	3/4	4,250.70	3/4	4,607.06	3/4	4,962.04	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,901.45	11	4,258.12	11	4,614.48	11	4,969.39	11		11		11		11		11		11	
1/4	3,908.89	1/4	4,265.55	1/4	4,621.91	1/4	4,976.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,916.34	1/2	4,272.97	1/2	4,629.33	1/2	4,984.08	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,923.78	3/4	4,280.40	3/4	4,636.75	3/4	4,991.43	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 PORT INNAGE TABLE

2" PIPE GAUGE HEIGHT 14'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	15.91	0	390.66	0	777.69	0	1,156.64	0	1,535.93	0	1,922.35	0	2,309.39	0	2,696.44	0	3,083.48	0	3,470.52
1/4	21.62	1/4	398.72	1/4	785.75	1/4	1,164.40	1/4	1,543.95	1/4	1,930.41	1/4	2,317.46	1/4	2,704.50	1/4	3,091.54	1/4	3,478.59
1/2	27.33	1/2	406.78	1/2	793.81	1/2	1,172.16	1/2	1,551.97	1/2	1,938.48	1/2	2,325.52	1/2	2,712.56	1/2	3,099.61	1/2	3,486.65
3/4	33.04	3/4	414.85	3/4	801.87	3/4	1,179.91	3/4	1,559.99	3/4	1,946.54	3/4	2,333.58	3/4	2,720.63	3/4	3,107.67	3/4	3,494.71
1	38.75	1	422.91	1	809.94	1	1,187.67	1	1,568.01	1	1,954.60	1	2,341.65	1	2,728.69	1	3,115.73	1	3,502.78
1/4	46.24	1/4	430.97	1/4	818.00	1/4	1,195.43	1/4	1,576.03	1/4	1,962.67	1/4	2,349.71	1/4	2,736.75	1/4	3,123.80	1/4	3,510.84
1/2	53.73	1/2	439.04	1/2	826.06	1/2	1,203.19	1/2	1,584.05	1/2	1,970.73	1/2	2,357.77	1/2	2,744.82	1/2	3,131.86	1/2	3,518.90
3/4	61.23	3/4	447.10	3/4	834.13	3/4	1,210.95	3/4	1,592.07	3/4	1,978.79	3/4	2,365.84	3/4	2,752.88	3/4	3,139.92	3/4	3,526.97
2	68.72	2	455.16	2	842.19	2	1,218.71	2	1,600.09	2	1,986.86	2	2,373.90	2	2,760.94	2	3,147.99	2	3,535.03
1/4	76.71	1/4	463.22	1/4	850.25	1/4	1,226.46	1/4	1,608.12	1/4	1,994.92	1/4	2,381.96	1/4	2,769.01	1/4	3,156.05	1/4	3,543.09
1/2	84.70	1/2	471.29	1/2	858.32	1/2	1,234.22	1/2	1,616.15	1/2	2,002.98	1/2	2,390.03	1/2	2,777.07	1/2	3,164.11	1/2	3,551.16
3/4	92.69	3/4	479.35	3/4	866.38	3/4	1,241.98	3/4	1,624.18	3/4	2,011.05	3/4	2,398.09	3/4	2,785.13	3/4	3,172.18	3/4	3,559.22
3	100.68	3	487.41	3	874.44	3	1,249.74	3	1,632.21	3	2,019.11	3	2,406.15	3	2,793.20	3	3,180.24	3	3,567.28
1/4	108.70	1/4	495.48	1/4	882.51	1/4	1,257.50	1/4	1,640.25	1/4	2,027.17	1/4	2,414.22	1/4	2,801.26	1/4	3,188.30	1/4	3,575.35
1/2	116.72	1/2	503.54	1/2	890.57	1/2	1,265.26	1/2	1,648.29	1/2	2,035.24	1/2	2,422.28	1/2	2,809.32	1/2	3,196.37	1/2	3,583.41
3/4	124.75	3/4	511.60	3/4	898.63	3/4	1,273.01	3/4	1,656.32	3/4	2,043.30	3/4	2,430.34	3/4	2,817.39	3/4	3,204.43	3/4	3,591.47
4	132.77	4	519.67	4	906.69	4	1,280.77	4	1,664.36	4	2,051.36	4	2,438.41	4	2,825.45	4	3,212.49	4	3,599.54
1/4	140.81	1/4	527.73	1/4	914.76	1/4	1,288.51	1/4	1,672.41	1/4	2,059.43	1/4	2,446.47	1/4	2,833.51	1/4	3,220.56	1/4	3,607.60
1/2	148.85	1/2	535.79	1/2	922.82	1/2	1,296.25	1/2	1,680.47	1/2	2,067.49	1/2	2,454.53	1/2	2,841.58	1/2	3,228.62	1/2	3,615.66
3/4	156.89	3/4	543.86	3/4	930.88	3/4	1,304.00	3/4	1,688.52	3/4	2,075.56	3/4	2,462.60	3/4	2,849.64	3/4	3,236.68	3/4	3,623.73
5	164.94	5	551.92	5	938.95	5	1,311.74	5	1,696.58	5	2,083.62	5	2,470.66	5	2,857.70	5	3,244.75	5	3,631.79
1/4	172.99	1/4	559.98	1/4	946.82	1/4	1,319.66	1/4	1,704.64	1/4	2,091.68	1/4	2,478.73	1/4	2,865.77	1/4	3,252.81	1/4	3,639.85
1/2	181.04	1/2	568.04	1/2	954.69	1/2	1,327.58	1/2	1,712.70	1/2	2,099.75	1/2	2,486.79	1/2	2,873.83	1/2	3,260.87	1/2	3,647.92
3/4	189.10	3/4	576.11	3/4	962.57	3/4	1,335.51	3/4	1,720.77	3/4	2,107.81	3/4	2,494.85	3/4	2,881.90	3/4	3,268.94	3/4	3,655.98
6	197.15	6	584.17	6	970.44	6	1,343.43	6	1,728.83	6	2,115.87	6	2,502.92	6	2,889.96	6	3,277.00	6	3,664.04
1/4	205.21	1/4	592.23	1/4	978.20	1/4	1,351.45	1/4	1,736.89	1/4	2,123.94	1/4	2,510.98	1/4	2,898.02	1/4	3,285.07	1/4	3,672.11
1/2	213.27	1/2	600.30	1/2	985.96	1/2	1,359.48	1/2	1,744.96	1/2	2,132.00	1/2	2,519.04	1/2	2,906.09	1/2	3,293.13	1/2	3,680.17
3/4	221.33	3/4	608.36	3/4	993.71	3/4	1,367.51	3/4	1,753.02	3/4	2,140.06	3/4	2,527.11	3/4	2,914.15	3/4	3,301.19	3/4	3,688.24
7	229.40	7	616.42	7	1,001.47	7	1,375.53	7	1,761.08	7	2,148.13	7	2,535.17	7	2,922.21	7	3,309.26	7	3,696.30
1/4	237.46	1/4	624.49	1/4	1,009.23	1/4	1,383.55	1/4	1,769.15	1/4	2,156.19	1/4	2,543.23	1/4	2,930.28	1/4	3,317.32	1/4	3,704.36
1/2	245.52	1/2	632.55	1/2	1,016.99	1/2	1,391.57	1/2	1,777.21	1/2	2,164.25	1/2	2,551.30	1/2	2,938.34	1/2	3,325.38	1/2	3,712.43
3/4	253.58	3/4	640.61	3/4	1,024.75	3/4	1,399.59	3/4	1,785.27	3/4	2,172.32	3/4	2,559.36	3/4	2,946.40	3/4	3,333.45	3/4	3,720.49
8	261.65	8	648.68	8	1,032.51	8	1,407.61	8	1,793.34	8	2,180.38	8	2,567.42	8	2,954.47	8	3,341.51	8	3,728.55
1/4	269.71	1/4	656.74	1/4	1,040.26	1/4	1,415.63	1/4	1,801.40	1/4	2,188.44	1/4	2,575.49	1/4	2,962.53	1/4	3,349.57	1/4	3,736.62
1/2	277.77	1/2	664.80	1/2	1,048.02	1/2	1,423.65	1/2	1,809.46	1/2	2,196.51	1/2	2,583.55	1/2	2,970.59	1/2	3,357.64	1/2	3,744.68
3/4	285.84	3/4	672.87	3/4	1,055.78	3/4	1,431.67	3/4	1,817.53	3/4	2,204.57	3/4	2,591.61	3/4	2,978.66	3/4	3,365.70	3/4	3,752.74
9	293.90	9	680.93	9	1,063.54	9	1,439.69	9	1,825.59	9	2,212.63	9	2,599.68	9	2,986.72	9	3,373.76	9	3,760.81
1/4	301.96	1/4	688.99	1/4	1,071.30	1/4	1,447.71	1/4	1,833.65	1/4	2,220.70	1/4	2,607.74	1/4	2,994.78	1/4	3,381.83	1/4	3,768.87
1/2	310.03	1/2	697.05	1/2	1,079.06	1/2	1,455.73	1/2	1,841.72	1/2	2,228.76	1/2	2,615.80	1/2	3,002.85	1/2	3,389.89	1/2	3,776.93
3/4	318.09	3/4	705.12	3/4	1,086.81	3/4	1,463.75	3/4	1,849.78	3/4	2,236.82	3/4	2,623.87	3/4	3,010.91	3/4	3,397.95	3/4	3,785.00
10	326.15	10	713.18	10	1,094.57	10	1,471.77	10	1,857.84	10	2,244.89	10	2,631.93	10	3,018.97	10	3,406.02	10	3,793.06
1/4	334.21	1/4	721.24	1/4	1,102.33	1/4	1,479.79	1/4	1,865.91	1/4	2,252.95	1/4	2,639.99	1/4	3,027.04	1/4	3,414.08	1/4	3,801.12
1/2	342.28	1/2	729.31	1/2	1,110.09	1/2	1,487.81	1/2	1,873.97	1/2	2,261.01	1/2	2,648.06	1/2	3,035.10	1/2	3,422.14	1/2	3,809.19
3/4	350.34	3/4	737.37	3/4	1,117.85	3/4	1,495.83	3/4	1,882.03	3/4	2,269.08	3/4	2,656.12	3/4	3,043.16	3/4	3,430.21	3/4	3,817.25
11	358.40	11	745.43	11	1,125.61	11	1,503.85	11	1,890.10	11	2,277.14	11	2,664.18	11	3,051.23	11	3,438.27	11	3,825.31
1/4	366.47	1/4	753.50	1/4	1,133.36	1/4	1,511.87	1/4	1,898.16	1/4	2,285.20	1/4	2,672.25	1/4	3,059.29	1/4	3,446.33	1/4	3,833.38
1/2	374.53	1/2	761.56	1/2	1,141.12	1/2	1,519.89	1/2	1,906.22	1/2	2,293.27	1/2	2,680.31	1/2	3,067.35	1/2	3,454.40	1/2	3,841.44
3/4	382.59	3/4	769.62	3/4	1,148.88	3/4	1,527.91	3/4	1,914.29	3/4	2,301.33	3/4	2,688.37	3/4	3,075.42	3/4	3,462.46	3/4	3,849.50

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 42'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 PORT INNAGE TABLE 2" PIPE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,857.57	0	4,244.61	0	4,630.94	0	5,017.02	0	5,401.20	0		0		0		0		0	
1/4	3,865.63	1/4	4,252.67	1/4	4,638.99	1/4	5,025.07	1/4	5,409.16	1/4		1/4		1/4		1/4		1/4	
1/2	3,873.69	1/2	4,260.74	1/2	4,647.03	1/2	5,033.11	1/2	5,417.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,881.76	3/4	4,268.80	3/4	4,655.07	3/4	5,041.15	3/4	5,425.07	3/4		3/4		3/4		3/4		3/4	
1	3,889.82	1	4,276.86	1	4,663.12	1	5,049.19	1	5,433.03	1		1		1		1		1	
1/4	3,897.88	1/4	4,284.93	1/4	4,671.16	1/4	5,057.24	1/4	5,440.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,905.95	1/2	4,292.99	1/2	4,679.20	1/2	5,065.28	1/2	5,448.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,914.01	3/4	4,301.05	3/4	4,687.25	3/4	5,073.32	3/4	5,455.65	3/4		3/4		3/4		3/4		3/4	
2	3,922.07	2	4,309.12	2	4,695.29	2	5,081.37	2	5,463.18	2		2		2		2		2	
1/4	3,930.14	1/4	4,317.18	1/4	4,703.33	1/4	5,089.41	1/4	5,469.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,938.20	1/2	4,325.24	1/2	4,711.38	1/2	5,097.45	1/2	5,476.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,946.26	3/4	4,333.31	3/4	4,719.42	3/4	5,105.50	3/4	5,482.52	3/4		3/4		3/4		3/4		3/4	
3	3,954.33	3	4,341.37	3	4,727.46	3	5,113.54	3	5,488.97	3		3		3		3		3	
1/4	3,962.39	1/4	4,349.42	1/4	4,735.51	1/4	5,121.58	1/4	5,494.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,970.45	1/2	4,357.46	1/2	4,743.55	1/2	5,129.63	1/2	5,499.18	1/2		1/2		1/2		1/2		1/2	
3/4	3,978.52	3/4	4,365.51	3/4	4,751.59	3/4	5,137.67	3/4	5,504.28	3/4		3/4		3/4		3/4		3/4	
4	3,986.58	4	4,373.56	4	4,759.64	4	5,145.71	4	5,509.38	4		4		4		4		4	
1/4	3,994.64	1/4	4,381.60	1/4	4,767.68	1/4	5,153.76	1/4	5,513.14	1/4		1/4		1/4		1/4		1/4	
1/2	4,002.71	1/2	4,389.64	1/2	4,775.72	1/2	5,161.80	1/2	5,516.90	1/2		1/2		1/2		1/2		1/2	
3/4	4,010.77	3/4	4,397.69	3/4	4,783.77	3/4	5,169.84	3/4		3/4		3/4		3/4		3/4		3/4	
5	4,018.83	5	4,405.73	5	4,791.81	5	5,177.89	5		5		5		5		5		5	
1/4	4,026.90	1/4	4,413.77	1/4	4,799.85	1/4	5,185.93	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,034.96	1/2	4,421.82	1/2	4,807.90	1/2	5,193.97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,043.02	3/4	4,429.86	3/4	4,815.94	3/4	5,202.02	3/4		3/4		3/4		3/4		3/4		3/4	
6	4,051.09	6	4,437.90	6	4,823.98	6	5,210.06	6		6		6		6		6		6	
1/4	4,059.15	1/4	4,445.95	1/4	4,832.03	1/4	5,218.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,067.21	1/2	4,453.99	1/2	4,840.07	1/2	5,226.04	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,075.28	3/4	4,462.03	3/4	4,848.11	3/4	5,234.04	3/4		3/4		3/4		3/4		3/4		3/4	
7	4,083.34	7	4,470.08	7	4,856.16	7	5,242.03	7		7		7		7		7		7	
1/4	4,091.41	1/4	4,478.12	1/4	4,864.20	1/4	5,249.99	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,099.47	1/2	4,486.16	1/2	4,872.24	1/2	5,257.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,107.53	3/4	4,494.21	3/4	4,880.29	3/4	5,265.90	3/4		3/4		3/4		3/4		3/4		3/4	
8	4,115.60	8	4,502.25	8	4,888.33	8	5,273.86	8		8		8		8		8		8	
1/4	4,123.66	1/4	4,510.29	1/4	4,896.37	1/4	5,281.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,131.72	1/2	4,518.34	1/2	4,904.42	1/2	5,289.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,139.79	3/4	4,526.38	3/4	4,912.46	3/4	5,297.74	3/4		3/4		3/4		3/4		3/4		3/4	
9	4,147.85	9	4,534.42	9	4,920.50	9	5,305.70	9		9		9		9		9		9	
1/4	4,155.91	1/4	4,542.47	1/4	4,928.55	1/4	5,313.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,163.98	1/2	4,550.51	1/2	4,936.59	1/2	5,321.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,172.04	3/4	4,558.55	3/4	4,944.63	3/4	5,329.57	3/4		3/4		3/4		3/4		3/4		3/4	
10	4,180.10	10	4,566.60	10	4,952.68	10	5,337.53	10		10		10		10		10		10	
1/4	4,188.17	1/4	4,574.64	1/4	4,960.72	1/4	5,345.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,196.23	1/2	4,582.68	1/2	4,968.76	1/2	5,353.45	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,204.29	3/4	4,590.73	3/4	4,976.81	3/4	5,361.40	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,212.36	11	4,598.77	11	4,984.85	11	5,369.36	11		11		11		11		11		11	
1/4	4,220.42	1/4	4,606.81	1/4	4,992.89	1/4	5,377.32	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,228.48	1/2	4,614.86	1/2	5,000.94	1/2	5,385.28	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,236.55	3/4	4,622.90	3/4	5,008.98	3/4	5,393.24	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 STBD

INNAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-10 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	15.90	0	390.22	0	776.83	0	1,163.43	0	1,548.85	0	1,934.84	0	2,321.46	0	2,708.08	0	3,094.69	0	3,481.31
1/4	21.60	1/4	398.28	1/4	784.88	1/4	1,171.48	1/4	1,556.86	1/4	1,942.90	1/4	2,329.51	1/4	2,716.13	1/4	3,102.75	1/4	3,489.36
1/2	27.30	1/2	406.33	1/2	792.93	1/2	1,179.54	1/2	1,564.87	1/2	1,950.95	1/2	2,337.57	1/2	2,724.18	1/2	3,110.80	1/2	3,497.42
3/4	33.00	3/4	414.39	3/4	800.99	3/4	1,187.59	3/4	1,572.88	3/4	1,959.01	3/4	2,345.62	3/4	2,732.24	3/4	3,118.86	3/4	3,505.47
1	38.71	1	422.44	1	809.04	1	1,195.64	1	1,580.89	1	1,967.06	1	2,353.68	1	2,740.29	1	3,126.91	1	3,513.53
1/4	46.19	1/4	430.50	1/4	817.10	1/4	1,203.70	1/4	1,588.90	1/4	1,975.12	1/4	2,361.73	1/4	2,748.35	1/4	3,134.96	1/4	3,521.58
1/2	53.68	1/2	438.55	1/2	825.15	1/2	1,211.75	1/2	1,596.92	1/2	1,983.17	1/2	2,369.79	1/2	2,756.40	1/2	3,143.02	1/2	3,529.63
3/4	61.16	3/4	446.60	3/4	833.21	3/4	1,219.81	3/4	1,604.93	3/4	1,991.23	3/4	2,377.84	3/4	2,764.46	3/4	3,151.07	3/4	3,537.69
2	68.65	2	454.66	2	841.26	2	1,227.86	2	1,612.94	2	1,999.28	2	2,385.90	2	2,772.51	2	3,159.13	2	3,545.74
1/4	76.63	1/4	462.71	1/4	849.31	1/4	1,235.92	1/4	1,620.96	1/4	2,007.33	1/4	2,393.95	1/4	2,780.57	1/4	3,167.18	1/4	3,553.80
1/2	84.61	1/2	470.77	1/2	857.37	1/2	1,243.97	1/2	1,628.98	1/2	2,015.39	1/2	2,402.00	1/2	2,788.62	1/2	3,175.24	1/2	3,561.85
3/4	92.59	3/4	478.82	3/4	865.42	3/4	1,252.02	3/4	1,637.00	3/4	2,023.44	3/4	2,410.06	3/4	2,796.68	3/4	3,183.29	3/4	3,569.91
3	100.57	3	486.88	3	873.48	3	1,260.08	3	1,645.03	3	2,031.50	3	2,418.11	3	2,804.73	3	3,191.35	3	3,577.96
1/4	108.58	1/4	494.93	1/4	881.53	1/4	1,268.13	1/4	1,653.05	1/4	2,039.55	1/4	2,426.17	1/4	2,812.78	1/4	3,199.40	1/4	3,586.02
1/2	116.59	1/2	502.98	1/2	889.59	1/2	1,276.19	1/2	1,661.08	1/2	2,047.61	1/2	2,434.22	1/2	2,820.84	1/2	3,207.45	1/2	3,594.07
3/4	124.61	3/4	511.04	3/4	897.64	3/4	1,284.24	3/4	1,669.11	3/4	2,055.66	3/4	2,442.28	3/4	2,828.89	3/4	3,215.51	3/4	3,602.13
4	132.62	4	519.09	4	905.69	4	1,292.30	4	1,677.14	4	2,063.72	4	2,450.33	4	2,836.95	4	3,223.56	4	3,610.18
1/4	140.65	1/4	527.15	1/4	913.75	1/4	1,300.33	1/4	1,685.18	1/4	2,071.77	1/4	2,458.39	1/4	2,845.00	1/4	3,231.62	1/4	3,618.23
1/2	148.69	1/2	535.20	1/2	921.80	1/2	1,308.37	1/2	1,693.23	1/2	2,079.82	1/2	2,466.44	1/2	2,853.06	1/2	3,239.67	1/2	3,626.29
3/4	156.72	3/4	543.25	3/4	929.86	3/4	1,316.41	3/4	1,701.27	3/4	2,087.88	3/4	2,474.50	3/4	2,861.11	3/4	3,247.73	3/4	3,634.34
5	164.75	5	551.31	5	937.91	5	1,324.45	5	1,709.32	5	2,095.93	5	2,482.55	5	2,869.17	5	3,255.78	5	3,642.40
1/4	172.80	1/4	559.36	1/4	945.96	1/4	1,332.48	1/4	1,717.37	1/4	2,103.99	1/4	2,490.60	1/4	2,877.22	1/4	3,263.84	1/4	3,650.45
1/2	180.84	1/2	567.42	1/2	954.02	1/2	1,340.51	1/2	1,725.43	1/2	2,112.04	1/2	2,498.66	1/2	2,885.27	1/2	3,271.89	1/2	3,658.51
3/4	188.89	3/4	575.47	3/4	962.07	3/4	1,348.53	3/4	1,733.48	3/4	2,120.10	3/4	2,506.71	3/4	2,893.33	3/4	3,279.95	3/4	3,666.56
6	196.93	6	583.53	6	970.13	6	1,356.56	6	1,741.54	6	2,128.15	6	2,514.77	6	2,901.38	6	3,288.00	6	3,674.62
1/4	204.99	1/4	591.58	1/4	978.18	1/4	1,364.58	1/4	1,749.59	1/4	2,136.21	1/4	2,522.82	1/4	2,909.44	1/4	3,296.05	1/4	3,682.67
1/2	213.04	1/2	599.63	1/2	986.24	1/2	1,372.60	1/2	1,757.64	1/2	2,144.26	1/2	2,530.88	1/2	2,917.49	1/2	3,304.11	1/2	3,690.72
3/4	221.09	3/4	607.69	3/4	994.29	3/4	1,380.61	3/4	1,765.70	3/4	2,152.32	3/4	2,538.93	3/4	2,925.55	3/4	3,312.16	3/4	3,698.78
7	229.14	7	615.74	7	1,002.34	7	1,388.63	7	1,773.75	7	2,160.37	7	2,546.99	7	2,933.60	7	3,320.22	7	3,706.83
1/4	237.20	1/4	623.80	1/4	1,010.40	1/4	1,396.64	1/4	1,781.81	1/4	2,168.42	1/4	2,555.04	1/4	2,941.66	1/4	3,328.27	1/4	3,714.89
1/2	245.25	1/2	631.85	1/2	1,018.45	1/2	1,404.65	1/2	1,789.86	1/2	2,176.48	1/2	2,563.09	1/2	2,949.71	1/2	3,336.33	1/2	3,722.94
3/4	253.30	3/4	639.90	3/4	1,026.51	3/4	1,412.67	3/4	1,797.92	3/4	2,184.53	3/4	2,571.15	3/4	2,957.77	3/4	3,344.38	3/4	3,731.00
8	261.36	8	647.96	8	1,034.56	8	1,420.68	8	1,805.97	8	2,192.59	8	2,579.20	8	2,965.82	8	3,352.44	8	3,739.05
1/4	269.41	1/4	656.01	1/4	1,042.61	1/4	1,428.69	1/4	1,814.03	1/4	2,200.64	1/4	2,587.26	1/4	2,973.87	1/4	3,360.49	1/4	3,747.11
1/2	277.47	1/2	664.07	1/2	1,050.67	1/2	1,436.70	1/2	1,822.08	1/2	2,208.70	1/2	2,595.31	1/2	2,981.93	1/2	3,368.54	1/2	3,755.16
3/4	285.52	3/4	672.12	3/4	1,058.72	3/4	1,444.71	3/4	1,830.14	3/4	2,216.75	3/4	2,603.37	3/4	2,989.98	3/4	3,376.60	3/4	3,763.22
9	293.57	9	680.18	9	1,066.78	9	1,452.72	9	1,838.19	9	2,224.81	9	2,611.42	9	2,998.04	9	3,384.65	9	3,771.27
1/4	301.63	1/4	688.23	1/4	1,074.83	1/4	1,460.73	1/4	1,846.24	1/4	2,232.86	1/4	2,619.48	1/4	3,006.09	1/4	3,392.71	1/4	3,779.32
1/2	309.68	1/2	696.28	1/2	1,082.89	1/2	1,468.74	1/2	1,854.30	1/2	2,240.91	1/2	2,627.53	1/2	3,014.15	1/2	3,400.76	1/2	3,787.38
3/4	317.74	3/4	704.34	3/4	1,090.94	3/4	1,476.75	3/4	1,862.35	3/4	2,248.97	3/4	2,635.59	3/4	3,022.20	3/4	3,408.82	3/4	3,795.43
10	325.79	10	712.39	10	1,098.99	10	1,484.76	10	1,870.41	10	2,257.02	10	2,643.64	10	3,030.26	10	3,416.87	10	3,803.49
1/4	333.85	1/4	720.45	1/4	1,107.05	1/4	1,492.77	1/4	1,878.46	1/4	2,265.08	1/4	2,651.69	1/4	3,038.31	1/4	3,424.93	1/4	3,811.54
1/2	341.90	1/2	728.50	1/2	1,115.10	1/2	1,500.78	1/2	1,886.52	1/2	2,273.13	1/2	2,659.75	1/2	3,046.36	1/2	3,432.98	1/2	3,819.60
3/4	349.95	3/4	736.56	3/4	1,123.16	3/4	1,508.80	3/4	1,894.57	3/4	2,281.19	3/4	2,667.80	3/4	3,054.42	3/4	3,441.04	3/4	3,827.65
11	358.01	11	744.61	11	1,131.21	11	1,516.81	11	1,902.63	11	2,289.24	11	2,675.86	11	3,062.47	11	3,449.09	11	3,835.71
1/4	366.06	1/4	752.66	1/4	1,139.27	1/4	1,524.82	1/4	1,910.68	1/4	2,297.30	1/4	2,683.91	1/4	3,070.53	1/4	3,457.14	1/4	3,843.76
1/2	374.12	1/2	760.72	1/2	1,147.32	1/2	1,532.83	1/2	1,918.73	1/2	2,305.35	1/2	2,691.97	1/2	3,078.58	1/2	3,465.20	1/2	3,851.81
3/4	382.17	3/4	768.77	3/4	1,155.37	3/4	1,540.84	3/4	1,926.79	3/4	2,313.41	3/4	2,700.02	3/4	3,086.64	3/4	3,473.25	3/4	3,859.87

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 42'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 STBD

INNAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-10 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,867.92	0	4,254.54	0	4,640.45	0	5,026.10	0	5,409.85	0		0		0		0		0	
1/4	3,875.98	1/4	4,262.59	1/4	4,648.48	1/4	5,034.13	1/4	5,417.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,884.03	1/2	4,270.65	1/2	4,656.52	1/2	5,042.17	1/2	5,425.75	1/2		1/2		1/2		1/2		1/2	
3/4	3,892.09	3/4	4,278.70	3/4	4,664.55	3/4	5,050.20	3/4	5,433.69	3/4		3/4		3/4		3/4		3/4	
1	3,900.14	1	4,286.76	1	4,672.58	1	5,058.24	1	5,441.64	1		1		1		1		1	
1/4	3,908.20	1/4	4,294.81	1/4	4,680.62	1/4	5,066.27	1/4	5,449.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,916.25	1/2	4,302.87	1/2	4,688.65	1/2	5,074.30	1/2	5,456.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,924.31	3/4	4,310.92	3/4	4,696.69	3/4	5,082.34	3/4	5,464.24	3/4		3/4		3/4		3/4		3/4	
2	3,932.36	2	4,318.98	2	4,704.72	2	5,090.37	2	5,471.77	2		2		2		2		2	
1/4	3,940.41	1/4	4,327.03	1/4	4,712.76	1/4	5,098.41	1/4	5,478.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,948.47	1/2	4,335.08	1/2	4,720.79	1/2	5,106.44	1/2	5,484.65	1/2		1/2		1/2		1/2		1/2	
3/4	3,956.52	3/4	4,343.14	3/4	4,728.82	3/4	5,114.48	3/4	5,491.09	3/4		3/4		3/4		3/4		3/4	
3	3,964.58	3	4,351.19	3	4,736.86	3	5,122.51	3	5,497.53	3		3		3		3		3	
1/4	3,972.63	1/4	4,359.23	1/4	4,744.89	1/4	5,130.54	1/4	5,502.62	1/4		1/4		1/4		1/4		1/4	
1/2	3,980.69	1/2	4,367.27	1/2	4,752.93	1/2	5,138.58	1/2	5,507.72	1/2		1/2		1/2		1/2		1/2	
3/4	3,988.74	3/4	4,375.31	3/4	4,760.96	3/4	5,146.61	3/4	5,512.82	3/4		3/4		3/4		3/4		3/4	
4	3,996.80	4	4,383.35	4	4,769.00	4	5,154.65	4	5,517.91	4		4		4		4		4	
1/4	4,004.85	1/4	4,391.38	1/4	4,777.03	1/4	5,162.68	1/4	5,521.67	1/4		1/4		1/4		1/4		1/4	
1/2	4,012.90	1/2	4,399.41	1/2	4,785.07	1/2	5,170.72	1/2	5,525.42	1/2		1/2		1/2		1/2		1/2	
3/4	4,020.96	3/4	4,407.45	3/4	4,793.10	3/4	5,178.75	3/4		3/4		3/4		3/4		3/4		3/4	
5	4,029.01	5	4,415.48	5	4,801.13	5	5,186.79	5		5		5		5		5		5	
1/4	4,037.07	1/4	4,423.52	1/4	4,809.17	1/4	5,194.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,045.12	1/2	4,431.55	1/2	4,817.20	1/2	5,202.85	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,053.18	3/4	4,439.59	3/4	4,825.24	3/4	5,210.89	3/4		3/4		3/4		3/4		3/4		3/4	
6	4,061.23	6	4,447.62	6	4,833.27	6	5,218.92	6		6		6		6		6		6	
1/4	4,069.29	1/4	4,455.66	1/4	4,841.31	1/4	5,226.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,077.34	1/2	4,463.69	1/2	4,849.34	1/2	5,234.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,085.40	3/4	4,471.72	3/4	4,857.38	3/4	5,242.87	3/4		3/4		3/4		3/4		3/4		3/4	
7	4,093.45	7	4,479.76	7	4,865.41	7	5,250.85	7		7		7		7		7		7	
1/4	4,101.50	1/4	4,487.79	1/4	4,873.44	1/4	5,258.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,109.56	1/2	4,495.83	1/2	4,881.48	1/2	5,266.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,117.61	3/4	4,503.86	3/4	4,889.51	3/4	5,274.70	3/4		3/4		3/4		3/4		3/4		3/4	
8	4,125.67	8	4,511.90	8	4,897.55	8	5,282.65	8		8		8		8		8		8	
1/4	4,133.72	1/4	4,519.93	1/4	4,905.58	1/4	5,290.60	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,141.78	1/2	4,527.96	1/2	4,913.62	1/2	5,298.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,149.83	3/4	4,536.00	3/4	4,921.65	3/4	5,306.50	3/4		3/4		3/4		3/4		3/4		3/4	
9	4,157.89	9	4,544.03	9	4,929.68	9	5,314.45	9		9		9		9		9		9	
1/4	4,165.94	1/4	4,552.07	1/4	4,937.72	1/4	5,322.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,173.99	1/2	4,560.10	1/2	4,945.75	1/2	5,330.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,182.05	3/4	4,568.14	3/4	4,953.79	3/4	5,338.30	3/4		3/4		3/4		3/4		3/4		3/4	
10	4,190.10	10	4,576.17	10	4,961.82	10	5,346.25	10		10		10		10		10		10	
1/4	4,198.16	1/4	4,584.21	1/4	4,969.86	1/4	5,354.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,206.21	1/2	4,592.24	1/2	4,977.89	1/2	5,362.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,214.27	3/4	4,600.27	3/4	4,985.93	3/4	5,370.10	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,222.32	11	4,608.31	11	4,993.96	11	5,378.05	11		11		11		11		11		11	
1/4	4,230.38	1/4	4,616.34	1/4	5,001.99	1/4	5,386.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,238.43	1/2	4,624.38	1/2	5,010.03	1/2	5,393.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,246.49	3/4	4,632.41	3/4	5,018.06	3/4	5,401.90	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 PORT INNAGE TABLE

2" PIPE GAUGE HEIGHT 14'-11"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.85	0	363.64	0	723.38	0	1,076.46	0	1,430.09	0	1,789.11	0	2,146.65	0	2,505.64	0	2,865.14	0	3,224.38
1/4	20.17	1/4	371.14	1/4	730.87	1/4	1,083.70	1/4	1,437.54	1/4	1,796.60	1/4	2,154.09	1/4	2,513.13	1/4	2,872.62	1/4	3,231.85
1/2	25.49	1/2	378.64	1/2	738.35	1/2	1,090.93	1/2	1,444.99	1/2	1,804.10	1/2	2,161.52	1/2	2,520.62	1/2	2,880.11	1/2	3,239.31
3/4	30.81	3/4	386.13	3/4	745.84	3/4	1,098.17	3/4	1,452.44	3/4	1,811.59	3/4	2,168.95	3/4	2,528.11	3/4	2,887.60	3/4	3,246.78
1	36.12	1	393.63	1	753.33	1	1,105.41	1	1,459.89	1	1,819.08	1	2,176.39	1	2,535.60	1	2,895.09	1	3,254.24
1/4	43.10	1/4	401.13	1/4	760.82	1/4	1,112.65	1/4	1,467.34	1/4	1,826.57	1/4	2,183.83	1/4	2,543.09	1/4	2,902.58	1/4	3,261.71
1/2	50.08	1/2	408.63	1/2	768.31	1/2	1,119.88	1/2	1,474.79	1/2	1,834.07	1/2	2,191.26	1/2	2,550.58	1/2	2,910.07	1/2	3,269.18
3/4	57.06	3/4	416.13	3/4	775.80	3/4	1,127.12	3/4	1,482.23	3/4	1,841.56	3/4	2,198.70	3/4	2,558.07	3/4	2,917.56	3/4	3,276.64
2	64.04	2	423.63	2	783.28	2	1,134.36	2	1,489.68	2	1,849.05	2	2,206.13	2	2,565.56	2	2,925.05	2	3,284.11
1/4	71.48	1/4	431.13	1/4	790.77	1/4	1,141.63	1/4	1,497.14	1/4	1,856.51	1/4	2,213.61	1/4	2,573.04	1/4	2,932.54	1/4	3,291.57
1/2	78.92	1/2	438.62	1/2	798.26	1/2	1,148.90	1/2	1,504.60	1/2	1,863.97	1/2	2,221.08	1/2	2,580.53	1/2	2,940.03	1/2	3,299.04
3/4	86.36	3/4	446.12	3/4	805.75	3/4	1,156.17	3/4	1,512.06	3/4	1,871.44	3/4	2,228.55	3/4	2,588.02	3/4	2,947.52	3/4	3,306.50
3	93.81	3	453.62	3	813.24	3	1,163.44	3	1,519.52	3	1,878.90	3	2,236.02	3	2,595.51	3	2,955.01	3	3,313.97
1/4	101.28	1/4	461.12	1/4	820.73	1/4	1,170.73	1/4	1,526.99	1/4	1,886.34	1/4	2,243.51	1/4	2,603.00	1/4	2,962.50	1/4	3,321.43
1/2	108.75	1/2	468.62	1/2	828.22	1/2	1,178.02	1/2	1,534.46	1/2	1,893.78	1/2	2,251.00	1/2	2,610.49	1/2	2,969.99	1/2	3,328.90
3/4	116.22	3/4	476.12	3/4	835.72	3/4	1,185.31	3/4	1,541.92	3/4	1,901.22	3/4	2,258.49	3/4	2,617.98	3/4	2,977.48	3/4	3,336.36
4	123.69	4	483.62	4	843.21	4	1,192.60	4	1,549.39	4	1,908.67	4	2,265.98	4	2,625.47	4	2,984.97	4	3,343.83
1/4	131.19	1/4	491.12	1/4	850.71	1/4	1,199.87	1/4	1,556.87	1/4	1,916.11	1/4	2,273.46	1/4	2,632.96	1/4	2,992.46	1/4	3,351.29
1/2	138.68	1/2	498.61	1/2	858.21	1/2	1,207.15	1/2	1,564.35	1/2	1,923.55	1/2	2,280.95	1/2	2,640.45	1/2	2,999.95	1/2	3,358.76
3/4	146.17	3/4	506.11	3/4	865.71	3/4	1,214.42	3/4	1,571.84	3/4	1,930.99	3/4	2,288.44	3/4	2,647.94	3/4	3,007.44	3/4	3,366.22
5	153.66	5	513.61	5	873.21	5	1,221.70	5	1,579.32	5	1,938.44	5	2,295.93	5	2,655.43	5	3,014.93	5	3,373.69
1/4	161.16	1/4	521.11	1/4	880.58	1/4	1,229.09	1/4	1,586.81	1/4	1,945.87	1/4	2,303.42	1/4	2,662.92	1/4	3,022.41	1/4	3,381.15
1/2	168.66	1/2	528.61	1/2	887.95	1/2	1,236.48	1/2	1,594.31	1/2	1,953.31	1/2	2,310.91	1/2	2,670.41	1/2	3,029.90	1/2	3,388.62
3/4	176.16	3/4	536.11	3/4	895.32	3/4	1,243.87	3/4	1,601.80	3/4	1,960.75	3/4	2,318.40	3/4	2,677.90	3/4	3,037.39	3/4	3,396.09
6	183.66	6	543.61	6	902.69	6	1,251.26	6	1,609.29	6	1,968.19	6	2,325.89	6	2,685.39	6	3,044.88	6	3,403.55
1/4	191.17	1/4	551.10	1/4	909.94	1/4	1,258.72	1/4	1,616.78	1/4	1,975.62	1/4	2,333.38	1/4	2,692.88	1/4	3,052.37	1/4	3,411.02
1/2	198.67	1/2	558.60	1/2	917.20	1/2	1,266.18	1/2	1,624.28	1/2	1,983.06	1/2	2,340.87	1/2	2,700.37	1/2	3,059.86	1/2	3,418.50
3/4	206.17	3/4	566.10	3/4	924.46	3/4	1,273.63	3/4	1,631.77	3/4	1,990.49	3/4	2,348.36	3/4	2,707.86	3/4	3,067.35	3/4	3,425.97
7	213.67	7	573.60	7	931.72	7	1,281.09	7	1,639.26	7	1,997.92	7	2,355.85	7	2,715.35	7	3,074.84	7	3,433.44
1/4	221.17	1/4	581.09	1/4	938.95	1/4	1,288.54	1/4	1,646.75	1/4	2,005.36	1/4	2,363.34	1/4	2,722.83	1/4	3,082.33	1/4	3,440.92
1/2	228.66	1/2	588.58	1/2	946.19	1/2	1,295.99	1/2	1,654.25	1/2	2,012.79	1/2	2,370.83	1/2	2,730.32	1/2	3,089.82	1/2	3,448.40
3/4	236.16	3/4	596.08	3/4	953.43	3/4	1,303.44	3/4	1,661.74	3/4	2,020.23	3/4	2,378.32	3/4	2,737.81	3/4	3,097.31	3/4	3,455.88
8	243.66	8	603.57	8	960.67	8	1,310.89	8	1,669.23	8	2,027.66	8	2,385.81	8	2,745.30	8	3,104.80	8	3,463.36
1/4	251.16	1/4	611.06	1/4	967.90	1/4	1,318.34	1/4	1,676.72	1/4	2,035.10	1/4	2,393.30	1/4	2,752.79	1/4	3,112.29	1/4	3,469.40
1/2	258.66	1/2	618.55	1/2	975.14	1/2	1,325.79	1/2	1,684.22	1/2	2,042.53	1/2	2,400.79	1/2	2,760.28	1/2	3,119.78	1/2	3,475.44
3/4	266.16	3/4	626.03	3/4	982.38	3/4	1,333.24	3/4	1,691.71	3/4	2,049.97	3/4	2,408.28	3/4	2,767.77	3/4	3,127.27	3/4	3,481.48
9	273.66	9	633.52	9	989.61	9	1,340.69	9	1,699.20	9	2,057.40	9	2,415.77	9	2,775.26	9	3,134.76	9	3,487.51
1/4	281.15	1/4	641.01	1/4	996.85	1/4	1,348.15	1/4	1,706.69	1/4	2,064.84	1/4	2,423.25	1/4	2,782.75	1/4	3,142.23	1/4	3,492.69
1/2	288.65	1/2	648.50	1/2	1,004.09	1/2	1,355.60	1/2	1,714.19	1/2	2,072.28	1/2	2,430.74	1/2	2,790.24	1/2	3,149.71	1/2	3,497.87
3/4	296.15	3/4	655.99	3/4	1,011.33	3/4	1,363.05	3/4	1,721.68	3/4	2,079.71	3/4	2,438.23	3/4	2,797.73	3/4	3,157.19	3/4	3,503.04
10	303.65	10	663.47	10	1,018.56	10	1,370.50	10	1,729.17	10	2,087.15	10	2,445.72	10	2,805.22	10	3,164.66	10	3,508.22
1/4	311.15	1/4	670.96	1/4	1,025.80	1/4	1,377.95	1/4	1,736.66	1/4	2,094.59	1/4	2,453.21	1/4	2,812.71	1/4	3,172.13	1/4	3,513.41
1/2	318.65	1/2	678.45	1/2	1,033.04	1/2	1,385.40	1/2	1,744.16	1/2	2,102.02	1/2	2,460.70	1/2	2,820.20	1/2	3,179.59	1/2	3,518.61
3/4	326.15	3/4	685.94	3/4	1,040.27	3/4	1,392.85	3/4	1,751.65	3/4	2,109.46	3/4	2,468.19	3/4	2,827.69	3/4	3,187.06	3/4	3,523.81
11	333.64	11	693.43	11	1,047.51	11	1,400.30	11	1,759.14	11	2,116.90	11	2,475.68	11	2,835.18	11	3,194.52	11	3,529.00
1/4	341.14	1/4	700.91	1/4	1,054.75	1/4	1,407.74	1/4	1,766.63	1/4	2,124.34	1/4	2,483.17	1/4	2,842.67	1/4	3,201.99	1/4	3,534.21
1/2	348.64	1/2	708.40	1/2	1,061.99	1/2	1,415.19	1/2	1,774.13	1/2	2,131.78	1/2	2,490.66	1/2	2,850.16	1/2	3,209.45	1/2	3,539.42
3/4	356.14	3/4	715.89	3/4	1,069.22	3/4	1,422.64	3/4	1,781.62	3/4	2,139.21	3/4	2,498.15	3/4	2,857.65	3/4	3,216.92	3/4	3,544.63

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 PORT INNAGE TABLE 2" PIPE GAUGE HEIGHT 14'-11"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,549.83	0	3,799.81	0	4,049.37	0	4,298.76	0	4,546.91	0		0		0		0		0	
1/4	3,555.04	1/4	3,805.02	1/4	4,054.56	1/4	4,303.95	1/4	4,552.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,560.25	1/2	3,810.23	1/2	4,059.76	1/2	4,309.15	1/2	4,557.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,565.46	3/4	3,815.44	3/4	4,064.96	3/4	4,314.34	3/4	4,562.34	3/4		3/4		3/4		3/4		3/4	
1	3,570.66	1	3,820.64	1	4,070.15	1	4,319.54	1	4,567.48	1		1		1		1		1	
1/4	3,575.87	1/4	3,825.85	1/4	4,075.35	1/4	4,324.74	1/4	4,572.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,581.08	1/2	3,831.06	1/2	4,080.54	1/2	4,329.93	1/2	4,576.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,586.29	3/4	3,836.27	3/4	4,085.74	3/4	4,335.13	3/4	4,581.72	3/4		3/4		3/4		3/4		3/4	
2	3,591.50	2	3,841.48	2	4,090.93	2	4,340.32	2	4,586.47	2		2		2		2		2	
1/4	3,596.70	1/4	3,846.68	1/4	4,096.13	1/4	4,345.52	1/4	4,590.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,601.91	1/2	3,851.89	1/2	4,101.32	1/2	4,350.71	1/2	4,593.94	1/2		1/2		1/2		1/2		1/2	
3/4	3,607.12	3/4	3,857.10	3/4	4,106.52	3/4	4,355.91	3/4	4,597.67	3/4		3/4		3/4		3/4		3/4	
3	3,612.33	3	3,862.31	3	4,111.72	3	4,361.10	3	4,601.40	3		3		3		3		3	
1/4	3,617.54	1/4	3,867.51	1/4	4,116.91	1/4	4,366.30	1/4	4,603.88	1/4		1/4		1/4		1/4		1/4	
1/2	3,622.74	1/2	3,872.71	1/2	4,122.11	1/2	4,371.50	1/2	4,606.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,627.95	3/4	3,877.91	3/4	4,127.30	3/4	4,376.69	3/4	4,608.84	3/4		3/4		3/4		3/4		3/4	
4	3,633.16	4	3,883.11	4	4,132.50	4	4,381.89	4	4,611.33	4		4		4		4		4	
1/4	3,638.37	1/4	3,888.31	1/4	4,137.69	1/4	4,387.08	1/4	4,612.55	1/4		1/4		1/4		1/4		1/4	
1/2	3,643.58	1/2	3,893.50	1/2	4,142.89	1/2	4,392.28	1/2	4,613.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,648.78	3/4	3,898.70	3/4	4,148.09	3/4	4,397.47	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,653.99	5	3,903.89	5	4,153.28	5	4,402.67	5		5		5		5		5		5	
1/4	3,659.20	1/4	3,909.09	1/4	4,158.48	1/4	4,407.87	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,664.41	1/2	3,914.28	1/2	4,163.67	1/2	4,413.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,669.62	3/4	3,919.48	3/4	4,168.87	3/4	4,418.26	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,674.82	6	3,924.67	6	4,174.06	6	4,423.45	6		6		6		6		6		6	
1/4	3,680.03	1/4	3,929.87	1/4	4,179.26	1/4	4,428.61	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,685.24	1/2	3,935.07	1/2	4,184.45	1/2	4,433.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,690.45	3/4	3,940.26	3/4	4,189.65	3/4	4,438.94	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,695.65	7	3,945.46	7	4,194.85	7	4,444.10	7		7		7		7		7		7	
1/4	3,700.86	1/4	3,950.65	1/4	4,200.04	1/4	4,449.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,706.07	1/2	3,955.85	1/2	4,205.24	1/2	4,454.38	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,711.28	3/4	3,961.04	3/4	4,210.43	3/4	4,459.52	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,716.49	8	3,966.24	8	4,215.63	8	4,464.66	8		8		8		8		8		8	
1/4	3,721.69	1/4	3,971.43	1/4	4,220.82	1/4	4,469.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,726.90	1/2	3,976.63	1/2	4,226.02	1/2	4,474.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,732.11	3/4	3,981.83	3/4	4,231.21	3/4	4,480.09	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,737.32	9	3,987.02	9	4,236.41	9	4,485.23	9		9		9		9		9		9	
1/4	3,742.53	1/4	3,992.22	1/4	4,241.61	1/4	4,490.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,747.73	1/2	3,997.41	1/2	4,246.80	1/2	4,495.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,752.94	3/4	4,002.61	3/4	4,252.00	3/4	4,500.65	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,758.15	10	4,007.80	10	4,257.19	10	4,505.79	10		10		10		10		10		10	
1/4	3,763.36	1/4	4,013.00	1/4	4,262.39	1/4	4,510.93	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,768.57	1/2	4,018.20	1/2	4,267.58	1/2	4,516.07	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,773.77	3/4	4,023.39	3/4	4,272.78	3/4	4,521.21	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,778.98	11	4,028.59	11	4,277.98	11	4,526.35	11		11		11		11		11		11	
1/4	3,784.19	1/4	4,033.78	1/4	4,283.17	1/4	4,531.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,789.40	1/2	4,038.98	1/2	4,288.37	1/2	4,536.63	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,794.60	3/4	4,044.17	3/4	4,293.56	3/4	4,541.77	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 STBD

INNAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-11 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.86	0	363.88	0	724.04	0	1,084.21	0	1,443.19	0	1,802.67	0	2,162.78	0	2,522.59	0	2,882.39	0	3,241.95
1/4	20.18	1/4	371.38	1/4	731.55	1/4	1,091.72	1/4	1,450.65	1/4	1,810.17	1/4	2,170.28	1/4	2,530.09	1/4	2,889.89	1/4	3,249.42
1/2	25.50	1/2	378.88	1/2	739.05	1/2	1,099.22	1/2	1,458.10	1/2	1,817.68	1/2	2,177.77	1/2	2,537.58	1/2	2,897.39	1/2	3,256.89
3/4	30.82	3/4	386.39	3/4	746.55	3/4	1,106.72	3/4	1,465.56	3/4	1,825.18	3/4	2,185.27	3/4	2,545.08	3/4	2,904.88	3/4	3,264.36
1	36.15	1	393.89	1	754.06	1	1,114.23	1	1,473.02	1	1,832.68	1	2,192.77	1	2,552.58	1	2,912.38	1	3,271.83
1/4	43.13	1/4	401.39	1/4	761.56	1/4	1,121.73	1/4	1,480.48	1/4	1,840.18	1/4	2,200.27	1/4	2,560.07	1/4	2,919.87	1/4	3,279.30
1/2	50.11	1/2	408.90	1/2	769.06	1/2	1,129.23	1/2	1,487.94	1/2	1,847.68	1/2	2,207.76	1/2	2,567.57	1/2	2,927.37	1/2	3,286.78
3/4	57.10	3/4	416.40	3/4	776.57	3/4	1,136.74	3/4	1,495.40	3/4	1,855.19	3/4	2,215.26	3/4	2,575.06	3/4	2,934.87	3/4	3,294.25
2	64.08	2	423.90	2	784.07	2	1,144.24	2	1,502.86	2	1,862.69	2	2,222.76	2	2,582.56	2	2,942.36	2	3,301.72
1/4	71.53	1/4	431.41	1/4	791.58	1/4	1,151.74	1/4	1,510.33	1/4	1,870.19	1/4	2,230.25	1/4	2,590.05	1/4	2,949.86	1/4	3,309.19
1/2	78.97	1/2	438.91	1/2	799.08	1/2	1,159.25	1/2	1,517.80	1/2	1,877.69	1/2	2,237.75	1/2	2,597.55	1/2	2,957.35	1/2	3,316.66
3/4	86.42	3/4	446.41	3/4	806.58	3/4	1,166.75	3/4	1,525.27	3/4	1,885.20	3/4	2,245.24	3/4	2,605.05	3/4	2,964.85	3/4	3,324.13
3	93.87	3	453.92	3	814.09	3	1,174.25	3	1,532.74	3	1,892.70	3	2,252.74	3	2,612.54	3	2,972.35	3	3,331.61
1/4	101.34	1/4	461.42	1/4	821.59	1/4	1,181.76	1/4	1,540.21	1/4	1,900.20	1/4	2,260.24	1/4	2,620.04	1/4	2,979.84	1/4	3,339.08
1/2	108.82	1/2	468.92	1/2	829.09	1/2	1,189.26	1/2	1,547.69	1/2	1,907.70	1/2	2,267.73	1/2	2,627.53	1/2	2,987.34	1/2	3,346.55
3/4	116.30	3/4	476.43	3/4	836.60	3/4	1,196.76	3/4	1,555.16	3/4	1,915.20	3/4	2,275.23	3/4	2,635.03	3/4	2,994.83	3/4	3,354.02
4	123.78	4	483.93	4	844.10	4	1,204.27	4	1,562.64	4	1,922.71	4	2,282.72	4	2,642.53	4	3,002.33	4	3,361.49
1/4	131.27	1/4	491.44	1/4	851.60	1/4	1,211.76	1/4	1,570.13	1/4	1,930.21	1/4	2,290.22	1/4	2,650.02	1/4	3,009.83	1/4	3,368.96
1/2	138.77	1/2	498.94	1/2	859.11	1/2	1,219.24	1/2	1,577.63	1/2	1,937.71	1/2	2,297.71	1/2	2,657.52	1/2	3,017.32	1/2	3,376.44
3/4	146.26	3/4	506.44	3/4	866.61	3/4	1,226.73	3/4	1,585.12	3/4	1,945.21	3/4	2,305.21	3/4	2,665.01	3/4	3,024.82	3/4	3,383.91
5	153.76	5	513.95	5	874.11	5	1,234.22	5	1,592.61	5	1,952.72	5	2,312.71	5	2,672.51	5	3,032.31	5	3,391.38
1/4	161.26	1/4	521.45	1/4	881.62	1/4	1,241.69	1/4	1,600.11	1/4	1,960.22	1/4	2,320.20	1/4	2,680.01	1/4	3,039.81	1/4	3,398.85
1/2	168.77	1/2	528.95	1/2	889.12	1/2	1,249.17	1/2	1,607.61	1/2	1,967.72	1/2	2,327.70	1/2	2,687.50	1/2	3,047.30	1/2	3,406.32
3/4	176.28	3/4	536.46	3/4	896.62	3/4	1,256.65	3/4	1,615.12	3/4	1,975.22	3/4	2,335.19	3/4	2,695.00	3/4	3,054.80	3/4	3,413.79
6	183.78	6	543.96	6	904.13	6	1,264.13	6	1,622.62	6	1,982.72	6	2,342.69	6	2,702.49	6	3,062.30	6	3,421.26
1/4	191.29	1/4	551.46	1/4	911.63	1/4	1,271.59	1/4	1,630.12	1/4	1,990.23	1/4	2,350.19	1/4	2,709.99	1/4	3,069.79	1/4	3,428.75
1/2	198.80	1/2	558.97	1/2	919.13	1/2	1,279.06	1/2	1,637.62	1/2	1,997.73	1/2	2,357.68	1/2	2,717.49	1/2	3,077.29	1/2	3,436.23
3/4	206.30	3/4	566.47	3/4	926.64	3/4	1,286.53	3/4	1,645.13	3/4	2,005.23	3/4	2,365.18	3/4	2,724.98	3/4	3,084.78	3/4	3,443.71
7	213.81	7	573.97	7	934.14	7	1,293.99	7	1,652.63	7	2,012.73	7	2,372.67	7	2,732.48	7	3,092.28	7	3,451.19
1/4	221.31	1/4	581.48	1/4	941.65	1/4	1,301.45	1/4	1,660.13	1/4	2,020.24	1/4	2,380.17	1/4	2,739.97	1/4	3,099.78	1/4	3,458.67
1/2	228.81	1/2	588.98	1/2	949.15	1/2	1,308.91	1/2	1,667.63	1/2	2,027.74	1/2	2,387.67	1/2	2,747.47	1/2	3,107.27	1/2	3,466.16
3/4	236.32	3/4	596.48	3/4	956.65	3/4	1,316.37	3/4	1,675.13	3/4	2,035.24	3/4	2,395.16	3/4	2,754.96	3/4	3,114.77	3/4	3,473.64
8	243.82	8	603.99	8	964.16	8	1,323.83	8	1,682.64	8	2,042.74	8	2,402.66	8	2,762.46	8	3,122.26	8	3,481.12
1/4	251.32	1/4	611.49	1/4	971.66	1/4	1,331.29	1/4	1,690.14	1/4	2,050.24	1/4	2,410.15	1/4	2,769.96	1/4	3,129.76	1/4	3,487.17
1/2	258.83	1/2	618.99	1/2	979.16	1/2	1,338.75	1/2	1,697.64	1/2	2,057.75	1/2	2,417.65	1/2	2,777.45	1/2	3,137.26	1/2	3,493.22
3/4	266.33	3/4	626.50	3/4	986.67	3/4	1,346.21	3/4	1,705.14	3/4	2,065.25	3/4	2,425.15	3/4	2,784.95	3/4	3,144.75	3/4	3,499.26
9	273.83	9	634.00	9	994.17	9	1,353.67	9	1,712.65	9	2,072.75	9	2,432.64	9	2,792.44	9	3,152.25	9	3,505.31
1/4	281.34	1/4	641.51	1/4	1,001.67	1/4	1,361.13	1/4	1,720.15	1/4	2,080.25	1/4	2,440.14	1/4	2,799.94	1/4	3,159.73	1/4	3,510.49
1/2	288.84	1/2	649.01	1/2	1,009.18	1/2	1,368.60	1/2	1,727.65	1/2	2,087.75	1/2	2,447.63	1/2	2,807.44	1/2	3,167.21	1/2	3,515.67
3/4	296.34	3/4	656.51	3/4	1,016.68	3/4	1,376.06	3/4	1,735.15	3/4	2,095.26	3/4	2,455.13	3/4	2,814.93	3/4	3,174.69	3/4	3,520.85
10	303.85	10	664.02	10	1,024.18	10	1,383.52	10	1,742.65	10	2,102.76	10	2,462.62	10	2,822.43	10	3,182.17	10	3,526.04
1/4	311.35	1/4	671.52	1/4	1,031.69	1/4	1,390.97	1/4	1,750.16	1/4	2,110.26	1/4	2,470.12	1/4	2,829.92	1/4	3,189.65	1/4	3,531.24
1/2	318.85	1/2	679.02	1/2	1,039.19	1/2	1,398.43	1/2	1,757.66	1/2	2,117.76	1/2	2,477.62	1/2	2,837.42	1/2	3,197.12	1/2	3,536.44
3/4	326.36	3/4	686.53	3/4	1,046.69	3/4	1,405.89	3/4	1,765.16	3/4	2,125.27	3/4	2,485.11	3/4	2,844.92	3/4	3,204.59	3/4	3,541.64
11	333.86	11	694.03	11	1,054.20	11	1,413.35	11	1,772.66	11	2,132.77	11	2,492.61	11	2,852.41	11	3,212.06	11	3,546.84
1/4	341.37	1/4	701.53	1/4	1,061.70	1/4	1,420.81	1/4	1,780.16	1/4	2,140.27	1/4	2,500.10	1/4	2,859.91	1/4	3,219.53	1/4	3,552.05
1/2	348.87	1/2	709.04	1/2	1,069.20	1/2	1,428.27	1/2	1,787.67	1/2	2,147.77	1/2	2,507.60	1/2	2,867.40	1/2	3,227.00	1/2	3,557.27
3/4	356.37	3/4	716.54	3/4	1,076.71	3/4	1,435.73	3/4	1,795.17	3/4	2,155.27	3/4	2,515.10	3/4	2,874.90	3/4	3,234.47	3/4	3,562.48

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 STBD

INNAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-11 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,567.69	0	3,817.91	0	4,067.70	0	4,317.32	0	4,565.71	0		0		0		0		0	
1/4	3,572.91	1/4	3,823.12	1/4	4,072.90	1/4	4,322.52	1/4	4,570.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,578.12	1/2	3,828.33	1/2	4,078.10	1/2	4,327.72	1/2	4,576.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,583.33	3/4	3,833.55	3/4	4,083.30	3/4	4,332.92	3/4	4,581.15	3/4		3/4		3/4		3/4		3/4	
1	3,588.54	1	3,838.76	1	4,088.50	1	4,338.12	1	4,586.29	1		1		1		1		1	
1/4	3,593.76	1/4	3,843.97	1/4	4,093.70	1/4	4,343.32	1/4	4,591.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,598.97	1/2	3,849.18	1/2	4,098.90	1/2	4,348.52	1/2	4,595.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,604.18	3/4	3,854.40	3/4	4,104.10	3/4	4,353.73	3/4	4,600.55	3/4		3/4		3/4		3/4		3/4	
2	3,609.40	2	3,859.61	2	4,109.30	2	4,358.93	2	4,605.31	2		2		2		2		2	
1/4	3,614.61	1/4	3,864.82	1/4	4,114.50	1/4	4,364.13	1/4	4,609.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,619.82	1/2	3,870.04	1/2	4,119.70	1/2	4,369.33	1/2	4,612.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,625.03	3/4	3,875.25	3/4	4,124.90	3/4	4,374.53	3/4	4,616.51	3/4		3/4		3/4		3/4		3/4	
3	3,630.25	3	3,880.46	3	4,130.10	3	4,379.73	3	4,620.25	3		3		3		3		3	
1/4	3,635.46	1/4	3,885.67	1/4	4,135.30	1/4	4,384.93	1/4	4,622.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,640.67	1/2	3,890.87	1/2	4,140.50	1/2	4,390.13	1/2	4,625.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.89	3/4	3,896.08	3/4	4,145.71	3/4	4,395.33	3/4	4,627.70	3/4		3/4		3/4		3/4		3/4	
4	3,651.10	4	3,901.28	4	4,150.91	4	4,400.53	4	4,630.18	4		4		4		4		4	
1/4	3,656.31	1/4	3,906.48	1/4	4,156.11	1/4	4,405.73	1/4	4,631.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,661.52	1/2	3,911.68	1/2	4,161.31	1/2	4,410.93	1/2	4,632.65	1/2		1/2		1/2		1/2		1/2	
3/4	3,666.74	3/4	3,916.88	3/4	4,166.51	3/4	4,416.13	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,671.95	5	3,922.08	5	4,171.71	5	4,421.33	5		5		5		5		5		5	
1/4	3,677.16	1/4	3,927.28	1/4	4,176.91	1/4	4,426.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,682.37	1/2	3,932.48	1/2	4,182.11	1/2	4,431.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,687.59	3/4	3,937.69	3/4	4,187.31	3/4	4,436.93	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,692.80	6	3,942.89	6	4,192.51	6	4,442.13	6		6		6		6		6		6	
1/4	3,698.01	1/4	3,948.09	1/4	4,197.71	1/4	4,447.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,703.23	1/2	3,953.29	1/2	4,202.91	1/2	4,452.47	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,708.44	3/4	3,958.49	3/4	4,208.11	3/4	4,457.63	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,713.65	7	3,963.69	7	4,213.31	7	4,462.80	7		7		7		7		7		7	
1/4	3,718.86	1/4	3,968.89	1/4	4,218.51	1/4	4,467.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,724.08	1/2	3,974.09	1/2	4,223.71	1/2	4,473.09	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,729.29	3/4	3,979.29	3/4	4,228.91	3/4	4,478.24	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,734.50	8	3,984.49	8	4,234.11	8	4,483.38	8		8		8		8		8		8	
1/4	3,739.72	1/4	3,989.69	1/4	4,239.31	1/4	4,488.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,744.93	1/2	3,994.89	1/2	4,244.51	1/2	4,493.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,750.14	3/4	4,000.09	3/4	4,249.72	3/4	4,498.82	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,755.35	9	4,005.29	9	4,254.92	9	4,503.96	9		9		9		9		9		9	
1/4	3,760.57	1/4	4,010.49	1/4	4,260.12	1/4	4,509.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,765.78	1/2	4,015.69	1/2	4,265.32	1/2	4,514.25	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,770.99	3/4	4,020.89	3/4	4,270.52	3/4	4,519.40	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,776.21	10	4,026.09	10	4,275.72	10	4,524.55	10		10		10		10		10		10	
1/4	3,781.42	1/4	4,031.29	1/4	4,280.92	1/4	4,529.69	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,786.63	1/2	4,036.49	1/2	4,286.12	1/2	4,534.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,791.84	3/4	4,041.70	3/4	4,291.32	3/4	4,539.98	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,797.06	11	4,046.90	11	4,296.52	11	4,545.13	11		11		11		11		11		11	
1/4	3,802.27	1/4	4,052.10	1/4	4,301.72	1/4	4,550.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,807.48	1/2	4,057.30	1/2	4,306.92	1/2	4,555.42	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,812.69	3/4	4,062.50	3/4	4,312.12	3/4	4,560.56	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

SLOP TANK

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.
0	0	0	2,307	0	4,615	0	6,922	0	9,230	0		0		0		0		0	
1/4	48	1/4	2,355	1/4	4,663	1/4	6,970	1/4	9,278	1/4		1/4		1/4		1/4		1/4	
1/2	96	1/2	2,404	1/2	4,711	1/2	7,018	1/2	9,326	1/2		1/2		1/2		1/2		1/2	
3/4	144	3/4	2,452	3/4	4,759	3/4	7,066	3/4	9,374	3/4		3/4		3/4		3/4		3/4	
1	192	1	2,500	1	4,807	1	7,115	1	9,422	1		1		1		1		1	
1/4	240	1/4	2,548	1/4	4,855	1/4	7,163	1/4	9,470	1/4		1/4		1/4		1/4		1/4	
1/2	288	1/2	2,596	1/2	4,903	1/2	7,211	1/2	9,518	1/2		1/2		1/2		1/2		1/2	
3/4	336	3/4	2,644	3/4	4,951	3/4	7,259	3/4	9,566	3/4		3/4		3/4		3/4		3/4	
2	385	2	2,692	2	4,999	2	7,307	2	9,614	2		2		2		2		2	
1/4	433	1/4	2,740	1/4	5,047	1/4	7,355	1/4	9,662	1/4		1/4		1/4		1/4		1/4	
1/2	481	1/2	2,788	1/2	5,096	1/2	7,403	1/2	9,710	1/2		1/2		1/2		1/2		1/2	
3/4	529	3/4	2,836	3/4	5,144	3/4	7,451	3/4	9,758	3/4		3/4		3/4		3/4		3/4	
3	577	3	2,884	3	5,192	3	7,499	3	9,807	3		3		3		3		3	
1/4	625	1/4	2,932	1/4	5,240	1/4	7,547	1/4	9,855	1/4		1/4		1/4		1/4		1/4	
1/2	673	1/2	2,980	1/2	5,288	1/2	7,595	1/2	9,903	1/2		1/2		1/2		1/2		1/2	
3/4	721	3/4	3,028	3/4	5,336	3/4	7,643	3/4	9,951	3/4		3/4		3/4		3/4		3/4	
4	769	4	3,077	4	5,384	4	7,691	4	9,999	4		4		4		4		4	
1/4	817	1/4	3,125	1/4	5,432	1/4	7,739	1/4	10,047	1/4		1/4		1/4		1/4		1/4	
1/2	865	1/2	3,173	1/2	5,480	1/2	7,788	1/2	10,095	1/2		1/2		1/2		1/2		1/2	
3/4	913	3/4	3,221	3/4	5,528	3/4	7,836	3/4	10,143	3/4		3/4		3/4		3/4		3/4	
5	961	5	3,269	5	5,576	5	7,884	5	10,191	5		5		5		5		5	
1/4	1,009	1/4	3,317	1/4	5,624	1/4	7,932	1/4	10,239	1/4		1/4		1/4		1/4		1/4	
1/2	1,058	1/2	3,365	1/2	5,672	1/2	7,980	1/2	10,287	1/2		1/2		1/2		1/2		1/2	
3/4	1,106	3/4	3,413	3/4	5,720	3/4	8,028	3/4	10,335	3/4		3/4		3/4		3/4		3/4	
6	1,154	6	3,461	6	5,769	6	8,076	6	10,383	6		6		6		6		6	
1/4	1,202	1/4	3,509	1/4	5,817	1/4	8,124	1/4	10,431	1/4		1/4		1/4		1/4		1/4	
1/2	1,250	1/2	3,557	1/2	5,865	1/2	8,172	1/2	10,480	1/2		1/2		1/2		1/2		1/2	
3/4	1,298	3/4	3,605	3/4	5,913	3/4	8,220	3/4	10,528	3/4		3/4		3/4		3/4		3/4	
7	1,346	7	3,653	7	5,961	7	8,268	7	10,576	7		7		7		7		7	
1/4	1,394	1/4	3,701	1/4	6,009	1/4	8,316	1/4	10,624	1/4		1/4		1/4		1/4		1/4	
1/2	1,442	1/2	3,750	1/2	6,057	1/2	8,364	1/2	10,672	1/2		1/2		1/2		1/2		1/2	
3/4	1,490	3/4	3,798	3/4	6,105	3/4	8,412	3/4	10,720	3/4		3/4		3/4		3/4		3/4	
8	1,538	8	3,846	8	6,153	8	8,461	8		8		8		8		8		8	
1/4	1,586	1/4	3,894	1/4	6,201	1/4	8,509	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,634	1/2	3,942	1/2	6,249	1/2	8,557	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,682	3/4	3,990	3/4	6,297	3/4	8,605	3/4		3/4		3/4		3/4		3/4		3/4	
9	1,731	9	4,038	9	6,345	9	8,653	9		9		9		9		9		9	
1/4	1,779	1/4	4,086	1/4	6,393	1/4	8,701	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,827	1/2	4,134	1/2	6,442	1/2	8,749	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,875	3/4	4,182	3/4	6,490	3/4	8,797	3/4		3/4		3/4		3/4		3/4		3/4	
10	1,923	10	4,230	10	6,538	10	8,845	10		10		10		10		10		10	
1/4	1,971	1/4	4,278	1/4	6,586	1/4	8,893	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,019	1/2	4,326	1/2	6,634	1/2	8,941	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,067	3/4	4,374	3/4	6,682	3/4	8,989	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,115	11	4,423	11	6,730	11	9,037	11		11		11		11		11		11	
1/4	2,163	1/4	4,471	1/4	6,778	1/4	9,085	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,211	1/2	4,519	1/2	6,826	1/2	9,134	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,259	3/4	4,567	3/4	6,874	3/4	9,182	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

ULLAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/4	00-1/4	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-1/4	01-1/4	- 01-1/2	01-1/2	- 01-7/8	01-7/8
1 STBD	- 00-1/4	00-1/4	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-1/4	01-1/4	- 01-1/2	01-1/2	- 01-7/8	01-7/8
2 PORT	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-0/8	01-0/8
2 STBD	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-0/8	01-0/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-5/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 5/8"

LENGTH BETWEEN DRAFT MARKS: 262'-06"

February 4, 2026

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 PORT ULLAGE TABLE

2" PIPE GAUGE HEIGHT 14'-11 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,979.40	0	4,624.89	0	4,268.78	0	3,912.37	0	3,555.37	0	3,198.38	0	2,841.38	0	2,484.38	0	2,127.39
1/4		1/4	4,972.05	1/4	4,617.47	1/4	4,261.36	1/4	3,904.93	1/4	3,547.93	1/4	3,190.94	1/4	2,833.94	1/4	2,476.95	1/4	2,119.95
1/2		1/2	4,964.71	1/2	4,610.05	1/2	4,253.94	1/2	3,897.49	1/2	3,540.50	1/2	3,183.50	1/2	2,826.51	1/2	2,469.51	1/2	2,112.51
3/4		3/4	4,957.37	3/4	4,602.63	3/4	4,246.52	3/4	3,890.05	3/4	3,533.06	3/4	3,176.06	3/4	2,819.07	3/4	2,462.07	3/4	2,105.08
1		1	4,950.03	1	4,595.22	1	4,239.10	1	3,882.62	1	3,525.62	1	3,168.63	1	2,811.63	1	2,454.64	1	2,097.64
1/4		1/4	4,942.69	1/4	4,587.80	1/4	4,231.68	1/4	3,875.18	1/4	3,518.18	1/4	3,161.19	1/4	2,804.19	1/4	2,447.20	1/4	2,090.20
1/2		1/2	4,935.35	1/2	4,580.38	1/2	4,224.27	1/2	3,867.74	1/2	3,510.75	1/2	3,153.75	1/2	2,796.76	1/2	2,439.76	1/2	2,082.77
3/4		3/4	4,928.01	3/4	4,572.96	3/4	4,216.85	3/4	3,860.30	3/4	3,503.31	3/4	3,146.31	3/4	2,789.32	3/4	2,432.32	3/4	2,075.33
2		2	4,920.67	2	4,565.54	2	4,209.43	2	3,852.87	2	3,495.87	2	3,138.88	2	2,781.88	2	2,424.89	2	2,067.89
1/4		1/4	4,913.33	1/4	4,558.12	1/4	4,202.01	1/4	3,845.43	1/4	3,488.43	1/4	3,131.44	1/4	2,774.44	1/4	2,417.45	1/4	2,060.45
1/2		1/2	4,905.99	1/2	4,550.70	1/2	4,194.59	1/2	3,837.99	1/2	3,481.00	1/2	3,124.00	1/2	2,767.01	1/2	2,410.01	1/2	2,053.02
3/4		3/4	4,898.65	3/4	4,543.28	3/4	4,187.17	3/4	3,830.55	3/4	3,473.56	3/4	3,116.56	3/4	2,759.57	3/4	2,402.57	3/4	2,045.58
3		3	4,891.31	3	4,535.86	3	4,179.75	3	3,823.12	3	3,466.12	3	3,109.13	3	2,752.13	3	2,395.14	3	2,038.14
1/4		1/4	4,883.97	1/4	4,528.44	1/4	4,172.33	1/4	3,815.68	1/4	3,458.68	1/4	3,101.69	1/4	2,744.69	1/4	2,387.70	1/4	2,030.70
1/2		1/2	4,876.63	1/2	4,521.03	1/2	4,164.91	1/2	3,808.24	1/2	3,451.25	1/2	3,094.25	1/2	2,737.26	1/2	2,380.26	1/2	2,023.27
3/4		3/4	4,869.28	3/4	4,513.61	3/4	4,157.49	3/4	3,800.80	3/4	3,443.81	3/4	3,086.81	3/4	2,729.82	3/4	2,372.82	3/4	2,015.83
4		4	4,861.94	4	4,506.19	4	4,150.08	4	3,793.37	4	3,436.37	4	3,079.38	4	2,722.38	4	2,365.39	4	2,008.39
1/4		1/4	4,854.60	1/4	4,498.77	1/4	4,142.66	1/4	3,785.93	1/4	3,428.93	1/4	3,071.94	1/4	2,714.94	1/4	2,357.95	1/4	2,000.95
1/2		1/2	4,847.26	1/2	4,491.35	1/2	4,135.24	1/2	3,778.49	1/2	3,421.50	1/2	3,064.50	1/2	2,707.51	1/2	2,350.51	1/2	1,993.52
3/4		3/4	4,839.89	3/4	4,483.93	3/4	4,127.82	3/4	3,771.06	3/4	3,414.06	3/4	3,057.06	3/4	2,700.07	3/4	2,343.07	3/4	1,986.08
5		5	4,832.52	5	4,476.51	5	4,120.40	5	3,763.62	5	3,406.62	5	3,049.63	5	2,692.63	5	2,335.64	5	1,978.64
1/4		1/4	4,825.15	1/4	4,469.09	1/4	4,112.98	1/4	3,756.18	1/4	3,399.19	1/4	3,042.19	1/4	2,685.19	1/4	2,328.20	1/4	1,971.20
1/2		1/2	4,817.79	1/2	4,461.67	1/2	4,105.56	1/2	3,748.74	1/2	3,391.75	1/2	3,034.75	1/2	2,677.76	1/2	2,320.76	1/2	1,963.77
3/4		3/4	4,810.37	3/4	4,454.25	3/4	4,098.14	3/4	3,741.31	3/4	3,384.31	3/4	3,027.32	3/4	2,670.32	3/4	2,313.32	3/4	1,956.33
6		6	4,802.95	6	4,446.84	6	4,090.72	6	3,733.87	6	3,376.87	6	3,019.88	6	2,662.88	6	2,305.89	6	1,948.89
1/4		1/4	4,795.53	1/4	4,439.42	1/4	4,083.30	1/4	3,726.43	1/4	3,369.44	1/4	3,012.44	1/4	2,655.45	1/4	2,298.45	1/4	1,941.45
1/2		1/2	4,788.11	1/2	4,432.00	1/2	4,075.89	1/2	3,718.99	1/2	3,362.00	1/2	3,005.00	1/2	2,648.01	1/2	2,291.01	1/2	1,934.02
3/4		3/4	4,780.69	3/4	4,424.58	3/4	4,068.47	3/4	3,711.56	3/4	3,354.56	3/4	2,997.57	3/4	2,640.57	3/4	2,283.58	3/4	1,926.58
7	5,100.80	7	4,773.27	7	4,417.16	7	4,061.05	7	3,704.12	7	3,347.12	7	2,990.13	7	2,633.13	7	2,276.14	7	1,919.14
1/4	5,097.33	1/4	4,765.85	1/4	4,409.74	1/4	4,053.63	1/4	3,696.68	1/4	3,339.69	1/4	2,982.69	1/4	2,625.70	1/4	2,268.70	1/4	1,911.71
1/2	5,093.87	1/2	4,758.43	1/2	4,402.32	1/2	4,046.21	1/2	3,689.24	1/2	3,332.25	1/2	2,975.25	1/2	2,618.26	1/2	2,261.26	1/2	1,904.27
3/4	5,089.16	3/4	4,751.01	3/4	4,394.90	3/4	4,038.78	3/4	3,681.81	3/4	3,324.81	3/4	2,967.82	3/4	2,610.82	3/4	2,253.83	3/4	1,896.83
8	5,084.45	8	4,743.60	8	4,387.48	8	4,031.35	8	3,674.37	8	3,317.37	8	2,960.38	8	2,603.38	8	2,246.39	8	1,889.39
1/4	5,079.75	1/4	4,736.18	1/4	4,380.06	1/4	4,023.92	1/4	3,666.93	1/4	3,309.94	1/4	2,952.94	1/4	2,595.95	1/4	2,238.95	1/4	1,881.96
1/2	5,075.04	1/2	4,728.76	1/2	4,372.65	1/2	4,016.49	1/2	3,659.49	1/2	3,302.50	1/2	2,945.50	1/2	2,588.51	1/2	2,231.51	1/2	1,874.52
3/4	5,069.09	3/4	4,721.34	3/4	4,365.23	3/4	4,009.05	3/4	3,652.06	3/4	3,295.06	3/4	2,938.07	3/4	2,581.07	3/4	2,224.08	3/4	1,867.08
9	5,063.15	9	4,713.92	9	4,357.81	9	4,001.61	9	3,644.62	9	3,287.62	9	2,930.63	9	2,573.63	9	2,216.64	9	1,859.64
1/4	5,057.20	1/4	4,706.50	1/4	4,350.39	1/4	3,994.18	1/4	3,637.18	1/4	3,280.19	1/4	2,923.19	1/4	2,566.20	1/4	2,209.20	1/4	1,852.21
1/2	5,051.25	1/2	4,699.08	1/2	4,342.97	1/2	3,986.74	1/2	3,629.74	1/2	3,272.75	1/2	2,915.75	1/2	2,558.76	1/2	2,201.76	1/2	1,844.77
3/4	5,044.30	3/4	4,691.66	3/4	4,335.55	3/4	3,979.30	3/4	3,622.31	3/4	3,265.31	3/4	2,908.32	3/4	2,551.32	3/4	2,194.33	3/4	1,837.33
10	5,037.35	10	4,684.24	10	4,328.13	10	3,971.86	10	3,614.87	10	3,257.87	10	2,900.88	10	2,543.88	10	2,186.89	10	1,829.89
1/4	5,030.39	1/4	4,676.82	1/4	4,320.71	1/4	3,964.43	1/4	3,607.43	1/4	3,250.44	1/4	2,893.44	1/4	2,536.45	1/4	2,179.45	1/4	1,822.46
1/2	5,023.44	1/2	4,669.41	1/2	4,313.29	1/2	3,956.99	1/2	3,599.99	1/2	3,243.00	1/2	2,886.00	1/2	2,529.01	1/2	2,172.01	1/2	1,815.02
3/4	5,016.10	3/4	4,661.99	3/4	4,305.87	3/4	3,949.55	3/4	3,592.56	3/4	3,235.56	3/4	2,878.57	3/4	2,521.57	3/4	2,164.58	3/4	1,807.58
11	5,008.76	11	4,654.57	11	4,298.46	11	3,942.12	11	3,585.12	11	3,228.12	11	2,871.13	11	2,514.13	11	2,157.14	11	1,800.14
1/4	5,001.42	1/4	4,647.15	1/4	4,291.04	1/4	3,934.68	1/4	3,577.68	1/4	3,220.69	1/4	2,863.69	1/4	2,506.70	1/4	2,149.70	1/4	1,792.71
1/2	4,994.08	1/2	4,639.73	1/2	4,283.62	1/2	3,927.24	1/2	3,570.25	1/2	3,213.25	1/2	2,856.25	1/2	2,499.26	1/2	2,142.26	1/2	1,785.27
3/4	4,986.74	3/4	4,632.31	3/4	4,276.20	3/4	3,919.80	3/4	3,562.81	3/4	3,205.81	3/4	2,848.82	3/4	2,491.82	3/4	2,134.83	3/4	1,777.83

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 36'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 PORT ULLAGE TABLE 2" PIPE GAUGE HEIGHT 14'-11 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,770.39	0	1,414.11	0	1,058.83	0	702.48	0	345.49	0		0		0		0		0	
1/4	1,762.96	1/4	1,406.71	1/4	1,051.42	1/4	695.04	1/4	338.06	1/4		1/4		1/4		1/4		1/4	
1/2	1,755.52	1/2	1,399.32	1/2	1,044.01	1/2	687.60	1/2	330.62	1/2		1/2		1/2		1/2		1/2	
3/4	1,748.08	3/4	1,391.92	3/4	1,036.60	3/4	680.17	3/4	323.18	3/4		3/4		3/4		3/4		3/4	
1	1,740.64	1	1,384.53	1	1,029.18	1	672.73	1	315.74	1		1		1		1		1	
1/4	1,733.21	1/4	1,377.14	1/4	1,021.77	1/4	665.29	1/4	308.31	1/4		1/4		1/4		1/4		1/4	
1/2	1,725.77	1/2	1,369.74	1/2	1,014.36	1/2	657.85	1/2	300.87	1/2		1/2		1/2		1/2		1/2	
3/4	1,718.33	3/4	1,362.35	3/4	1,006.95	3/4	650.42	3/4	293.43	3/4		3/4		3/4		3/4		3/4	
2	1,710.90	2	1,354.96	2	999.54	2	642.98	2	285.99	2		2		2		2		2	
1/4	1,703.46	1/4	1,347.56	1/4	992.13	1/4	635.54	1/4	278.56	1/4		1/4		1/4		1/4		1/4	
1/2	1,696.02	1/2	1,340.17	1/2	984.72	1/2	628.11	1/2	271.12	1/2		1/2		1/2		1/2		1/2	
3/4	1,688.58	3/4	1,332.77	3/4	977.31	3/4	620.67	3/4	263.68	3/4		3/4		3/4		3/4		3/4	
3	1,681.15	3	1,325.38	3	969.89	3	613.23	3	256.25	3		3		3		3		3	
1/4	1,673.71	1/4	1,317.99	1/4	962.48	1/4	605.79	1/4	248.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,666.27	1/2	1,310.59	1/2	955.07	1/2	598.36	1/2	241.37	1/2		1/2		1/2		1/2		1/2	
3/4	1,658.83	3/4	1,303.20	3/4	947.66	3/4	590.92	3/4	233.93	3/4		3/4		3/4		3/4		3/4	
4	1,651.40	4	1,295.80	4	940.25	4	583.48	4	226.50	4		4		4		4		4	
1/4	1,643.96	1/4	1,288.41	1/4	932.84	1/4	576.05	1/4	219.06	1/4		1/4		1/4		1/4		1/4	
1/2	1,636.52	1/2	1,281.02	1/2	925.43	1/2	568.61	1/2	211.62	1/2		1/2		1/2		1/2		1/2	
3/4	1,629.08	3/4	1,273.62	3/4	918.02	3/4	561.17	3/4	204.19	3/4		3/4		3/4		3/4		3/4	
5	1,621.65	5	1,266.22	5	910.60	5	553.73	5	196.75	5		5		5		5		5	
1/4	1,614.21	1/4	1,258.82	1/4	903.19	1/4	546.30	1/4	189.32	1/4		1/4		1/4		1/4		1/4	
1/2	1,606.77	1/2	1,251.41	1/2	895.78	1/2	538.86	1/2	181.88	1/2		1/2		1/2		1/2		1/2	
3/4	1,599.33	3/4	1,244.01	3/4	888.36	3/4	531.42	3/4	174.45	3/4		3/4		3/4		3/4		3/4	
6	1,591.90	6	1,236.61	6	880.94	6	523.99	6	167.03	6		6		6		6		6	
1/4	1,584.46	1/4	1,229.21	1/4	873.52	1/4	516.55	1/4	159.60	1/4		1/4		1/4		1/4		1/4	
1/2	1,577.02	1/2	1,221.81	1/2	866.10	1/2	509.11	1/2	152.17	1/2		1/2		1/2		1/2		1/2	
3/4	1,569.59	3/4	1,214.41	3/4	858.66	3/4	501.67	3/4	144.75	3/4		3/4		3/4		3/4		3/4	
7	1,562.17	7	1,207.02	7	851.22	7	494.24	7	137.33	7		7		7		7		7	
1/4	1,554.74	1/4	1,199.63	1/4	843.78	1/4	486.80	1/4	129.91	1/4		1/4		1/4		1/4		1/4	
1/2	1,547.31	1/2	1,192.23	1/2	836.35	1/2	479.36	1/2	122.50	1/2		1/2		1/2		1/2		1/2	
3/4	1,539.90	3/4	1,184.82	3/4	828.91	3/4	471.92	3/4	115.10	3/4		3/4		3/4		3/4		3/4	
8	1,532.49	8	1,177.41	8	821.47	8	464.49	8	107.70	8		8		8		8		8	
1/4	1,525.08	1/4	1,170.00	1/4	814.04	1/4	457.05	1/4	100.30	1/4		1/4		1/4		1/4		1/4	
1/2	1,517.67	1/2	1,162.59	1/2	806.60	1/2	449.61	1/2	92.90	1/2		1/2		1/2		1/2		1/2	
3/4	1,510.26	3/4	1,155.17	3/4	799.16	3/4	442.18	3/4	85.53	3/4		3/4		3/4		3/4		3/4	
9	1,502.86	9	1,147.76	9	791.72	9	434.74	9	78.16	9		9		9		9		9	
1/4	1,495.45	1/4	1,140.35	1/4	784.29	1/4	427.30	1/4	70.79	1/4		1/4		1/4		1/4		1/4	
1/2	1,488.05	1/2	1,132.94	1/2	776.85	1/2	419.86	1/2	63.42	1/2		1/2		1/2		1/2		1/2	
3/4	1,480.65	3/4	1,125.53	3/4	769.41	3/4	412.43	3/4	56.51	3/4		3/4		3/4		3/4		3/4	
10	1,473.26	10	1,118.12	10	761.98	10	404.99	10	49.60	10		10		10		10		10	
1/4	1,465.86	1/4	1,110.71	1/4	754.54	1/4	397.55	1/4	42.69	1/4		1/4		1/4		1/4		1/4	
1/2	1,458.47	1/2	1,103.30	1/2	747.10	1/2	390.12	1/2	35.78	1/2		1/2		1/2		1/2		1/2	
3/4	1,451.08	3/4	1,095.88	3/4	739.66	3/4	382.68	3/4	30.51	3/4		3/4		3/4		3/4		3/4	
11	1,443.68	11	1,088.47	11	732.23	11	375.24	11	25.24	11		11		11		11		11	
1/4	1,436.29	1/4	1,081.06	1/4	724.79	1/4	367.80	1/4	19.98	1/4		1/4		1/4		1/4		1/4	
1/2	1,428.89	1/2	1,073.65	1/2	717.35	1/2	360.37	1/2	14.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,421.50	3/4	1,066.24	3/4	709.92	3/4	352.93	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 STBD ULLAGE TABLE

2" PIPE GAUGE HEIGHT 14'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,962.04	0	4,607.06	0	4,250.70	0	3,894.01	0	3,536.76	0	3,179.52	0	2,822.27	0	2,465.03	0	2,107.79
1/4		1/4	4,954.70	1/4	4,599.63	1/4	4,243.28	1/4	3,886.57	1/4	3,529.32	1/4	3,172.08	1/4	2,814.83	1/4	2,457.59	1/4	2,100.34
1/2		1/2	4,947.35	1/2	4,592.21	1/2	4,235.85	1/2	3,879.12	1/2	3,521.88	1/2	3,164.63	1/2	2,807.39	1/2	2,450.14	1/2	2,092.90
3/4		3/4	4,940.01	3/4	4,584.78	3/4	4,228.43	3/4	3,871.68	3/4	3,514.44	3/4	3,157.19	3/4	2,799.95	3/4	2,442.70	3/4	2,085.46
1		1	4,932.66	1	4,577.36	1	4,221.00	1	3,864.24	1	3,506.99	1	3,149.75	1	2,792.50	1	2,435.26	1	2,078.01
1/4		1/4	4,925.31	1/4	4,569.94	1/4	4,213.58	1/4	3,856.80	1/4	3,499.55	1/4	3,142.31	1/4	2,785.06	1/4	2,427.82	1/4	2,070.57
1/2		1/2	4,917.97	1/2	4,562.51	1/2	4,206.16	1/2	3,849.35	1/2	3,492.11	1/2	3,134.86	1/2	2,777.62	1/2	2,420.37	1/2	2,063.13
3/4		3/4	4,910.62	3/4	4,555.09	3/4	4,198.73	3/4	3,841.91	3/4	3,484.67	3/4	3,127.42	3/4	2,770.18	3/4	2,412.93	3/4	2,055.69
2		2	4,903.28	2	4,547.66	2	4,191.31	2	3,834.47	2	3,477.22	2	3,119.98	2	2,762.73	2	2,405.49	2	2,048.24
1/4		1/4	4,895.93	1/4	4,540.24	1/4	4,183.88	1/4	3,827.03	1/4	3,469.78	1/4	3,112.54	1/4	2,755.29	1/4	2,398.05	1/4	2,040.80
1/2		1/2	4,888.59	1/2	4,532.82	1/2	4,176.46	1/2	3,819.58	1/2	3,462.34	1/2	3,105.09	1/2	2,747.85	1/2	2,390.60	1/2	2,033.36
3/4		3/4	4,881.24	3/4	4,525.39	3/4	4,169.04	3/4	3,812.14	3/4	3,454.90	3/4	3,097.65	3/4	2,740.41	3/4	2,383.16	3/4	2,025.92
3		3	4,873.89	3	4,517.97	3	4,161.61	3	3,804.70	3	3,447.45	3	3,090.21	3	2,732.96	3	2,375.72	3	2,018.47
1/4		1/4	4,866.55	1/4	4,510.54	1/4	4,154.19	1/4	3,797.26	1/4	3,440.01	1/4	3,082.77	1/4	2,725.52	1/4	2,368.28	1/4	2,011.03
1/2		1/2	4,859.20	1/2	4,503.12	1/2	4,146.76	1/2	3,789.81	1/2	3,432.57	1/2	3,075.32	1/2	2,718.08	1/2	2,360.83	1/2	2,003.59
3/4		3/4	4,851.86	3/4	4,495.70	3/4	4,139.34	3/4	3,782.37	3/4	3,425.13	3/4	3,067.88	3/4	2,710.64	3/4	2,353.39	3/4	1,996.15
4		4	4,844.48	4	4,488.27	4	4,131.91	4	3,774.93	4	3,417.68	4	3,060.44	4	2,703.19	4	2,345.95	4	1,988.70
1/4		1/4	4,837.11	1/4	4,480.85	1/4	4,124.49	1/4	3,767.49	1/4	3,410.24	1/4	3,053.00	1/4	2,695.75	1/4	2,338.51	1/4	1,981.26
1/2		1/2	4,829.73	1/2	4,473.42	1/2	4,117.07	1/2	3,760.04	1/2	3,402.80	1/2	3,045.55	1/2	2,688.31	1/2	2,331.06	1/2	1,973.82
3/4		3/4	4,822.36	3/4	4,466.00	3/4	4,109.64	3/4	3,752.60	3/4	3,395.36	3/4	3,038.11	3/4	2,680.87	3/4	2,323.62	3/4	1,966.38
5		5	4,814.93	5	4,458.57	5	4,102.22	5	3,745.16	5	3,387.91	5	3,030.67	5	2,673.42	5	2,316.18	5	1,958.93
1/4		1/4	4,807.51	1/4	4,451.15	1/4	4,094.79	1/4	3,737.71	1/4	3,380.47	1/4	3,023.23	1/4	2,665.98	1/4	2,308.74	1/4	1,951.49
1/2		1/2	4,800.08	1/2	4,443.73	1/2	4,087.37	1/2	3,730.27	1/2	3,373.03	1/2	3,015.78	1/2	2,658.54	1/2	2,301.29	1/2	1,944.05
3/4		3/4	4,792.66	3/4	4,436.30	3/4	4,079.95	3/4	3,722.83	3/4	3,365.58	3/4	3,008.34	3/4	2,651.10	3/4	2,293.85	3/4	1,936.61
6		6	4,785.24	6	4,428.88	6	4,072.52	6	3,715.39	6	3,358.14	6	3,000.90	6	2,643.65	6	2,286.41	6	1,929.16
1/4	5,105.57	1/4	4,777.81	1/4	4,421.45	1/4	4,065.10	1/4	3,707.94	1/4	3,350.70	1/4	2,993.45	1/4	2,636.21	1/4	2,278.97	1/4	1,921.72
1/2	5,102.10	1/2	4,770.39	1/2	4,414.03	1/2	4,057.67	1/2	3,700.50	1/2	3,343.26	1/2	2,986.01	1/2	2,628.77	1/2	2,271.52	1/2	1,914.28
3/4	5,098.63	3/4	4,762.96	3/4	4,406.61	3/4	4,050.25	3/4	3,693.06	3/4	3,335.81	3/4	2,978.57	3/4	2,621.32	3/4	2,264.08	3/4	1,906.84
7	5,093.92	7	4,755.54	7	4,399.18	7	4,042.82	7	3,685.62	7	3,328.37	7	2,971.13	7	2,613.88	7	2,256.64	7	1,899.39
1/4	5,089.21	1/4	4,748.11	1/4	4,391.76	1/4	4,035.39	1/4	3,678.17	1/4	3,320.93	1/4	2,963.68	1/4	2,606.44	1/4	2,249.19	1/4	1,891.95
1/2	5,084.50	1/2	4,740.69	1/2	4,384.33	1/2	4,027.96	1/2	3,670.73	1/2	3,313.49	1/2	2,956.24	1/2	2,599.00	1/2	2,241.75	1/2	1,884.51
3/4	5,079.79	3/4	4,733.27	3/4	4,376.91	3/4	4,020.53	3/4	3,663.29	3/4	3,306.04	3/4	2,948.80	3/4	2,591.55	3/4	2,234.31	3/4	1,877.06
8	5,073.84	8	4,725.84	8	4,369.49	8	4,013.09	8	3,655.85	8	3,298.60	8	2,941.36	8	2,584.11	8	2,226.87	8	1,869.62
1/4	5,067.89	1/4	4,718.42	1/4	4,362.06	1/4	4,005.65	1/4	3,648.40	1/4	3,291.16	1/4	2,933.91	1/4	2,576.67	1/4	2,219.42	1/4	1,862.18
1/2	5,061.94	1/2	4,710.99	1/2	4,354.64	1/2	3,998.21	1/2	3,640.96	1/2	3,283.72	1/2	2,926.47	1/2	2,569.23	1/2	2,211.98	1/2	1,854.74
3/4	5,055.99	3/4	4,703.57	3/4	4,347.21	3/4	3,990.76	3/4	3,633.52	3/4	3,276.27	3/4	2,919.03	3/4	2,561.78	3/4	2,204.54	3/4	1,847.29
9	5,049.03	9	4,696.15	9	4,339.79	9	3,983.32	9	3,626.08	9	3,268.83	9	2,911.59	9	2,554.34	9	2,197.10	9	1,839.85
1/4	5,042.07	1/4	4,688.72	1/4	4,332.37	1/4	3,975.88	1/4	3,618.63	1/4	3,261.39	1/4	2,904.14	1/4	2,546.90	1/4	2,189.65	1/4	1,832.41
1/2	5,035.11	1/2	4,681.30	1/2	4,324.94	1/2	3,968.44	1/2	3,611.19	1/2	3,253.95	1/2	2,896.70	1/2	2,539.46	1/2	2,182.21	1/2	1,824.97
3/4	5,028.16	3/4	4,673.87	3/4	4,317.52	3/4	3,960.99	3/4	3,603.75	3/4	3,246.50	3/4	2,889.26	3/4	2,532.01	3/4	2,174.77	3/4	1,817.52
10	5,020.81	10	4,666.45	10	4,310.09	10	3,953.55	10	3,596.31	10	3,239.06	10	2,881.82	10	2,524.57	10	2,167.33	10	1,810.08
1/4	5,013.46	1/4	4,659.03	1/4	4,302.67	1/4	3,946.11	1/4	3,588.86	1/4	3,231.62	1/4	2,874.37	1/4	2,517.13	1/4	2,159.88	1/4	1,802.64
1/2	5,006.12	1/2	4,651.60	1/2	4,295.24	1/2	3,938.66	1/2	3,581.42	1/2	3,224.18	1/2	2,866.93	1/2	2,509.69	1/2	2,152.44	1/2	1,795.20
3/4	4,998.77	3/4	4,644.18	3/4	4,287.82	3/4	3,931.22	3/4	3,573.98	3/4	3,216.73	3/4	2,859.49	3/4	2,502.24	3/4	2,145.00	3/4	1,787.75
11	4,991.43	11	4,636.75	11	4,280.40	11	3,923.78	11	3,566.53	11	3,209.29	11	2,852.05	11	2,494.80	11	2,137.56	11	1,780.31
1/4	4,984.08	1/4	4,629.33	1/4	4,272.97	1/4	3,916.34	1/4	3,559.09	1/4	3,201.85	1/4	2,844.60	1/4	2,487.36	1/4	2,130.11	1/4	1,772.87
1/2	4,976.74	1/2	4,621.91	1/2	4,265.55	1/2	3,908.89	1/2	3,551.65	1/2	3,194.40	1/2	2,837.16	1/2	2,479.92	1/2	2,122.67	1/2	1,765.43
3/4	4,969.39	3/4	4,614.48	3/4	4,258.12	3/4	3,901.45	3/4	3,544.21	3/4	3,186.96	3/4	2,829.72	3/4	2,472.47	3/4	2,115.23	3/4	1,757.98

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 36'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

1 STBD

ULLAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,750.54	0	1,394.14	0	1,037.86	0	680.63	0	323.40	0		0		0		0		0	
1/4	1,743.10	1/4	1,386.74	1/4	1,030.42	1/4	673.19	1/4	315.96	1/4		1/4		1/4		1/4		1/4	
1/2	1,735.66	1/2	1,379.34	1/2	1,022.98	1/2	665.75	1/2	308.52	1/2		1/2		1/2		1/2		1/2	
3/4	1,728.21	3/4	1,371.94	3/4	1,015.54	3/4	658.31	3/4	301.08	3/4		3/4		3/4		3/4		3/4	
1	1,720.77	1	1,364.54	1	1,008.09	1	650.86	1	293.63	1		1		1		1		1	
1/4	1,713.33	1/4	1,357.14	1/4	1,000.65	1/4	643.42	1/4	286.19	1/4		1/4		1/4		1/4		1/4	
1/2	1,705.88	1/2	1,349.74	1/2	993.21	1/2	635.98	1/2	278.75	1/2		1/2		1/2		1/2		1/2	
3/4	1,698.44	3/4	1,342.34	3/4	985.77	3/4	628.54	3/4	271.31	3/4		3/4		3/4		3/4		3/4	
2	1,691.00	2	1,334.94	2	978.33	2	621.10	2	263.86	2		2		2		2		2	
1/4	1,683.56	1/4	1,327.54	1/4	970.88	1/4	613.65	1/4	256.42	1/4		1/4		1/4		1/4		1/4	
1/2	1,676.11	1/2	1,320.15	1/2	963.44	1/2	606.21	1/2	248.98	1/2		1/2		1/2		1/2		1/2	
3/4	1,668.67	3/4	1,312.75	3/4	956.00	3/4	598.77	3/4	241.54	3/4		3/4		3/4		3/4		3/4	
3	1,661.23	3	1,305.35	3	948.56	3	591.33	3	234.10	3		3		3		3		3	
1/4	1,653.79	1/4	1,297.95	1/4	941.11	1/4	583.88	1/4	226.65	1/4		1/4		1/4		1/4		1/4	
1/2	1,646.34	1/2	1,290.55	1/2	933.67	1/2	576.44	1/2	219.21	1/2		1/2		1/2		1/2		1/2	
3/4	1,638.90	3/4	1,283.15	3/4	926.23	3/4	569.00	3/4	211.77	3/4		3/4		3/4		3/4		3/4	
4	1,631.46	4	1,275.74	4	918.79	4	561.56	4	204.33	4		4		4		4		4	
1/4	1,624.02	1/4	1,268.34	1/4	911.34	1/4	554.11	1/4	196.89	1/4		1/4		1/4		1/4		1/4	
1/2	1,616.57	1/2	1,260.93	1/2	903.90	1/2	546.67	1/2	189.45	1/2		1/2		1/2		1/2		1/2	
3/4	1,609.13	3/4	1,253.53	3/4	896.46	3/4	539.23	3/4	182.01	3/4		3/4		3/4		3/4		3/4	
5	1,601.69	5	1,246.11	5	889.02	5	531.79	5	174.57	5		5		5		5		5	
1/4	1,594.25	1/4	1,238.70	1/4	881.58	1/4	524.35	1/4	167.14	1/4		1/4		1/4		1/4		1/4	
1/2	1,586.80	1/2	1,231.28	1/2	874.13	1/2	516.90	1/2	159.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,579.36	3/4	1,223.86	3/4	866.69	3/4	509.46	3/4	152.27	3/4		3/4		3/4		3/4		3/4	
6	1,571.93	6	1,216.44	6	859.25	6	502.02	6	144.85	6		6		6		6		6	
1/4	1,564.50	1/4	1,209.01	1/4	851.81	1/4	494.58	1/4	137.43	1/4		1/4		1/4		1/4		1/4	
1/2	1,557.06	1/2	1,201.58	1/2	844.36	1/2	487.13	1/2	130.00	1/2		1/2		1/2		1/2		1/2	
3/4	1,549.63	3/4	1,194.15	3/4	836.92	3/4	479.69	3/4	122.58	3/4		3/4		3/4		3/4		3/4	
7	1,542.21	7	1,186.71	7	829.48	7	472.25	7	115.18	7		7		7		7		7	
1/4	1,534.80	1/4	1,179.27	1/4	822.04	1/4	464.81	1/4	107.77	1/4		1/4		1/4		1/4		1/4	
1/2	1,527.38	1/2	1,171.83	1/2	814.60	1/2	457.36	1/2	100.37	1/2		1/2		1/2		1/2		1/2	
3/4	1,519.96	3/4	1,164.38	3/4	807.15	3/4	449.92	3/4	92.96	3/4		3/4		3/4		3/4		3/4	
8	1,512.55	8	1,156.94	8	799.71	8	442.48	8	85.59	8		8		8		8		8	
1/4	1,505.14	1/4	1,149.50	1/4	792.27	1/4	435.04	1/4	78.21	1/4		1/4		1/4		1/4		1/4	
1/2	1,497.73	1/2	1,142.06	1/2	784.83	1/2	427.60	1/2	70.84	1/2		1/2		1/2		1/2		1/2	
3/4	1,490.32	3/4	1,134.61	3/4	777.38	3/4	420.15	3/4	63.47	3/4		3/4		3/4		3/4		3/4	
9	1,482.92	9	1,127.17	9	769.94	9	412.71	9	56.55	9		9		9		9		9	
1/4	1,475.52	1/4	1,119.73	1/4	762.50	1/4	405.27	1/4	49.63	1/4		1/4		1/4		1/4		1/4	
1/2	1,468.13	1/2	1,112.29	1/2	755.06	1/2	397.83	1/2	42.72	1/2		1/2		1/2		1/2		1/2	
3/4	1,460.73	3/4	1,104.84	3/4	747.61	3/4	390.38	3/4	35.80	3/4		3/4		3/4		3/4		3/4	
10	1,453.33	10	1,097.40	10	740.17	10	382.94	10	30.53	10		10		10		10		10	
1/4	1,445.93	1/4	1,089.96	1/4	732.73	1/4	375.50	1/4	25.26	1/4		1/4		1/4		1/4		1/4	
1/2	1,438.53	1/2	1,082.52	1/2	725.29	1/2	368.06	1/2	19.99	1/2		1/2		1/2		1/2		1/2	
3/4	1,431.13	3/4	1,075.08	3/4	717.85	3/4	360.61	3/4	14.72	3/4		3/4		3/4		3/4		3/4	
11	1,423.73	11	1,067.63	11	710.40	11	353.17	11		11		11		11		11		11	
1/4	1,416.33	1/4	1,060.19	1/4	702.96	1/4	345.73	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,408.93	1/2	1,052.75	1/2	695.52	1/2	338.29	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,401.53	3/4	1,045.31	3/4	688.08	3/4	330.85	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 PORT ULLAGE TABLE

2" PIPE GAUGE HEIGHT 14'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	5,361.40	0	4,976.81	0	4,590.73	0	4,204.29	0	3,817.25	0	3,430.21	0	3,043.16	0	2,656.12	0	2,269.08
1/4		1/4	5,353.45	1/4	4,968.76	1/4	4,582.68	1/4	4,196.23	1/4	3,809.19	1/4	3,422.14	1/4	3,035.10	1/4	2,648.06	1/4	2,261.01
1/2		1/2	5,345.49	1/2	4,960.72	1/2	4,574.64	1/2	4,188.17	1/2	3,801.12	1/2	3,414.08	1/2	3,027.04	1/2	2,639.99	1/2	2,252.95
3/4		3/4	5,337.53	3/4	4,952.68	3/4	4,566.60	3/4	4,180.10	3/4	3,793.06	3/4	3,406.02	3/4	3,018.97	3/4	2,631.93	3/4	2,244.89
1		1	5,329.57	1	4,944.63	1	4,558.55	1	4,172.04	1	3,785.00	1	3,397.95	1	3,010.91	1	2,623.87	1	2,236.82
1/4		1/4	5,321.61	1/4	4,936.59	1/4	4,550.51	1/4	4,163.98	1/4	3,776.93	1/4	3,389.89	1/4	3,002.85	1/4	2,615.80	1/4	2,228.76
1/2		1/2	5,313.65	1/2	4,928.55	1/2	4,542.47	1/2	4,155.91	1/2	3,768.87	1/2	3,381.83	1/2	2,994.78	1/2	2,607.74	1/2	2,220.70
3/4		3/4	5,305.70	3/4	4,920.50	3/4	4,534.42	3/4	4,147.85	3/4	3,760.81	3/4	3,373.76	3/4	2,986.72	3/4	2,599.68	3/4	2,212.63
2		2	5,297.74	2	4,912.46	2	4,526.38	2	4,139.79	2	3,752.74	2	3,365.70	2	2,978.66	2	2,591.61	2	2,204.57
1/4		1/4	5,289.78	1/4	4,904.42	1/4	4,518.34	1/4	4,131.72	1/4	3,744.68	1/4	3,357.64	1/4	2,970.59	1/4	2,583.55	1/4	2,196.51
1/2		1/2	5,281.82	1/2	4,896.37	1/2	4,510.29	1/2	4,123.66	1/2	3,736.62	1/2	3,349.57	1/2	2,962.53	1/2	2,575.49	1/2	2,188.44
3/4		3/4	5,273.86	3/4	4,888.33	3/4	4,502.25	3/4	4,115.60	3/4	3,728.55	3/4	3,341.51	3/4	2,954.47	3/4	2,567.42	3/4	2,180.38
3		3	5,265.90	3	4,880.29	3	4,494.21	3	4,107.53	3	3,720.49	3	3,333.45	3	2,946.40	3	2,559.36	3	2,172.32
1/4		1/4	5,257.94	1/4	4,872.24	1/4	4,486.16	1/4	4,099.47	1/4	3,712.43	1/4	3,325.38	1/4	2,938.34	1/4	2,551.30	1/4	2,164.25
1/2		1/2	5,249.99	1/2	4,864.20	1/2	4,478.12	1/2	4,091.41	1/2	3,704.36	1/2	3,317.32	1/2	2,930.28	1/2	2,543.23	1/2	2,156.19
3/4		3/4	5,242.03	3/4	4,856.16	3/4	4,470.08	3/4	4,083.34	3/4	3,696.30	3/4	3,309.26	3/4	2,922.21	3/4	2,535.17	3/4	2,148.13
4		4	5,234.04	4	4,848.11	4	4,462.03	4	4,075.28	4	3,688.24	4	3,301.19	4	2,914.15	4	2,527.11	4	2,140.06
1/4		1/4	5,226.04	1/4	4,840.07	1/4	4,453.99	1/4	4,067.21	1/4	3,680.17	1/4	3,293.13	1/4	2,906.09	1/4	2,519.04	1/4	2,132.00
1/2		1/2	5,218.05	1/2	4,832.03	1/2	4,445.95	1/2	4,059.15	1/2	3,672.11	1/2	3,285.07	1/2	2,898.02	1/2	2,510.98	1/2	2,123.94
3/4		3/4	5,210.06	3/4	4,823.98	3/4	4,437.90	3/4	4,051.09	3/4	3,664.04	3/4	3,277.00	3/4	2,889.96	3/4	2,502.92	3/4	2,115.87
5		5	5,202.02	5	4,815.94	5	4,429.86	5	4,043.02	5	3,655.98	5	3,268.94	5	2,881.90	5	2,494.85	5	2,107.81
1/4		1/4	5,193.97	1/4	4,807.90	1/4	4,421.82	1/4	4,034.96	1/4	3,647.92	1/4	3,260.87	1/4	2,873.83	1/4	2,486.79	1/4	2,099.75
1/2		1/2	5,185.93	1/2	4,799.85	1/2	4,413.77	1/2	4,026.90	1/2	3,639.85	1/2	3,252.81	1/2	2,865.77	1/2	2,478.73	1/2	2,091.68
3/4		3/4	5,177.89	3/4	4,791.81	3/4	4,405.73	3/4	4,018.83	3/4	3,631.79	3/4	3,244.75	3/4	2,857.70	3/4	2,470.66	3/4	2,083.62
6		6	5,169.84	6	4,783.77	6	4,397.69	6	4,010.77	6	3,623.73	6	3,236.68	6	2,849.64	6	2,462.60	6	2,075.56
1/4	5,516.90	1/4	5,161.80	1/4	4,775.72	1/4	4,389.64	1/4	4,002.71	1/4	3,615.66	1/4	3,228.62	1/4	2,841.58	1/4	2,454.53	1/4	2,067.49
1/2	5,513.14	1/2	5,153.76	1/2	4,767.68	1/2	4,381.60	1/2	3,994.64	1/2	3,607.60	1/2	3,220.56	1/2	2,833.51	1/2	2,446.47	1/2	2,059.43
3/4	5,509.38	3/4	5,145.71	3/4	4,759.64	3/4	4,373.56	3/4	3,986.58	3/4	3,599.54	3/4	3,212.49	3/4	2,825.45	3/4	2,438.41	3/4	2,051.36
7	5,504.28	7	5,137.67	7	4,751.59	7	4,365.51	7	3,978.52	7	3,591.47	7	3,204.43	7	2,817.39	7	2,430.34	7	2,043.30
1/4	5,499.18	1/4	5,129.63	1/4	4,743.55	1/4	4,357.46	1/4	3,970.45	1/4	3,583.41	1/4	3,196.37	1/4	2,809.32	1/4	2,422.28	1/4	2,035.24
1/2	5,494.07	1/2	5,121.58	1/2	4,735.51	1/2	4,349.42	1/2	3,962.39	1/2	3,575.35	1/2	3,188.30	1/2	2,801.26	1/2	2,414.22	1/2	2,027.17
3/4	5,488.97	3/4	5,113.54	3/4	4,727.46	3/4	4,341.37	3/4	3,954.33	3/4	3,567.28	3/4	3,180.24	3/4	2,793.20	3/4	2,406.15	3/4	2,019.11
8	5,482.52	8	5,105.50	8	4,719.42	8	4,333.31	8	3,946.26	8	3,559.22	8	3,172.18	8	2,785.13	8	2,398.09	8	2,011.05
1/4	5,476.08	1/4	5,097.45	1/4	4,711.38	1/4	4,325.24	1/4	3,938.20	1/4	3,551.16	1/4	3,164.11	1/4	2,777.07	1/4	2,390.03	1/4	2,002.98
1/2	5,469.63	1/2	5,089.41	1/2	4,703.33	1/2	4,317.18	1/2	3,930.14	1/2	3,543.09	1/2	3,156.05	1/2	2,769.01	1/2	2,381.96	1/2	1,994.92
3/4	5,463.18	3/4	5,081.37	3/4	4,695.29	3/4	4,309.12	3/4	3,922.07	3/4	3,535.03	3/4	3,147.99	3/4	2,760.94	3/4	2,373.90	3/4	1,986.86
9	5,455.65	9	5,073.32	9	4,687.25	9	4,301.05	9	3,914.01	9	3,526.97	9	3,139.92	9	2,752.88	9	2,365.84	9	1,978.79
1/4	5,448.11	1/4	5,065.28	1/4	4,679.20	1/4	4,292.99	1/4	3,905.95	1/4	3,518.90	1/4	3,131.86	1/4	2,744.82	1/4	2,357.77	1/4	1,970.73
1/2	5,440.57	1/2	5,057.24	1/2	4,671.16	1/2	4,284.93	1/2	3,897.88	1/2	3,510.84	1/2	3,123.80	1/2	2,736.75	1/2	2,349.71	1/2	1,962.67
3/4	5,433.03	3/4	5,049.19	3/4	4,663.12	3/4	4,276.86	3/4	3,889.82	3/4	3,502.78	3/4	3,115.73	3/4	2,728.69	3/4	2,341.65	3/4	1,954.60
10	5,425.07	10	5,041.15	10	4,655.07	10	4,268.80	10	3,881.76	10	3,494.71	10	3,107.67	10	2,720.63	10	2,333.58	10	1,946.54
1/4	5,417.11	1/4	5,033.11	1/4	4,647.03	1/4	4,260.74	1/4	3,873.69	1/4	3,486.65	1/4	3,099.61	1/4	2,712.56	1/4	2,325.52	1/4	1,938.48
1/2	5,409.16	1/2	5,025.07	1/2	4,638.99	1/2	4,252.67	1/2	3,865.63	1/2	3,478.59	1/2	3,091.54	1/2	2,704.50	1/2	2,317.46	1/2	1,930.41
3/4	5,401.20	3/4	5,017.02	3/4	4,630.94	3/4	4,244.61	3/4	3,857.57	3/4	3,470.52	3/4	3,083.48	3/4	2,696.44	3/4	2,309.39	3/4	1,922.35
11	5,393.24	11	5,008.98	11	4,622.90	11	4,236.55	11	3,849.50	11	3,462.46	11	3,075.42	11	2,688.37	11	2,301.33	11	1,914.29
1/4	5,385.28	1/4	5,000.94	1/4	4,614.86	1/4	4,228.48	1/4	3,841.44	1/4	3,454.40	1/4	3,067.35	1/4	2,680.31	1/4	2,293.27	1/4	1,906.22
1/2	5,377.32	1/2	4,992.89	1/2	4,606.81	1/2	4,220.42	1/2	3,833.38	1/2	3,446.33	1/2	3,059.29	1/2	2,672.25	1/2	2,285.20	1/2	1,898.16
3/4	5,369.36	3/4	4,984.85	3/4	4,598.77	3/4	4,212.36	3/4	3,825.31	3/4	3,438.27	3/4	3,051.23	3/4	2,664.18	3/4	2,277.14	3/4	1,890.10

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 42'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 PORT ULLAGE TABLE 2" PIPE GAUGE HEIGHT 14'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,882.03	0	1,495.83	0	1,117.85	0	737.37	0	350.34	0		0		0		0		0	
1/4	1,873.97	1/4	1,487.81	1/4	1,110.09	1/4	729.31	1/4	342.28	1/4		1/4		1/4		1/4		1/4	
1/2	1,865.91	1/2	1,479.79	1/2	1,102.33	1/2	721.24	1/2	334.21	1/2		1/2		1/2		1/2		1/2	
3/4	1,857.84	3/4	1,471.77	3/4	1,094.57	3/4	713.18	3/4	326.15	3/4		3/4		3/4		3/4		3/4	
1	1,849.78	1	1,463.75	1	1,086.81	1	705.12	1	318.09	1		1		1		1		1	
1/4	1,841.72	1/4	1,455.73	1/4	1,079.06	1/4	697.05	1/4	310.03	1/4		1/4		1/4		1/4		1/4	
1/2	1,833.65	1/2	1,447.71	1/2	1,071.30	1/2	688.99	1/2	301.96	1/2		1/2		1/2		1/2		1/2	
3/4	1,825.59	3/4	1,439.69	3/4	1,063.54	3/4	680.93	3/4	293.90	3/4		3/4		3/4		3/4		3/4	
2	1,817.53	2	1,431.67	2	1,055.78	2	672.86	2	285.84	2		2		2		2		2	
1/4	1,809.46	1/4	1,423.65	1/4	1,048.02	1/4	664.80	1/4	277.77	1/4		1/4		1/4		1/4		1/4	
1/2	1,801.40	1/2	1,415.63	1/2	1,040.26	1/2	656.74	1/2	269.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,793.34	3/4	1,407.61	3/4	1,032.51	3/4	648.68	3/4	261.65	3/4		3/4		3/4		3/4		3/4	
3	1,785.27	3	1,399.59	3	1,024.75	3	640.61	3	253.58	3		3		3		3		3	
1/4	1,777.21	1/4	1,391.57	1/4	1,016.99	1/4	632.55	1/4	245.52	1/4		1/4		1/4		1/4		1/4	
1/2	1,769.15	1/2	1,383.55	1/2	1,009.23	1/2	624.49	1/2	237.46	1/2		1/2		1/2		1/2		1/2	
3/4	1,761.08	3/4	1,375.53	3/4	1,001.47	3/4	616.42	3/4	229.40	3/4		3/4		3/4		3/4		3/4	
4	1,753.02	4	1,367.51	4	993.71	4	608.36	4	221.33	4		4		4		4		4	
1/4	1,744.96	1/4	1,359.48	1/4	985.96	1/4	600.30	1/4	213.27	1/4		1/4		1/4		1/4		1/4	
1/2	1,736.89	1/2	1,351.45	1/2	978.20	1/2	592.23	1/2	205.21	1/2		1/2		1/2		1/2		1/2	
3/4	1,728.83	3/4	1,343.43	3/4	970.44	3/4	584.17	3/4	197.15	3/4		3/4		3/4		3/4		3/4	
5	1,720.77	5	1,335.51	5	962.57	5	576.11	5	189.10	5		5		5		5		5	
1/4	1,712.70	1/4	1,327.58	1/4	954.69	1/4	568.04	1/4	181.04	1/4		1/4		1/4		1/4		1/4	
1/2	1,704.64	1/2	1,319.66	1/2	946.82	1/2	559.98	1/2	172.99	1/2		1/2		1/2		1/2		1/2	
3/4	1,696.58	3/4	1,311.74	3/4	938.95	3/4	551.92	3/4	164.94	3/4		3/4		3/4		3/4		3/4	
6	1,688.52	6	1,304.00	6	930.88	6	543.86	6	156.89	6		6		6		6		6	
1/4	1,680.47	1/4	1,296.25	1/4	922.82	1/4	535.79	1/4	148.85	1/4		1/4		1/4		1/4		1/4	
1/2	1,672.41	1/2	1,288.51	1/2	914.76	1/2	527.73	1/2	140.81	1/2		1/2		1/2		1/2		1/2	
3/4	1,664.36	3/4	1,280.77	3/4	906.69	3/4	519.67	3/4	132.77	3/4		3/4		3/4		3/4		3/4	
7	1,656.32	7	1,273.01	7	898.63	7	511.60	7	124.75	7		7		7		7		7	
1/4	1,648.29	1/4	1,265.26	1/4	890.57	1/4	503.54	1/4	116.72	1/4		1/4		1/4		1/4		1/4	
1/2	1,640.25	1/2	1,257.50	1/2	882.51	1/2	495.48	1/2	108.70	1/2		1/2		1/2		1/2		1/2	
3/4	1,632.21	3/4	1,249.74	3/4	874.44	3/4	487.41	3/4	100.68	3/4		3/4		3/4		3/4		3/4	
8	1,624.18	8	1,241.98	8	866.38	8	479.35	8	92.69	8		8		8		8		8	
1/4	1,616.15	1/4	1,234.22	1/4	858.32	1/4	471.29	1/4	84.70	1/4		1/4		1/4		1/4		1/4	
1/2	1,608.12	1/2	1,226.46	1/2	850.25	1/2	463.22	1/2	76.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,600.09	3/4	1,218.71	3/4	842.19	3/4	455.16	3/4	68.72	3/4		3/4		3/4		3/4		3/4	
9	1,592.07	9	1,210.95	9	834.13	9	447.10	9	61.23	9		9		9		9		9	
1/4	1,584.05	1/4	1,203.19	1/4	826.06	1/4	439.04	1/4	53.73	1/4		1/4		1/4		1/4		1/4	
1/2	1,576.03	1/2	1,195.43	1/2	818.00	1/2	430.97	1/2	46.24	1/2		1/2		1/2		1/2		1/2	
3/4	1,568.01	3/4	1,187.67	3/4	809.94	3/4	422.91	3/4	38.75	3/4		3/4		3/4		3/4		3/4	
10	1,559.99	10	1,179.91	10	801.87	10	414.85	10	33.04	10		10		10		10		10	
1/4	1,551.97	1/4	1,172.16	1/4	793.81	1/4	406.78	1/4	27.33	1/4		1/4		1/4		1/4		1/4	
1/2	1,543.95	1/2	1,164.40	1/2	785.75	1/2	398.72	1/2	21.62	1/2		1/2		1/2		1/2		1/2	
3/4	1,535.93	3/4	1,156.64	3/4	777.69	3/4	390.66	3/4	15.91	3/4		3/4		3/4		3/4		3/4	
11	1,527.91	11	1,148.88	11	769.62	11	382.59	11		11		11		11		11		11	
1/4	1,519.89	1/4	1,141.12	1/4	761.56	1/4	374.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,511.87	1/2	1,133.36	1/2	753.50	1/2	366.47	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,503.85	3/4	1,125.61	3/4	745.43	3/4	358.40	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 STBD ULLAGE TABLE

2" PIPE GAUGE HEIGHT 14'-10 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	5,362.15	0	4,977.89	0	4,592.24	0	4,206.21	0	3,819.60	0	3,432.98	0	3,046.36	0	2,659.75	0	2,273.13
1/4		1/4	5,354.20	1/4	4,969.86	1/4	4,584.21	1/4	4,198.16	1/4	3,811.54	1/4	3,424.93	1/4	3,038.31	1/4	2,651.69	1/4	2,265.08
1/2		1/2	5,346.25	1/2	4,961.82	1/2	4,576.17	1/2	4,190.10	1/2	3,803.49	1/2	3,416.87	1/2	3,030.26	1/2	2,643.64	1/2	2,257.02
3/4		3/4	5,338.30	3/4	4,953.79	3/4	4,568.14	3/4	4,182.05	3/4	3,795.43	3/4	3,408.82	3/4	3,022.20	3/4	2,635.59	3/4	2,248.97
1		1	5,330.35	1	4,945.75	1	4,560.10	1	4,173.99	1	3,787.38	1	3,400.76	1	3,014.15	1	2,627.53	1	2,240.91
1/4		1/4	5,322.40	1/4	4,937.72	1/4	4,552.07	1/4	4,165.94	1/4	3,779.32	1/4	3,392.71	1/4	3,006.09	1/4	2,619.48	1/4	2,232.86
1/2		1/2	5,314.45	1/2	4,929.68	1/2	4,544.03	1/2	4,157.89	1/2	3,771.27	1/2	3,384.65	1/2	2,998.04	1/2	2,611.42	1/2	2,224.81
3/4		3/4	5,306.50	3/4	4,921.65	3/4	4,536.00	3/4	4,149.83	3/4	3,763.22	3/4	3,376.60	3/4	2,989.98	3/4	2,603.37	3/4	2,216.75
2		2	5,298.55	2	4,913.62	2	4,527.96	2	4,141.78	2	3,755.16	2	3,368.54	2	2,981.93	2	2,595.31	2	2,208.70
1/4		1/4	5,290.60	1/4	4,905.58	1/4	4,519.93	1/4	4,133.72	1/4	3,747.11	1/4	3,360.49	1/4	2,973.87	1/4	2,587.26	1/4	2,200.64
1/2		1/2	5,282.65	1/2	4,897.55	1/2	4,511.90	1/2	4,125.67	1/2	3,739.05	1/2	3,352.44	1/2	2,965.82	1/2	2,579.20	1/2	2,192.59
3/4		3/4	5,274.70	3/4	4,889.51	3/4	4,503.86	3/4	4,117.61	3/4	3,731.00	3/4	3,344.38	3/4	2,957.77	3/4	2,571.15	3/4	2,184.53
3		3	5,266.75	3	4,881.48	3	4,495.83	3	4,109.56	3	3,722.94	3	3,336.33	3	2,949.71	3	2,563.09	3	2,176.48
1/4		1/4	5,258.80	1/4	4,873.44	1/4	4,487.79	1/4	4,101.50	1/4	3,714.89	1/4	3,328.27	1/4	2,941.66	1/4	2,555.04	1/4	2,168.42
1/2		1/2	5,250.85	1/2	4,865.41	1/2	4,479.76	1/2	4,093.45	1/2	3,706.83	1/2	3,320.22	1/2	2,933.60	1/2	2,546.99	1/2	2,160.37
3/4		3/4	5,242.87	3/4	4,857.38	3/4	4,471.72	3/4	4,085.40	3/4	3,698.78	3/4	3,312.16	3/4	2,925.55	3/4	2,538.93	3/4	2,152.32
4		4	5,234.89	4	4,849.34	4	4,463.69	4	4,077.34	4	3,690.72	4	3,304.11	4	2,917.49	4	2,530.88	4	2,144.26
1/4		1/4	5,226.91	1/4	4,841.31	1/4	4,455.66	1/4	4,069.29	1/4	3,682.67	1/4	3,296.05	1/4	2,909.44	1/4	2,522.82	1/4	2,136.21
1/2		1/2	5,218.92	1/2	4,833.27	1/2	4,447.62	1/2	4,061.23	1/2	3,674.62	1/2	3,288.00	1/2	2,901.38	1/2	2,514.77	1/2	2,128.15
3/4		3/4	5,210.89	3/4	4,825.24	3/4	4,439.59	3/4	4,053.18	3/4	3,666.56	3/4	3,279.95	3/4	2,893.33	3/4	2,506.71	3/4	2,120.10
5		5	5,202.85	5	4,817.20	5	4,431.55	5	4,045.12	5	3,658.51	5	3,271.89	5	2,885.27	5	2,498.66	5	2,112.04
1/4		1/4	5,194.82	1/4	4,809.17	1/4	4,423.52	1/4	4,037.07	1/4	3,650.45	1/4	3,263.84	1/4	2,877.22	1/4	2,490.60	1/4	2,103.99
1/2		1/2	5,186.79	1/2	4,801.13	1/2	4,415.48	1/2	4,029.01	1/2	3,642.40	1/2	3,255.78	1/2	2,869.17	1/2	2,482.55	1/2	2,095.93
3/4		3/4	5,178.75	3/4	4,793.10	3/4	4,407.45	3/4	4,020.96	3/4	3,634.34	3/4	3,247.73	3/4	2,861.11	3/4	2,474.50	3/4	2,087.88
6	5,525.42	6	5,170.72	6	4,785.07	6	4,399.41	6	4,012.90	6	3,626.29	6	3,239.67	6	2,853.06	6	2,466.44	6	2,079.82
1/4	5,521.67	1/4	5,162.68	1/4	4,777.03	1/4	4,391.38	1/4	4,004.85	1/4	3,618.23	1/4	3,231.62	1/4	2,845.00	1/4	2,458.39	1/4	2,071.77
1/2	5,517.91	1/2	5,154.65	1/2	4,769.00	1/2	4,383.35	1/2	3,996.80	1/2	3,610.18	1/2	3,223.56	1/2	2,836.95	1/2	2,450.33	1/2	2,063.72
3/4	5,512.82	3/4	5,146.61	3/4	4,760.96	3/4	4,375.31	3/4	3,988.74	3/4	3,602.13	3/4	3,215.51	3/4	2,828.89	3/4	2,442.28	3/4	2,055.66
7	5,507.72	7	5,138.58	7	4,752.93	7	4,367.27	7	3,980.69	7	3,594.07	7	3,207.45	7	2,820.84	7	2,434.22	7	2,047.61
1/4	5,502.62	1/4	5,130.54	1/4	4,744.89	1/4	4,359.23	1/4	3,972.63	1/4	3,586.02	1/4	3,199.40	1/4	2,812.78	1/4	2,426.17	1/4	2,039.55
1/2	5,497.53	1/2	5,122.51	1/2	4,736.86	1/2	4,351.19	1/2	3,964.58	1/2	3,577.96	1/2	3,191.35	1/2	2,804.73	1/2	2,418.11	1/2	2,031.50
3/4	5,491.09	3/4	5,114.48	3/4	4,728.82	3/4	4,343.14	3/4	3,956.52	3/4	3,569.91	3/4	3,183.29	3/4	2,796.68	3/4	2,410.06	3/4	2,023.44
8	5,484.65	8	5,106.44	8	4,720.79	8	4,335.08	8	3,948.47	8	3,561.85	8	3,175.24	8	2,788.62	8	2,402.00	8	2,015.39
1/4	5,478.21	1/4	5,098.41	1/4	4,712.76	1/4	4,327.03	1/4	3,940.41	1/4	3,553.80	1/4	3,167.18	1/4	2,780.57	1/4	2,393.95	1/4	2,007.33
1/2	5,471.77	1/2	5,090.37	1/2	4,704.72	1/2	4,318.98	1/2	3,932.36	1/2	3,545.74	1/2	3,159.13	1/2	2,772.51	1/2	2,385.90	1/2	1,999.28
3/4	5,464.24	3/4	5,082.34	3/4	4,696.69	3/4	4,310.92	3/4	3,924.31	3/4	3,537.69	3/4	3,151.07	3/4	2,764.46	3/4	2,377.84	3/4	1,991.23
9	5,456.71	9	5,074.30	9	4,688.65	9	4,302.87	9	3,916.25	9	3,529.63	9	3,143.02	9	2,756.40	9	2,369.79	9	1,983.17
1/4	5,449.18	1/4	5,066.27	1/4	4,680.62	1/4	4,294.81	1/4	3,908.20	1/4	3,521.58	1/4	3,134.96	1/4	2,748.35	1/4	2,361.73	1/4	1,975.12
1/2	5,441.64	1/2	5,058.24	1/2	4,672.58	1/2	4,286.76	1/2	3,900.14	1/2	3,513.53	1/2	3,126.91	1/2	2,740.29	1/2	2,353.68	1/2	1,967.06
3/4	5,433.69	3/4	5,050.20	3/4	4,664.55	3/4	4,278.70	3/4	3,892.09	3/4	3,505.47	3/4	3,118.86	3/4	2,732.24	3/4	2,345.62	3/4	1,959.01
10	5,425.75	10	5,042.17	10	4,656.52	10	4,270.65	10	3,884.03	10	3,497.42	10	3,110.80	10	2,724.18	10	2,337.57	10	1,950.95
1/4	5,417.80	1/4	5,034.13	1/4	4,648.48	1/4	4,262.59	1/4	3,875.98	1/4	3,489.36	1/4	3,102.75	1/4	2,716.13	1/4	2,329.51	1/4	1,942.90
1/2	5,409.85	1/2	5,026.10	1/2	4,640.45	1/2	4,254.54	1/2	3,867.92	1/2	3,481.31	1/2	3,094.69	1/2	2,708.08	1/2	2,321.46	1/2	1,934.84
3/4	5,401.90	3/4	5,018.06	3/4	4,632.41	3/4	4,246.49	3/4	3,859.87	3/4	3,473.25	3/4	3,086.64	3/4	2,700.02	3/4	2,313.41	3/4	1,926.79
11	5,393.95	11	5,010.03	11	4,624.38	11	4,238.43	11	3,851.81	11	3,465.20	11	3,078.58	11	2,691.97	11	2,305.35	11	1,918.73
1/4	5,386.00	1/4	5,001.99	1/4	4,616.34	1/4	4,230.38	1/4	3,843.76	1/4	3,457.14	1/4	3,070.53	1/4	2,683.91	1/4	2,297.30	1/4	1,910.68
1/2	5,378.05	1/2	4,993.96	1/2	4,608.31	1/2	4,222.32	1/2	3,835.71	1/2	3,449.09	1/2	3,062.47	1/2	2,675.86	1/2	2,289.24	1/2	1,902.63
3/4	5,370.10	3/4	4,985.93	3/4	4,600.27	3/4	4,214.27	3/4	3,827.65	3/4	3,441.04	3/4	3,054.42	3/4	2,667.80	3/4	2,281.19	3/4	1,894.57

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 42'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

2 STBD

ULLAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-10 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,886.52	0	1,500.78	0	1,115.10	0	728.50	0	341.90	0		0		0		0		0	
1/4	1,878.46	1/4	1,492.77	1/4	1,107.05	1/4	720.45	1/4	333.85	1/4		1/4		1/4		1/4		1/4	
1/2	1,870.41	1/2	1,484.76	1/2	1,098.99	1/2	712.39	1/2	325.79	1/2		1/2		1/2		1/2		1/2	
3/4	1,862.35	3/4	1,476.75	3/4	1,090.94	3/4	704.34	3/4	317.74	3/4		3/4		3/4		3/4		3/4	
1	1,854.30	1	1,468.74	1	1,082.89	1	696.28	1	309.68	1		1		1		1		1	
1/4	1,846.24	1/4	1,460.73	1/4	1,074.83	1/4	688.23	1/4	301.63	1/4		1/4		1/4		1/4		1/4	
1/2	1,838.19	1/2	1,452.72	1/2	1,066.78	1/2	680.18	1/2	293.57	1/2		1/2		1/2		1/2		1/2	
3/4	1,830.14	3/4	1,444.71	3/4	1,058.72	3/4	672.12	3/4	285.52	3/4		3/4		3/4		3/4		3/4	
2	1,822.08	2	1,436.70	2	1,050.67	2	664.07	2	277.47	2		2		2		2		2	
1/4	1,814.03	1/4	1,428.69	1/4	1,042.61	1/4	656.01	1/4	269.41	1/4		1/4		1/4		1/4		1/4	
1/2	1,805.97	1/2	1,420.68	1/2	1,034.56	1/2	647.96	1/2	261.36	1/2		1/2		1/2		1/2		1/2	
3/4	1,797.92	3/4	1,412.67	3/4	1,026.51	3/4	639.90	3/4	253.30	3/4		3/4		3/4		3/4		3/4	
3	1,789.86	3	1,404.65	3	1,018.45	3	631.85	3	245.25	3		3		3		3		3	
1/4	1,781.81	1/4	1,396.64	1/4	1,010.40	1/4	623.80	1/4	237.20	1/4		1/4		1/4		1/4		1/4	
1/2	1,773.75	1/2	1,388.63	1/2	1,002.34	1/2	615.74	1/2	229.14	1/2		1/2		1/2		1/2		1/2	
3/4	1,765.70	3/4	1,380.61	3/4	994.29	3/4	607.69	3/4	221.09	3/4		3/4		3/4		3/4		3/4	
4	1,757.64	4	1,372.60	4	986.24	4	599.63	4	213.04	4		4		4		4		4	
1/4	1,749.59	1/4	1,364.58	1/4	978.18	1/4	591.58	1/4	204.99	1/4		1/4		1/4		1/4		1/4	
1/2	1,741.54	1/2	1,356.56	1/2	970.13	1/2	583.53	1/2	196.93	1/2		1/2		1/2		1/2		1/2	
3/4	1,733.48	3/4	1,348.53	3/4	962.07	3/4	575.47	3/4	188.89	3/4		3/4		3/4		3/4		3/4	
5	1,725.43	5	1,340.51	5	954.02	5	567.42	5	180.84	5		5		5		5		5	
1/4	1,717.37	1/4	1,332.48	1/4	945.96	1/4	559.36	1/4	172.80	1/4		1/4		1/4		1/4		1/4	
1/2	1,709.32	1/2	1,324.45	1/2	937.91	1/2	551.31	1/2	164.75	1/2		1/2		1/2		1/2		1/2	
3/4	1,701.27	3/4	1,316.41	3/4	929.86	3/4	543.25	3/4	156.72	3/4		3/4		3/4		3/4		3/4	
6	1,693.23	6	1,308.37	6	921.80	6	535.20	6	148.69	6		6		6		6		6	
1/4	1,685.18	1/4	1,300.33	1/4	913.75	1/4	527.15	1/4	140.65	1/4		1/4		1/4		1/4		1/4	
1/2	1,677.14	1/2	1,292.30	1/2	905.69	1/2	519.09	1/2	132.62	1/2		1/2		1/2		1/2		1/2	
3/4	1,669.11	3/4	1,284.24	3/4	897.64	3/4	511.04	3/4	124.61	3/4		3/4		3/4		3/4		3/4	
7	1,661.08	7	1,276.19	7	889.59	7	502.98	7	116.59	7		7		7		7		7	
1/4	1,653.05	1/4	1,268.13	1/4	881.53	1/4	494.93	1/4	108.58	1/4		1/4		1/4		1/4		1/4	
1/2	1,645.03	1/2	1,260.08	1/2	873.48	1/2	486.88	1/2	100.57	1/2		1/2		1/2		1/2		1/2	
3/4	1,637.00	3/4	1,252.02	3/4	865.42	3/4	478.82	3/4	92.59	3/4		3/4		3/4		3/4		3/4	
8	1,628.98	8	1,243.97	8	857.37	8	470.77	8	84.61	8		8		8		8		8	
1/4	1,620.96	1/4	1,235.92	1/4	849.31	1/4	462.71	1/4	76.63	1/4		1/4		1/4		1/4		1/4	
1/2	1,612.94	1/2	1,227.86	1/2	841.26	1/2	454.66	1/2	68.65	1/2		1/2		1/2		1/2		1/2	
3/4	1,604.93	3/4	1,219.81	3/4	833.21	3/4	446.60	3/4	61.16	3/4		3/4		3/4		3/4		3/4	
9	1,596.92	9	1,211.75	9	825.15	9	438.55	9	53.68	9		9		9		9		9	
1/4	1,588.90	1/4	1,203.70	1/4	817.10	1/4	430.50	1/4	46.19	1/4		1/4		1/4		1/4		1/4	
1/2	1,580.89	1/2	1,195.64	1/2	809.04	1/2	422.44	1/2	38.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,572.88	3/4	1,187.59	3/4	800.99	3/4	414.39	3/4	33.00	3/4		3/4		3/4		3/4		3/4	
10	1,564.87	10	1,179.54	10	792.93	10	406.33	10	27.30	10		10		10		10		10	
1/4	1,556.86	1/4	1,171.48	1/4	784.88	1/4	398.28	1/4	21.60	1/4		1/4		1/4		1/4		1/4	
1/2	1,548.85	1/2	1,163.43	1/2	776.83	1/2	390.22	1/2	15.90	1/2		1/2		1/2		1/2		1/2	
3/4	1,540.84	3/4	1,155.37	3/4	768.77	3/4	382.17	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,532.83	11	1,147.32	11	760.72	11	374.12	11		11		11		11		11		11	
1/4	1,524.82	1/4	1,139.27	1/4	752.66	1/4	366.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,516.81	1/2	1,131.21	1/2	744.61	1/2	358.01	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,508.80	3/4	1,123.16	3/4	736.56	3/4	349.95	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 PORT ULLAGE TABLE

2" PIPE GAUGE HEIGHT 14'-11"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,526.35	0	4,277.98	0	4,028.59	0	3,778.98	0	3,529.00	0	3,194.52	0	2,835.18	0	2,475.68	0	2,116.90
1/4		1/4	4,521.21	1/4	4,272.78	1/4	4,023.39	1/4	3,773.77	1/4	3,523.81	1/4	3,187.06	1/4	2,827.69	1/4	2,468.19	1/4	2,109.46
1/2		1/2	4,516.07	1/2	4,267.58	1/2	4,018.20	1/2	3,768.57	1/2	3,518.61	1/2	3,179.59	1/2	2,820.20	1/2	2,460.70	1/2	2,102.02
3/4		3/4	4,510.93	3/4	4,262.39	3/4	4,013.00	3/4	3,763.36	3/4	3,513.41	3/4	3,172.13	3/4	2,812.71	3/4	2,453.21	3/4	2,094.59
1		1	4,505.79	1	4,257.19	1	4,007.80	1	3,758.15	1	3,508.22	1	3,164.66	1	2,805.22	1	2,445.72	1	2,087.15
1/4		1/4	4,500.65	1/4	4,252.00	1/4	4,002.61	1/4	3,752.94	1/4	3,503.04	1/4	3,157.19	1/4	2,797.73	1/4	2,438.23	1/4	2,079.71
1/2		1/2	4,495.51	1/2	4,246.80	1/2	3,997.41	1/2	3,747.73	1/2	3,497.87	1/2	3,149.71	1/2	2,790.24	1/2	2,430.74	1/2	2,072.28
3/4		3/4	4,490.37	3/4	4,241.61	3/4	3,992.22	3/4	3,742.53	3/4	3,492.69	3/4	3,142.23	3/4	2,782.75	3/4	2,423.25	3/4	2,064.84
2		2	4,485.23	2	4,236.41	2	3,987.02	2	3,737.32	2	3,487.51	2	3,134.76	2	2,775.26	2	2,415.77	2	2,057.40
1/4		1/4	4,480.09	1/4	4,231.21	1/4	3,981.83	1/4	3,732.11	1/4	3,481.48	1/4	3,127.27	1/4	2,767.77	1/4	2,408.28	1/4	2,049.97
1/2		1/2	4,474.94	1/2	4,226.02	1/2	3,976.63	1/2	3,726.90	1/2	3,475.44	1/2	3,119.78	1/2	2,760.28	1/2	2,400.79	1/2	2,042.53
3/4		3/4	4,469.80	3/4	4,220.82	3/4	3,971.43	3/4	3,721.69	3/4	3,469.40	3/4	3,112.29	3/4	2,752.79	3/4	2,393.30	3/4	2,035.10
3		3	4,464.66	3	4,215.63	3	3,966.24	3	3,716.49	3	3,463.36	3	3,104.80	3	2,745.30	3	2,385.81	3	2,027.66
1/4		1/4	4,459.52	1/4	4,210.43	1/4	3,961.04	1/4	3,711.28	1/4	3,455.88	1/4	3,097.31	1/4	2,737.81	1/4	2,378.32	1/4	2,020.23
1/2		1/2	4,454.38	1/2	4,205.24	1/2	3,955.85	1/2	3,706.07	1/2	3,448.40	1/2	3,089.82	1/2	2,730.32	1/2	2,370.83	1/2	2,012.79
3/4		3/4	4,449.24	3/4	4,200.04	3/4	3,950.65	3/4	3,700.86	3/4	3,440.92	3/4	3,082.33	3/4	2,722.83	3/4	2,363.34	3/4	2,005.36
4		4	4,444.10	4	4,194.85	4	3,945.46	4	3,695.65	4	3,433.44	4	3,074.84	4	2,715.35	4	2,355.85	4	1,997.92
1/4		1/4	4,438.94	1/4	4,189.65	1/4	3,940.26	1/4	3,690.45	1/4	3,425.97	1/4	3,067.35	1/4	2,707.86	1/4	2,348.36	1/4	1,990.49
1/2		1/2	4,433.78	1/2	4,184.45	1/2	3,935.07	1/2	3,685.24	1/2	3,418.50	1/2	3,059.86	1/2	2,700.37	1/2	2,340.87	1/2	1,983.06
3/4		3/4	4,428.61	3/4	4,179.26	3/4	3,929.87	3/4	3,680.03	3/4	3,411.02	3/4	3,052.37	3/4	2,692.88	3/4	2,333.38	3/4	1,975.62
5		5	4,423.45	5	4,174.06	5	3,924.67	5	3,674.82	5	3,403.55	5	3,044.88	5	2,685.39	5	2,325.89	5	1,968.19
1/4		1/4	4,418.26	1/4	4,168.87	1/4	3,919.48	1/4	3,669.62	1/4	3,396.09	1/4	3,037.39	1/4	2,677.90	1/4	2,318.40	1/4	1,960.75
1/2		1/2	4,413.06	1/2	4,163.67	1/2	3,914.28	1/2	3,664.41	1/2	3,388.62	1/2	3,029.90	1/2	2,670.41	1/2	2,310.91	1/2	1,953.31
3/4		3/4	4,407.87	3/4	4,158.48	3/4	3,909.09	3/4	3,659.20	3/4	3,381.15	3/4	3,022.41	3/4	2,662.92	3/4	2,303.42	3/4	1,945.87
6		6	4,402.67	6	4,153.28	6	3,903.89	6	3,653.99	6	3,373.69	6	3,014.93	6	2,655.43	6	2,295.93	6	1,938.44
1/4		1/4	4,397.47	1/4	4,148.09	1/4	3,898.70	1/4	3,648.78	1/4	3,366.22	1/4	3,007.44	1/4	2,647.94	1/4	2,288.44	1/4	1,930.99
1/2	4,613.78	1/2	4,392.28	1/2	4,142.89	1/2	3,893.50	1/2	3,643.58	1/2	3,358.76	1/2	2,999.95	1/2	2,640.45	1/2	2,280.95	1/2	1,923.55
3/4	4,612.55	3/4	4,387.08	3/4	4,137.69	3/4	3,888.31	3/4	3,638.37	3/4	3,351.29	3/4	2,992.46	3/4	2,632.96	3/4	2,273.46	3/4	1,916.11
7	4,611.33	7	4,381.89	7	4,132.50	7	3,883.11	7	3,633.16	7	3,343.83	7	2,984.97	7	2,625.47	7	2,265.98	7	1,908.67
1/4	4,608.84	1/4	4,376.69	1/4	4,127.30	1/4	3,877.91	1/4	3,627.95	1/4	3,336.36	1/4	2,977.48	1/4	2,617.98	1/4	2,258.49	1/4	1,901.22
1/2	4,606.36	1/2	4,371.50	1/2	4,122.11	1/2	3,872.71	1/2	3,622.74	1/2	3,328.90	1/2	2,969.99	1/2	2,610.49	1/2	2,251.00	1/2	1,893.78
3/4	4,603.88	3/4	4,366.30	3/4	4,116.91	3/4	3,867.51	3/4	3,617.54	3/4	3,321.43	3/4	2,962.50	3/4	2,603.00	3/4	2,243.51	3/4	1,886.34
8	4,601.40	8	4,361.10	8	4,111.72	8	3,862.31	8	3,612.33	8	3,313.97	8	2,955.01	8	2,595.51	8	2,236.02	8	1,878.90
1/4	4,597.67	1/4	4,355.91	1/4	4,106.52	1/4	3,857.10	1/4	3,607.12	1/4	3,306.50	1/4	2,947.52	1/4	2,588.02	1/4	2,228.55	1/4	1,871.44
1/2	4,593.94	1/2	4,350.71	1/2	4,101.32	1/2	3,851.89	1/2	3,601.91	1/2	3,299.04	1/2	2,940.03	1/2	2,580.53	1/2	2,221.08	1/2	1,863.97
3/4	4,590.21	3/4	4,345.52	3/4	4,096.13	3/4	3,846.68	3/4	3,596.70	3/4	3,291.57	3/4	2,932.54	3/4	2,573.04	3/4	2,213.61	3/4	1,856.51
9	4,586.47	9	4,340.32	9	4,090.93	9	3,841.48	9	3,591.50	9	3,284.11	9	2,925.05	9	2,565.56	9	2,206.13	9	1,849.05
1/4	4,581.72	1/4	4,335.13	1/4	4,085.74	1/4	3,836.27	1/4	3,586.29	1/4	3,276.64	1/4	2,917.56	1/4	2,558.07	1/4	2,198.70	1/4	1,841.56
1/2	4,576.98	1/2	4,329.93	1/2	4,080.54	1/2	3,831.06	1/2	3,581.08	1/2	3,269.18	1/2	2,910.07	1/2	2,550.58	1/2	2,191.26	1/2	1,834.07
3/4	4,572.23	3/4	4,324.74	3/4	4,075.35	3/4	3,825.85	3/4	3,575.87	3/4	3,261.71	3/4	2,902.58	3/4	2,543.09	3/4	2,183.82	3/4	1,826.57
10	4,567.48	10	4,319.54	10	4,070.15	10	3,820.64	10	3,570.66	10	3,254.24	10	2,895.09	10	2,535.60	10	2,176.39	10	1,819.08
1/4	4,562.34	1/4	4,314.34	1/4	4,064.96	1/4	3,815.44	1/4	3,565.46	1/4	3,246.78	1/4	2,887.60	1/4	2,528.11	1/4	2,168.95	1/4	1,811.59
1/2	4,557.20	1/2	4,309.15	1/2	4,059.76	1/2	3,810.23	1/2	3,560.25	1/2	3,239.31	1/2	2,880.11	1/2	2,520.62	1/2	2,161.52	1/2	1,804.10
3/4	4,552.05	3/4	4,303.95	3/4	4,054.56	3/4	3,805.02	3/4	3,555.04	3/4	3,231.85	3/4	2,872.62	3/4	2,513.13	3/4	2,154.09	3/4	1,796.60
11	4,546.91	11	4,298.76	11	4,049.37	11	3,799.81	11	3,549.83	11	3,224.38	11	2,865.14	11	2,505.64	11	2,146.65	11	1,789.11
1/4	4,541.77	1/4	4,293.56	1/4	4,044.17	1/4	3,794.60	1/4	3,544.63	1/4	3,216.92	1/4	2,857.65	1/4	2,498.15	1/4	2,139.21	1/4	1,781.62
1/2	4,536.63	1/2	4,288.37	1/2	4,038.98	1/2	3,789.40	1/2	3,539.42	1/2	3,209.45	1/2	2,850.16	1/2	2,490.66	1/2	2,131.78	1/2	1,774.13
3/4	4,531.49	3/4	4,283.17	3/4	4,033.78	3/4	3,784.19	3/4	3,534.21	3/4	3,201.99	3/4	2,842.67	3/4	2,483.17	3/4	2,124.34	3/4	1,766.63

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 PORT ULLAGE TABLE 2" PIPE GAUGE HEIGHT 14'-11"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,759.14	0	1,400.30	0	1,047.51	0	693.43	0	333.64	0		0		0		0		0	
1/4	1,751.65	1/4	1,392.85	1/4	1,040.27	1/4	685.94	1/4	326.15	1/4		1/4		1/4		1/4		1/4	
1/2	1,744.16	1/2	1,385.40	1/2	1,033.04	1/2	678.45	1/2	318.65	1/2		1/2		1/2		1/2		1/2	
3/4	1,736.66	3/4	1,377.95	3/4	1,025.80	3/4	670.96	3/4	311.15	3/4		3/4		3/4		3/4		3/4	
1	1,729.17	1	1,370.50	1	1,018.56	1	663.47	1	303.65	1		1		1		1		1	
1/4	1,721.68	1/4	1,363.05	1/4	1,011.33	1/4	655.99	1/4	296.15	1/4		1/4		1/4		1/4		1/4	
1/2	1,714.19	1/2	1,355.60	1/2	1,004.09	1/2	648.50	1/2	288.65	1/2		1/2		1/2		1/2		1/2	
3/4	1,706.69	3/4	1,348.14	3/4	996.85	3/4	641.01	3/4	281.15	3/4		3/4		3/4		3/4		3/4	
2	1,699.20	2	1,340.69	2	989.61	2	633.52	2	273.66	2		2		2		2		2	
1/4	1,691.71	1/4	1,333.24	1/4	982.38	1/4	626.03	1/4	266.16	1/4		1/4		1/4		1/4		1/4	
1/2	1,684.22	1/2	1,325.79	1/2	975.14	1/2	618.55	1/2	258.66	1/2		1/2		1/2		1/2		1/2	
3/4	1,676.72	3/4	1,318.34	3/4	967.90	3/4	611.06	3/4	251.16	3/4		3/4		3/4		3/4		3/4	
3	1,669.23	3	1,310.89	3	960.67	3	603.57	3	243.66	3		3		3		3		3	
1/4	1,661.74	1/4	1,303.44	1/4	953.43	1/4	596.08	1/4	236.16	1/4		1/4		1/4		1/4		1/4	
1/2	1,654.25	1/2	1,295.99	1/2	946.19	1/2	588.58	1/2	228.66	1/2		1/2		1/2		1/2		1/2	
3/4	1,646.75	3/4	1,288.54	3/4	938.95	3/4	581.09	3/4	221.17	3/4		3/4		3/4		3/4		3/4	
4	1,639.26	4	1,281.09	4	931.72	4	573.60	4	213.67	4		4		4		4		4	
1/4	1,631.77	1/4	1,273.63	1/4	924.46	1/4	566.10	1/4	206.17	1/4		1/4		1/4		1/4		1/4	
1/2	1,624.28	1/2	1,266.18	1/2	917.20	1/2	558.60	1/2	198.67	1/2		1/2		1/2		1/2		1/2	
3/4	1,616.78	3/4	1,258.72	3/4	909.94	3/4	551.10	3/4	191.17	3/4		3/4		3/4		3/4		3/4	
5	1,609.29	5	1,251.26	5	902.69	5	543.61	5	183.66	5		5		5		5		5	
1/4	1,601.80	1/4	1,243.87	1/4	895.32	1/4	536.11	1/4	176.16	1/4		1/4		1/4		1/4		1/4	
1/2	1,594.31	1/2	1,236.48	1/2	887.95	1/2	528.61	1/2	168.66	1/2		1/2		1/2		1/2		1/2	
3/4	1,586.81	3/4	1,229.09	3/4	880.58	3/4	521.11	3/4	161.16	3/4		3/4		3/4		3/4		3/4	
6	1,579.32	6	1,221.70	6	873.21	6	513.61	6	153.66	6		6		6		6		6	
1/4	1,571.84	1/4	1,214.42	1/4	865.71	1/4	506.11	1/4	146.17	1/4		1/4		1/4		1/4		1/4	
1/2	1,564.35	1/2	1,207.15	1/2	858.21	1/2	498.61	1/2	138.68	1/2		1/2		1/2		1/2		1/2	
3/4	1,556.87	3/4	1,199.87	3/4	850.71	3/4	491.12	3/4	131.19	3/4		3/4		3/4		3/4		3/4	
7	1,549.39	7	1,192.60	7	843.21	7	483.62	7	123.69	7		7		7		7		7	
1/4	1,541.92	1/4	1,185.31	1/4	835.72	1/4	476.12	1/4	116.22	1/4		1/4		1/4		1/4		1/4	
1/2	1,534.46	1/2	1,178.02	1/2	828.22	1/2	468.62	1/2	108.75	1/2		1/2		1/2		1/2		1/2	
3/4	1,526.99	3/4	1,170.73	3/4	820.73	3/4	461.12	3/4	101.28	3/4		3/4		3/4		3/4		3/4	
8	1,519.52	8	1,163.44	8	813.24	8	453.62	8	93.81	8		8		8		8		8	
1/4	1,512.06	1/4	1,156.17	1/4	805.75	1/4	446.12	1/4	86.36	1/4		1/4		1/4		1/4		1/4	
1/2	1,504.60	1/2	1,148.90	1/2	798.26	1/2	438.62	1/2	78.92	1/2		1/2		1/2		1/2		1/2	
3/4	1,497.14	3/4	1,141.63	3/4	790.77	3/4	431.13	3/4	71.48	3/4		3/4		3/4		3/4		3/4	
9	1,489.68	9	1,134.36	9	783.28	9	423.63	9	64.04	9		9		9		9		9	
1/4	1,482.23	1/4	1,127.12	1/4	775.80	1/4	416.13	1/4	57.06	1/4		1/4		1/4		1/4		1/4	
1/2	1,474.79	1/2	1,119.88	1/2	768.31	1/2	408.63	1/2	50.08	1/2		1/2		1/2		1/2		1/2	
3/4	1,467.34	3/4	1,112.65	3/4	760.82	3/4	401.13	3/4	43.10	3/4		3/4		3/4		3/4		3/4	
10	1,459.89	10	1,105.41	10	753.33	10	393.63	10	36.12	10		10		10		10		10	
1/4	1,452.44	1/4	1,098.17	1/4	745.84	1/4	386.13	1/4	30.80	1/4		1/4		1/4		1/4		1/4	
1/2	1,444.99	1/2	1,090.93	1/2	738.35	1/2	378.64	1/2	25.49	1/2		1/2		1/2		1/2		1/2	
3/4	1,437.54	3/4	1,083.70	3/4	730.87	3/4	371.14	3/4	20.17	3/4		3/4		3/4		3/4		3/4	
11	1,430.09	11	1,076.46	11	723.38	11	363.64	11	14.85	11		11		11		11		11	
1/4	1,422.64	1/4	1,069.22	1/4	715.89	1/4	356.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,415.19	1/2	1,061.99	1/2	708.40	1/2	348.64	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,407.74	3/4	1,054.75	3/4	700.91	3/4	341.14	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 STBD ULLAGE TABLE

2" PIPE GAUGE HEIGHT 14'-11 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,550.27	0	4,301.72	0	4,052.10	0	3,802.27	0	3,552.06	0	3,219.53	0	2,859.91	0	2,500.10	0	2,140.27
1/4		1/4	4,545.13	1/4	4,296.52	1/4	4,046.90	1/4	3,797.06	1/4	3,546.84	1/4	3,212.06	1/4	2,852.41	1/4	2,492.61	1/4	2,132.77
1/2		1/2	4,539.98	1/2	4,291.32	1/2	4,041.70	1/2	3,791.84	1/2	3,541.64	1/2	3,204.59	1/2	2,844.92	1/2	2,485.11	1/2	2,125.27
3/4		3/4	4,534.84	3/4	4,286.12	3/4	4,036.49	3/4	3,786.63	3/4	3,536.44	3/4	3,197.12	3/4	2,837.42	3/4	2,477.62	3/4	2,117.76
1		1	4,529.69	1	4,280.92	1	4,031.29	1	3,781.42	1	3,531.24	1	3,189.65	1	2,829.92	1	2,470.12	1	2,110.26
1/4		1/4	4,524.55	1/4	4,275.72	1/4	4,026.09	1/4	3,776.21	1/4	3,526.04	1/4	3,182.17	1/4	2,822.43	1/4	2,462.62	1/4	2,102.76
1/2		1/2	4,519.40	1/2	4,270.52	1/2	4,020.89	1/2	3,770.99	1/2	3,520.85	1/2	3,174.69	1/2	2,814.93	1/2	2,455.13	1/2	2,095.26
3/4		3/4	4,514.25	3/4	4,265.32	3/4	4,015.69	3/4	3,765.78	3/4	3,515.67	3/4	3,167.21	3/4	2,807.44	3/4	2,447.63	3/4	2,087.76
2		2	4,509.11	2	4,260.12	2	4,010.49	2	3,760.57	2	3,510.49	2	3,159.73	2	2,799.94	2	2,440.14	2	2,080.25
1/4		1/4	4,503.96	1/4	4,254.92	1/4	4,005.29	1/4	3,755.35	1/4	3,505.31	1/4	3,152.25	1/4	2,792.44	1/4	2,432.64	1/4	2,072.75
1/2		1/2	4,498.82	1/2	4,249.72	1/2	4,000.09	1/2	3,750.14	1/2	3,499.26	1/2	3,144.75	1/2	2,784.95	1/2	2,425.15	1/2	2,065.25
3/4		3/4	4,493.67	3/4	4,244.51	3/4	3,994.89	3/4	3,744.93	3/4	3,493.22	3/4	3,137.26	3/4	2,777.45	3/4	2,417.65	3/4	2,057.75
3		3	4,488.53	3	4,239.31	3	3,989.69	3	3,739.72	3	3,487.17	3	3,129.76	3	2,769.96	3	2,410.15	3	2,050.24
1/4		1/4	4,483.38	1/4	4,234.11	1/4	3,984.49	1/4	3,734.50	1/4	3,481.13	1/4	3,122.26	1/4	2,762.46	1/4	2,402.66	1/4	2,042.74
1/2		1/2	4,478.24	1/2	4,228.91	1/2	3,979.29	1/2	3,729.29	1/2	3,473.64	1/2	3,114.77	1/2	2,754.96	1/2	2,395.16	1/2	2,035.24
3/4		3/4	4,473.09	3/4	4,223.71	3/4	3,974.09	3/4	3,724.08	3/4	3,466.16	3/4	3,107.27	3/4	2,747.47	3/4	2,387.67	3/4	2,027.74
4		4	4,467.94	4	4,218.51	4	3,968.89	4	3,718.86	4	3,458.67	4	3,099.78	4	2,739.97	4	2,380.17	4	2,020.24
1/4		1/4	4,462.80	1/4	4,213.31	1/4	3,963.69	1/4	3,713.65	1/4	3,451.19	1/4	3,092.28	1/4	2,732.48	1/4	2,372.67	1/4	2,012.73
1/2		1/2	4,457.63	1/2	4,208.11	1/2	3,958.49	1/2	3,708.44	1/2	3,443.71	1/2	3,084.78	1/2	2,724.98	1/2	2,365.18	1/2	2,005.23
3/4		3/4	4,452.47	3/4	4,202.91	3/4	3,953.29	3/4	3,703.23	3/4	3,436.23	3/4	3,077.29	3/4	2,717.49	3/4	2,357.68	3/4	1,997.73
5		5	4,447.30	5	4,197.71	5	3,948.09	5	3,698.01	5	3,428.75	5	3,069.79	5	2,709.99	5	2,350.19	5	1,990.23
1/4		1/4	4,442.13	1/4	4,192.51	1/4	3,942.89	1/4	3,692.80	1/4	3,421.27	1/4	3,062.30	1/4	2,702.49	1/4	2,342.69	1/4	1,982.72
1/2		1/2	4,436.93	1/2	4,187.31	1/2	3,937.69	1/2	3,687.59	1/2	3,413.79	1/2	3,054.80	1/2	2,695.00	1/2	2,335.19	1/2	1,975.22
3/4		3/4	4,431.73	3/4	4,182.11	3/4	3,932.48	3/4	3,682.38	3/4	3,406.32	3/4	3,047.30	3/4	2,687.50	3/4	2,327.70	3/4	1,967.72
6		6	4,426.53	6	4,176.91	6	3,927.28	6	3,677.16	6	3,398.85	6	3,039.81	6	2,680.01	6	2,320.20	6	1,960.22
1/4		1/4	4,421.33	1/4	4,171.71	1/4	3,922.08	1/4	3,671.95	1/4	3,391.38	1/4	3,032.31	1/4	2,672.51	1/4	2,312.71	1/4	1,952.72
1/2		1/2	4,416.13	1/2	4,166.51	1/2	3,916.88	1/2	3,666.74	1/2	3,383.91	1/2	3,024.82	1/2	2,665.01	1/2	2,305.21	1/2	1,945.21
3/4		3/4	4,410.93	3/4	4,161.31	3/4	3,911.68	3/4	3,661.52	3/4	3,376.44	3/4	3,017.32	3/4	2,657.52	3/4	2,297.71	3/4	1,937.71
7		7	4,632.65	7	4,405.73	7	4,156.11	7	3,906.48	7	3,656.31	7	3,368.96	7	3,009.83	7	2,650.02	7	2,290.22
1/4		1/4	4,631.42	1/4	4,404.53	1/4	4,155.11	1/4	3,905.48	1/4	3,655.31	1/4	3,367.96	1/4	3,008.83	1/4	2,649.02	1/4	2,289.22
1/2		1/2	4,627.70	1/2	4,399.33	1/2	4,145.71	1/2	3,896.08	1/2	3,645.89	1/2	3,354.02	1/2	2,994.83	1/2	2,635.03	1/2	2,275.23
3/4		3/4	4,625.22	3/4	4,390.13	3/4	4,140.50	3/4	3,890.87	3/4	3,640.67	3/4	3,346.55	3/4	2,987.34	3/4	2,627.53	3/4	2,267.73
8		8	4,622.73	8	4,384.93	8	4,135.30	8	3,885.67	8	3,635.46	8	3,339.08	8	2,979.84	8	2,620.04	8	2,260.24
1/4		1/4	4,620.25	1/4	4,379.73	1/4	4,130.10	1/4	3,880.46	1/4	3,630.25	1/4	3,331.61	1/4	2,972.35	1/4	2,612.54	1/4	2,252.74
1/2		1/2	4,616.51	1/2	4,374.53	1/2	4,124.90	1/2	3,875.25	1/2	3,625.03	1/2	3,324.13	1/2	2,964.85	1/2	2,605.05	1/2	2,245.24
3/4		3/4	4,612.78	3/4	4,369.33	3/4	4,119.70	3/4	3,870.04	3/4	3,619.82	3/4	3,316.66	3/4	2,957.35	3/4	2,597.55	3/4	2,237.75
9		9	4,609.04	9	4,364.13	9	4,114.50	9	3,864.82	9	3,614.61	9	3,309.19	9	2,949.86	9	2,590.05	9	2,230.25
1/4		1/4	4,605.31	1/4	4,358.93	1/4	4,109.30	1/4	3,859.61	1/4	3,609.40	1/4	3,301.72	1/4	2,942.36	1/4	2,582.56	1/4	2,222.76
1/2		1/2	4,600.55	1/2	4,353.73	1/2	4,104.10	1/2	3,854.40	1/2	3,604.18	1/2	3,294.25	1/2	2,934.87	1/2	2,575.06	1/2	2,215.26
3/4		3/4	4,595.80	3/4	4,348.52	3/4	4,098.90	3/4	3,849.18	3/4	3,598.97	3/4	3,286.78	3/4	2,927.37	3/4	2,567.57	3/4	2,207.76
10		10	4,591.05	10	4,343.32	10	4,093.70	10	3,843.97	10	3,593.76	10	3,279.30	10	2,919.87	10	2,560.07	10	2,200.27
1/4		1/4	4,586.29	1/4	4,338.12	1/4	4,088.50	1/4	3,838.76	1/4	3,588.54	1/4	3,271.83	1/4	2,912.38	1/4	2,552.58	1/4	2,192.77
1/2		1/2	4,581.15	1/2	4,332.92	1/2	4,083.30	1/2	3,833.55	1/2	3,583.33	1/2	3,264.36	1/2	2,904.88	1/2	2,545.08	1/2	2,185.27
3/4		3/4	4,576.00	3/4	4,327.72	3/4	4,078.10	3/4	3,828.33	3/4	3,578.12	3/4	3,256.89	3/4	2,897.39	3/4	2,537.58	3/4	2,177.77
11		11	4,570.86	11	4,322.52	11	4,072.90	11	3,823.12	11	3,572.91	11	3,249.42	11	2,889.89	11	2,530.09	11	2,170.28
1/4		1/4	4,565.71	1/4	4,317.32	1/4	4,067.70	1/4	3,817.91	1/4	3,567.69	1/4	3,241.95	1/4	2,882.40	1/4	2,522.59	1/4	2,162.78
1/2		1/2	4,560.57	1/2	4,312.12	1/2	4,062.50	1/2	3,812.70	1/2	3,562.48	1/2	3,234.48	1/2	2,874.90	1/2	2,515.10	1/2	2,155.27
3/4		3/4	4,555.42	3/4	4,306.92	3/4	4,057.30	3/4	3,807.48	3/4	3,557.27	3/4	3,227.00	3/4	2,867.40	3/4	2,507.60	3/4	2,147.77

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" STANDPIPE.

GAUGE POINT: (2" STANDPIPE) LOCATED 12'-06" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CCL 424 T"

3 STBD

ULLAGE TABLE

2" PIPE

GAUGE HEIGHT 14'-11 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,780.16	0	1,420.81	0	1,061.70	0	701.53	0	341.37	0		0		0		0		0	
1/4	1,772.66	1/4	1,413.35	1/4	1,054.20	1/4	694.03	1/4	333.86	1/4		1/4		1/4		1/4		1/4	
1/2	1,765.16	1/2	1,405.89	1/2	1,046.69	1/2	686.53	1/2	326.36	1/2		1/2		1/2		1/2		1/2	
3/4	1,757.66	3/4	1,398.43	3/4	1,039.19	3/4	679.02	3/4	318.85	3/4		3/4		3/4		3/4		3/4	
1	1,750.16	1	1,390.97	1	1,031.69	1	671.52	1	311.35	1		1		1		1		1	
1/4	1,742.65	1/4	1,383.52	1/4	1,024.18	1/4	664.02	1/4	303.85	1/4		1/4		1/4		1/4		1/4	
1/2	1,735.15	1/2	1,376.06	1/2	1,016.68	1/2	656.51	1/2	296.34	1/2		1/2		1/2		1/2		1/2	
3/4	1,727.65	3/4	1,368.60	3/4	1,009.18	3/4	649.01	3/4	288.84	3/4		3/4		3/4		3/4		3/4	
2	1,720.15	2	1,361.13	2	1,001.67	2	641.51	2	281.34	2		2		2		2		2	
1/4	1,712.65	1/4	1,353.67	1/4	994.17	1/4	634.00	1/4	273.83	1/4		1/4		1/4		1/4		1/4	
1/2	1,705.14	1/2	1,346.21	1/2	986.67	1/2	626.50	1/2	266.33	1/2		1/2		1/2		1/2		1/2	
3/4	1,697.64	3/4	1,338.75	3/4	979.16	3/4	618.99	3/4	258.83	3/4		3/4		3/4		3/4		3/4	
3	1,690.14	3	1,331.29	3	971.66	3	611.49	3	251.32	3		3		3		3		3	
1/4	1,682.64	1/4	1,323.83	1/4	964.16	1/4	603.99	1/4	243.82	1/4		1/4		1/4		1/4		1/4	
1/2	1,675.13	1/2	1,316.37	1/2	956.65	1/2	596.48	1/2	236.32	1/2		1/2		1/2		1/2		1/2	
3/4	1,667.63	3/4	1,308.91	3/4	949.15	3/4	588.98	3/4	228.81	3/4		3/4		3/4		3/4		3/4	
4	1,660.13	4	1,301.45	4	941.65	4	581.48	4	221.31	4		4		4		4		4	
1/4	1,652.63	1/4	1,293.99	1/4	934.14	1/4	573.97	1/4	213.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,645.13	1/2	1,286.53	1/2	926.64	1/2	566.47	1/2	206.30	1/2		1/2		1/2		1/2		1/2	
3/4	1,637.62	3/4	1,279.06	3/4	919.13	3/4	558.97	3/4	198.80	3/4		3/4		3/4		3/4		3/4	
5	1,630.12	5	1,271.59	5	911.63	5	551.46	5	191.29	5		5		5		5		5	
1/4	1,622.62	1/4	1,264.13	1/4	904.13	1/4	543.96	1/4	183.78	1/4		1/4		1/4		1/4		1/4	
1/2	1,615.12	1/2	1,256.65	1/2	896.62	1/2	536.46	1/2	176.28	1/2		1/2		1/2		1/2		1/2	
3/4	1,607.61	3/4	1,249.17	3/4	889.12	3/4	528.95	3/4	168.77	3/4		3/4		3/4		3/4		3/4	
6	1,600.11	6	1,241.69	6	881.62	6	521.45	6	161.26	6		6		6		6		6	
1/4	1,592.61	1/4	1,234.22	1/4	874.11	1/4	513.95	1/4	153.76	1/4		1/4		1/4		1/4		1/4	
1/2	1,585.12	1/2	1,226.73	1/2	866.61	1/2	506.44	1/2	146.26	1/2		1/2		1/2		1/2		1/2	
3/4	1,577.63	3/4	1,219.24	3/4	859.11	3/4	498.94	3/4	138.77	3/4		3/4		3/4		3/4		3/4	
7	1,570.13	7	1,211.76	7	851.60	7	491.44	7	131.27	7		7		7		7		7	
1/4	1,562.64	1/4	1,204.27	1/4	844.10	1/4	483.93	1/4	123.78	1/4		1/4		1/4		1/4		1/4	
1/2	1,555.16	1/2	1,196.76	1/2	836.60	1/2	476.43	1/2	116.30	1/2		1/2		1/2		1/2		1/2	
3/4	1,547.69	3/4	1,189.26	3/4	829.09	3/4	468.92	3/4	108.82	3/4		3/4		3/4		3/4		3/4	
8	1,540.21	8	1,181.76	8	821.59	8	461.42	8	101.34	8		8		8		8		8	
1/4	1,532.74	1/4	1,174.25	1/4	814.09	1/4	453.92	1/4	93.87	1/4		1/4		1/4		1/4		1/4	
1/2	1,525.27	1/2	1,166.75	1/2	806.58	1/2	446.41	1/2	86.42	1/2		1/2		1/2		1/2		1/2	
3/4	1,517.80	3/4	1,159.25	3/4	799.08	3/4	438.91	3/4	78.97	3/4		3/4		3/4		3/4		3/4	
9	1,510.33	9	1,151.74	9	791.58	9	431.41	9	71.53	9		9		9		9		9	
1/4	1,502.86	1/4	1,144.24	1/4	784.07	1/4	423.90	1/4	64.08	1/4		1/4		1/4		1/4		1/4	
1/2	1,495.40	1/2	1,136.74	1/2	776.57	1/2	416.40	1/2	57.10	1/2		1/2		1/2		1/2		1/2	
3/4	1,487.94	3/4	1,129.23	3/4	769.06	3/4	408.90	3/4	50.11	3/4		3/4		3/4		3/4		3/4	
10	1,480.48	10	1,121.73	10	761.56	10	401.39	10	43.13	10		10		10		10		10	
1/4	1,473.02	1/4	1,114.23	1/4	754.06	1/4	393.89	1/4	36.15	1/4		1/4		1/4		1/4		1/4	
1/2	1,465.56	1/2	1,106.72	1/2	746.55	1/2	386.39	1/2	30.82	1/2		1/2		1/2		1/2		1/2	
3/4	1,458.10	3/4	1,099.22	3/4	739.05	3/4	378.88	3/4	25.50	3/4		3/4		3/4		3/4		3/4	
11	1,450.65	11	1,091.72	11	731.55	11	371.38	11	20.18	11		11		11		11		11	
1/4	1,443.19	1/4	1,084.21	1/4	724.04	1/4	363.88	1/4	14.86	1/4		1/4		1/4		1/4		1/4	
1/2	1,435.73	1/2	1,076.71	1/2	716.54	1/2	356.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,428.27	3/4	1,069.20	3/4	709.04	3/4	348.87	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/03/2026 JS
CALCULATED: 02/04/2026 CL
PRINTED: 02/04/2026 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2026

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>